

# Volcanic Ash

## Temvik Quadrangle, North Dakota

**Edward C. Murphy**  
2005

### Introduction

Tuffaceous sandstone and siltstone are present in central Emmons County, in south-central North Dakota. Typically, only a few feet of ash is visible at the surface in these localities, but up to 27 feet of ash was measured in a handful of larger exposures.

### Previous Work

Volcanic ash deposits were first identified in the Linton area in 1917 by T.W. Stanton. This deposit has been informally referred to as the Linton ash. Stanton noted the ash was 26 feet thick and occurred in the lower part of the Fox Hills Formation. In 1952, S.P. Fisher greatly expanded the known extent of the ash identifying it in several localities in both central and southern Emmons County. Manz (1962) investigated the pozzolanic properties of 22 samples within a 35 square-mile area at Linton and estimated the deposit contains 500 million tons of volcanic ash. Artzner (1974) determined the Linton ash is 80% volcanic glass, 10% quartz, 7% feldspar, 1% hornblende, and 2% minor constituents. Forsman (1992) reported less volcanic glass and more clay; 67% volcanic glass, 9% phenocrysts and/or admixed detrital grains, and 24% secondary clay. Forsman noted his samples came from a weathered outcrop which might explain the decrease in glass grains and the increase in clay. He determined the glass is rhyolitic and the glass grains, except where coated by montmorillonite, appear unaltered and reveal no birefringence. Bluemle plotted the locations of a dozen ash outcrops near Linton on topographic maps (unpublished) and included several photographs of ash outcrops in his geologic report of Emmons County (1984). Erickson (1992) constructed an isopach of the Linton ash. He suggested the shape of the ash body was the result of having been deposited in a distributary channel and portions of an estuarine embayment of the Western Interior Seaway.

### This Study

This field investigation identified 16 outcrops of volcanic ash within the Temvik quadrangle. The ash deposit extends over an area of at least 1,800 acres (about 30 sections) within this map. The base of the Linton ash is well exposed along the drainage of Spring Creek, on either side of U.S. Highway 83, at an elevation of approximately 1,830 feet. One mile to the west, the ash is absent at this elevation. A thorough examination of outcrops in the area failed to detect ash deposits west of section 30 (T.133N., R.77W.). Ash samples were collected throughout the map area, three were submitted for analysis. On average, the ash contains 60% silica and 12.8% aluminum oxide. A PIXE analysis of two Linton ash samples detected concentrations for 21 elements, including titanium (0.16%), copper (7.4 ppm), gallium (13.4 ppm), rubidium (136 ppm), strontium (183 ppm), and barium (628 ppm).

### Commercial Uses of Volcanic Ash

Manz (1962) listed many commercial uses of volcanic glass including: abrasives, cleansers, scouring or polishing compounds, concrete admixtures, glazes for pottery, brick and tile, glass wool, enamels, lightweight products, fertilizer, asphalt constituents, acoustic tile, sweeping compounds, paint filler, insecticide carrier, a catalyst carrier in the chemical industry, absorptive packing material, and in purification of lard and tallow. Most of the ash mined in the United States is used in the manufacture of lightweight concrete. Some toothpastes and powders, as well as soaps, contain volcanic ash. Volcanic ash has also been promoted as a surfacing material to create a comfortable, non-slip, minimum-maintenance cow race.

### References


Artzner, D.G., 1974. Petrology of a volcanic ash in the Fox Hills Formation (Maastriichtian) of Emmons, Morton, and Sioux Counties, North Dakota. M.S. thesis, Kent State University, 122 p.  
Bluemle, J.P., 1984. Geology of Emmons County, North Dakota. North Dakota Geological Survey Bulletin 66, Part 1, 69 p.  
Erickson, J.M., 1992. Subsurface stratigraphy, lithologies, and paleo-environments of the Fox Hills Formation (Maastriichtian, Late Cretaceous) adjacent to the type area, North Dakota and South Dakota - toward a holistic view. In Erickson, J.M. and Hogganson, J.W., eds., Proceedings of the F.D. Holland, Jr., Geological Symposium. North Dakota Geological Survey Miscellaneous Series 76, pp. 207-272.  
Fisher, S.P., 1952. The geology of Emmons County, North Dakota. North Dakota Geological Survey Bulletin 26, 47 p.  
Forsman, N.F., 1992. Tuffs in North Dakota in Erickson, J.M. and Hogganson, J.W., eds., Proceedings of the F.D. Holland, Jr., Geological Symposium. North Dakota Geological Survey Miscellaneous Series 76, pp. 267-272.  
Manz, O.E., 1962. Investigation of pozzolanic properties of the Cretaceous volcanic ash deposit near Linton, North Dakota. North Dakota Geological Survey Report of Investigation 35, 42 p.  
Stanton, T.W., 1917. A Cretaceous volcanic ash bed on the Great Plains in North Dakota. Washington Academy of Science Journal, vol. 7, pp. 80-81.




A fresh outcrop of Linton ash. The ash is gray on fresh surfaces, but weathers on exposed surfaces. Note the blocky nature of the ash, rock hammer for scale.

### EXPLANATION

- GU** Geology Undifferentiated  
Includes geologic units that are both younger and older than the Linton Ash.
- CRETACEOUS SYSTEM**
- FOX HILLS FORMATION**
- Va** Volcanic Ash  
The ash layer occurs at, or just beneath, the surface.
- OVERBURDEN**
- <50** The ash layer occurs beneath less than 50 feet of overburden.
- 50-100** The ash layer is overlain by 50 to 100 feet of overburden.
- >100** Greater than 100 feet of overburden.
- Geologic Symbols**
- Known contact between two geologic units
- - - Approximate contact between two geologic units
- - - - Limit of Geologic Control
- \* Outcrop (control point)
- ⊗ Ash mine site
- Other Features**
- Water
- Water - Intermittent
- State Highway
- U.S. Highway
- Paved Road
- Unpaved Road



Scale 1:24,000



Miles

Lambert Conformal Conic Projection 1927 North American Datum  
Standard Parallels 46° 15' 00" and 46° 22' 30"  
Contour Interval 20 Feet

