

**FINAL 2003 North Dakota YRBS Results - Middle School (Grade 7-8)**

**All Grades (7-8): Behaviors that Result in Unintentional and Intentional Injuries**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Carried any weapon in past 30 days other than for hunting (Q11-QN50)	7.9%	8.8%	10.5%	11.6%	8.3%	11.0%	14.8%	10.8%	9.1%	11.5%	11.1%	15.0%
Carried weapon in past 30 days on school property (Q12-QN51)	1.4%	2.3%	3.2%	2.1%	3.0%	2.7%	3.7%	3.9%	2.3%	1.8%	2.1%	3.7%
Been in a physical fight 1+ times during the past 12 months (Q13-QN52)	N.A.	38.2%	36.9%	38.1%	36.2%	43.3%	42.2%	40.4%	36.3%	35.4%	35.0%	28.5%
Made plan about how to attempt suicide in the past 12 months (Q17-QN56)	8.1%	8.5%	10.1%	7.4%	9.7%	9.5%	11.1%	9.0%	8.5%	6.6%	8.8%	8.7%

**All Grades (7-8): Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1 (Williston)	Region 2 (Minot)	Region 3 (Devils Lake)	Region 4 (Gr. Forks)	Region 5 (Fargo)	Region 6 (Jamestown)	Region 7 (Bismarck)	Region 8 (Dickinson)
Rode with someone who had been drinking in the past 30 days (Q15-QN54)	10.5%	12.0%	11.4%	15.2%	15.7%	13.0%	15.9%	13.6%	12.5%	13.4%	10.8%	16.3%
Current Cigarette Smoker: smoked cigarettes 1+ days in the past 30 days (Q22curr-QN20)	9.9%	9.5%	11.4%	10.0%	13.8%	12.8%	20.8%	8.5%	9.7%	8.1%	9.9%	7.3%
Frequent Cigarette Smoker: smoked cigarettes 20+ days in the past 30 days (Q22freq-QNFRCIG)	3.0%	2.8%	3.4%	2.7%	3.3%	4.0%	7.1%	3.0%	2.6%	2.7%	2.0%	2.4%
Ever Smoked Cigarettes Daily: smoked 1+ cigarette every day for 30 days (Q26-QN23)	7.0%	5.5%	8.1%	7.5%	9.0%	8.4%	13.6%	9.2%	6.5%	5.5%	7.6%	4.8%
If smoked in past 30 days, how usually obtained cigarettes: bought them at a store or gas station (Q24-QN59)	0.4%	0.2%	0.4%	0.6%	0.0%	1.0%	2.2%	0.1%	0.2%	0.4%	0.2%	0.4%
If smoked in past 30 days, how usually obtained cigarettes: someone else bought them (Q24-QN59d)	2.2%	2.5%	2.9%	2.1%	3.2%	2.9%	5.1%	2.7%	2.3%	1.9%	1.9%	2.2%
If smoked in past 30 days, how usually obtained cigarettes: borrowed or bummed them from someone else (Q24-QN59e)	3.6%	3.0%	3.2%	2.6%	6.1%	4.1%	3.0%	1.1%	2.9%	3.0%	3.2%	0.8%
Current Cigar Smoker: smoked cigars 1+ days in the past 30 days (Q27-QN25)	N.A.	4.1%	5.1%	4.2%	7.0%	5.6%	9.0%	4.0%	4.4%	2.6%	3.9%	4.3%
Current Smokeless Tobacco Use: used chewing tobacco or snuff 1+ days in the past 30 days (Q29-QN24)	6.3%	3.3%	3.7%	4.6%	3.8%	3.8%	10.5%	3.4%	2.9%	3.5%	3.6%	5.3%

**FINAL 2003 North Dakota YRBS Results - Middle School (Grade 7-8)**

**All Grades (7-8): Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
Current Tobacco Use: smoked cigarettes (Q22) or cigars (Q27) or used chewing tobacco or snuff (Q29) on 1+ days in past 30 days (QNANYTOB)	N.A.	11.8%	13.8%	12.9%	16.7%	15.3%	23.9%	11.0%	12.0%	11.0%	11.8%	12.2%
Drank alcohol 1+ days in the past 30 days other than a few sips (Q30-QN62)	16.8%	16.9%	16.7%	19.2%	21.2%	17.4%	21.5%	18.1%	16.3%	19.2%	16.3%	19.7%
Had 5+ drinks in a row in the past 30 days (Q32-QN63)	8.7%	7.9%	8.2%	9.0%	12.1%	9.1%	11.6%	6.9%	8.1%	9.2%	7.4%	9.3%
Used marijuana in past 30 days (Q33-QN64)	5.5%	5.7%	6.8%	4.5%	6.6%	6.6%	10.9%	6.3%	5.7%	3.5%	4.3%	4.6%
Have sniffed/inhaled glue, paint, etc. in lifetime (Q36-QN66_nd)	10.8%	12.0%	13.3%	9.5%	13.2%	16.6%	16.7%	12.9%	10.0%	8.3%	8.9%	10.6%
Used methamphetamines in lifetime (Q37-QN67_nd)	4.0%	2.9%	3.9%	2.6%	2.8%	4.0%	5.9%	3.6%	2.4%	2.2%	3.1%	4.0%

**All Grades (7-8): Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ALL students.)**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
First whole cigarette tried under age 13 (Q21all-QN19all)	19.4%	16.6%	16.2%	17.0%	17.7%	19.3%	28.5%	17.9%	13.0%	14.2%	15.0%	13.3%
First use of chewing tobacco or snuff under age 13 (Q28all-QN61all)	10.7%	6.3%	5.4%	8.8%	8.1%	7.1%	15.5%	7.9%	3.6%	7.8%	5.8%	7.2%
First drink of alcohol tried under age 13 (Q31all-QN27all)	33.0%	28.6%	29.3%	34.4%	29.1%	33.3%	39.3%	31.9%	26.7%	32.7%	32.1%	34.2%
First time tried marijuana under age 13 (Q34all-QN29all)	6.7%	8.1%	8.4%	5.8%	8.2%	8.8%	14.4%	6.8%	6.8%	4.0%	5.4%	7.8%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q36all-QN66all)	8.9%	9.1%	10.2%	7.5%	10.1%	12.3%	13.5%	10.1%	7.5%	7.5%	6.7%	8.7%

**FINAL 2003 North Dakota YRBS Results - Middle School (Grade 7-8)**

**All Grades (7-8): Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ONLY students who have EVER used.)**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
First whole cigarette tried under age 13 (Q21use-QN19use)	79.9%	76.2%	73.0%	76.0%	69.9%	75.6%	84.0%	79.0%	69.6%	76.7%	71.1%	67.6%
First use of chewing tobacco or snuff under age 13 (Q28use-QN61use)	76.0%	67.5%	63.7%	70.4%	65.0%	71.0%	77.1%	71.9%	61.5%	71.8%	63.1%	51.6%
First drink of alcohol tried under age 13 (Q31use-QN27use)	75.6%	70.0%	72.4%	73.2%	63.5%	75.2%	73.4%	78.0%	67.8%	71.5%	75.4%	73.7%
First time tried marijuana under age 13 (Q34use-QN29use)	65.9%	66.1%	59.4%	61.8%	52.9%	60.0%	63.8%	60.9%	59.2%	61.3%	59.4%	62.6%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q36use-QN66use)	81.6%	76.1%	77.1%	78.1%	76.6%	74.1%	80.9%	78.1%	75.4%	90.2%	75.0%	82.2%

**All Grades (7-8): Other Risk Behaviors**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
Wear a seat belt always or most of the time (Q8-QN8_nd)	60.4%	64.7%	71.6%	59.4%	61.5%	66.4%	45.5%	68.6%	73.6%	58.4%	67.9%	67.7%
Drank 3 or more glasses of milk per day (Q47-QN75_nd)	46.2%	41.9%	41.8%	43.2%	45.0%	36.4%	36.4%	44.2%	45.4%	41.5%	43.6%	43.6%
Ate 5 or more fruits and vegetables each day in the past seven days (Q51 to Q56-QNFRVG)	N.A.	23.5%	22.1%	20.4%	19.2%	19.9%	23.4%	25.1%	22.5%	19.9%	18.9%	21.1%
Drank more than 12 ounces of sweetened beverage per day (Q49-QN77)	46.7%	44.1%	44.4%	47.4%	50.2%	48.4%	49.5%	45.3%	46.0%	42.5%	44.2%	41.0%
Ate breakfast 5 or more days in the past week (Q50-QN78_nd)	61.6%	60.0%	58.6%	60.4%	61.1%	54.9%	52.5%	59.6%	60.9%	55.5%	59.9%	73.6%
Ate a meal with their family yesterday (Q57-QN85)	69.7%	66.0%	67.4%	68.0%	65.4%	67.5%	63.9%	66.2%	66.8%	68.3%	67.7%	80.3%
Didn't do the <u>minimum</u> amount of either moderate (Q60) or vigorous (Q59) physical activity (Qnminpa)	17.7%	15.5%	19.5%	17.0%	17.4%	19.0%	24.8%	18.5%	14.5%	18.1%	21.4%	15.3%
Didn't do <u>any</u> moderate (Q60) or vigorous (Q59) physical activity (Qnnpopa)	2.8%	1.9%	3.3%	2.6%	3.7%	3.9%	4.9%	2.7%	1.8%	2.2%	3.8%	1.5%
Watched TV (Q61) and played video games (Q62) 2 hours or less per day (R61R62)	33.3%	33.2%	33.4%	33.1%	31.2%	31.3%	35.3%	31.9%	34.7%	37.1%	33.0%	29.3%
Did take physical education class daily (Q63-QN47_nd)	35.8%	34.9%	39.5%	32.4%	58.5%	54.4%	33.8%	15.3%	37.5%	5.5%	50.8%	19.1%
Was taught about HIV/AIDS in school (Q66-QN49)	84.9%	84.8%	87.9%	84.2%	87.9%	79.1%	84.4%	92.4%	83.8%	89.3%	87.3%	92.0%
Have talked about HIV/AIDS with parent or other adults in their family (Q67-QN91)	41.3%	35.8%	38.6%	35.4%	30.9%	37.1%	39.6%	42.2%	33.3%	37.1%	38.9%	37.4%

**FINAL 2003 North Dakota YRBS Results - Middle School (Grade 7-8)**

**7th Grade: Behaviors that Result in Unintentional and Intentional Injuries**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
Carried any weapon in past 30 days other than for hunting (Q11-QN50)	8.0%	7.9%	9.0%	10.1%	9.1%	7.7%	13.2%	7.4%	8.3%	11.2%	10.7%	11.5%
Carried weapon in past 30 days on school property (Q12-QN51)	1.2%	1.9%	2.5%	2.0%	4.2%	1.4%	3.6%	3.0%	2.0%	2.6%	2.1%	0.0%
Been in a physical fight 1+ times during the past 12 months (Q13-QN52)	N.A.	37.0%	36.9%	37.2%	34.7%	41.3%	41.0%	38.0%	38.8%	36.7%	31.9%	31.7%
Made plan about how to attempt suicide in the past 12 months (Q17-QN56)	7.9%	6.5%	8.3%	6.1%	9.5%	7.8%	7.2%	8.8%	6.9%	5.2%	8.1%	1.4%

**7th Grade: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
Rode with someone who had been drinking in the past 30 days (Q15-QN54)	9.0%	8.4%	7.8%	12.7%	15.3%	8.4%	11.6%	13.0%	9.9%	10.7%	7.4%	7.9%
Current Cigarette Smoker: smoked cigarettes 1+ days in the past 30 days (Q22curr-QN20)	9.3%	6.8%	7.7%	7.8%	13.9%	9.0%	15.2%	6.8%	5.5%	6.6%	7.4%	2.2%
Frequent Cigarette Smoker: smoked cigarettes 20+ days in the past 30 days (Q22freq-QNFRCIG)	2.9%	1.6%	1.6%	1.5%	2.6%	2.2%	4.2%	0.9%	0.9%	1.5%	1.3%	0.0%
Ever Smoked Cigarettes Daily: smoked 1+ cigarette every day for 30 days (Q26-QN23)	6.1%	3.8%	5.8%	5.9%	9.8%	5.8%	9.9%	7.7%	4.1%	2.4%	6.1%	2.9%
If smoked in past 30 days, how usually obtained cigarettes: bought them at a store or gas station (Q24-QN59)	0.1%	0.0%	0.2%	0.1%	0.0%	0.6%	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%
If smoked in past 30 days, how usually obtained cigarettes: someone else bought them (Q24-QN59d)	1.5%	1.6%	2.0%	1.8%	2.8%	2.0%	4.5%	3.3%	0.9%	1.3%	1.2%	0.7%
If smoked in past 30 days, how usually obtained cigarettes: borrowed or bummed them from someone else (Q24-QN59e)	3.1%	2.1%	2.1%	2.1%	5.1%	2.9%	1.6%	0.0%	2.6%	2.4%	2.4%	0.0%
Current Cigar Smoker: smoked cigars 1+ days in the past 30 days (Q27-QN25)	N.A.	2.6%	3.0%	3.7%	9.6%	3.4%	8.1%	2.4%	2.5%	2.3%	2.4%	1.4%
Current Smokeless Tobacco Use: used chewing tobacco or snuff 1+ days in the past 30 days (Q29-QN24)	6.4%	2.6%	2.7%	3.5%	6.0%	2.7%	9.1%	2.3%	2.1%	2.5%	2.3%	1.4%

**FINAL 2003 North Dakota YRBS Results - Middle School (Grade 7-8)**

**7th Grade: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
Current Tobacco Use: smoked cigarettes (Q22) or cigars (Q27) or used chewing tobacco or snuff (Q29) on 1+ days in past 30 days (QNANYTOB)	N.A.	8.9%	9.2%	10.7%	18.2%	10.9%	18.8%	8.1%	7.8%	8.5%	8.7%	5.0%
Drank alcohol 1+ days in the past 30 days other than a few sips (Q30-QN62)	12.6%	12.1%	11.0%	14.9%	21.4%	10.2%	14.8%	15.3%	11.8%	13.4%	11.3%	11.2%
Had 5+ drinks in a row in the past 30 days (Q32-QN63)	6.0%	4.8%	4.6%	6.7%	11.5%	5.5%	8.7%	5.1%	5.2%	5.0%	4.6%	2.9%
Used marijuana in past 30 days (Q33-QN64)	4.9%	4.4%	4.4%	3.5%	5.6%	4.9%	7.4%	4.8%	2.6%	2.9%	2.9%	6.1%
Have sniffed/inhaled glue, paint, etc. in lifetime (Q36-QN66_nd)	11.8%	10.5%	10.3%	9.0%	12.0%	12.7%	15.7%	10.0%	8.8%	7.0%	7.9%	5.8%
Used methamphetamines in lifetime (Q37-QN67_nd)	3.3%	2.2%	2.9%	1.9%	4.1%	3.8%	5.3%	2.7%	1.4%	1.3%	2.2%	0.0%

**7th Grade: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ALL students.)**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
First whole cigarette tried under age 13 (Q21all-QN19all)	19.7%	15.2%	13.4%	15.4%	17.2%	16.5%	22.4%	15.8%	13.5%	10.8%	11.7%	7.3%
First use of chewing tobacco or snuff under age 13 (Q28all-QN61all)	11.6%	4.7%	4.5%	8.3%	9.0%	6.8%	14.7%	6.8%	2.9%	5.8%	5.1%	5.7%
First drink of alcohol tried under age 13 (Q31all-QN27all)	34.9%	29.2%	27.8%	34.5%	32.1%	30.9%	38.8%	30.5%	29.0%	31.1%	30.6%	21.8%
First time tried marijuana under age 13 (Q34all-QN29all)	6.4%	7.5%	6.7%	5.5%	9.9%	7.3%	12.4%	5.8%	6.7%	4.0%	3.7%	1.4%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q36all-QN66all)	10.4%	9.0%	9.2%	7.7%	9.9%	10.4%	14.8%	9.1%	7.6%	6.8%	6.8%	5.8%

**FINAL 2003 North Dakota YRBS Results - Middle School (Grade 7-8)**

**7th Grade: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ONLY students who have EVER used.)**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
First whole cigarette tried under age 13 (Q21use-QN19use)	91.2%	85.8%	85.1%	87.1%	83.6%	87.5%	93.6%	88.3%	87.2%	79.6%	79.6%	90.9%
First use of chewing tobacco or snuff under age 13 (Q28use-QN61use)	87.3%	84.4%	89.4%	82.2%	82.3%	92.0%	94.4%	82.2%	78.5%	76.0%	83.3%	80.0%
First drink of alcohol tried under age 13 (Q31use-QN27use)	87.3%	84.0%	87.4%	85.1%	81.4%	84.5%	89.1%	91.9%	85.8%	86.1%	86.7%	68.8%
First time tried marijuana under age 13 (Q34use-QN29use)	77.5%	86.8%	74.9%	74.8%	75.0%	85.1%	77.4%	73.4%	78.8%	75.7%	67.2%	20.9%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q36use-QN66use)	88.3%	85.9%	89.4%	85.8%	82.8%	81.6%	93.9%	91.0%	86.4%	96.8%	86.0%	100.0%

**7th Grade: Other Risk Behaviors**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
Wear a seat belt always or most of the time (Q8-QN8_nd)	59.2%	66.1%	72.8%	58.2%	69.1%	66.8%	48.9%	69.8%	72.3%	59.6%	68.1%	59.2%
Drank 3 or more glasses of milk per day (Q47-QN75_nd)	46.0%	40.7%	41.2%	43.7%	46.0%	35.5%	36.1%	45.4%	45.1%	42.5%	42.0%	48.4%
Ate 5 or more fruits and vegetables each day in the past seven days (Q51 to Q56-QNFRVG)	N.A.	23.7%	22.8%	21.5%	19.2%	19.7%	21.8%	28.5%	25.8%	20.9%	18.8%	13.1%
Drank more than 12 ounces of sweetened beverage per day (Q49-QN77)	47.2%	41.2%	41.1%	46.8%	44.9%	44.4%	49.2%	41.9%	45.3%	42.6%	40.8%	41.3%
Ate breakfast 5 or more days in the past week (Q50-QN78_nd)	63.4%	59.9%	59.6%	63.8%	67.3%	58.6%	52.9%	62.0%	64.4%	56.0%	61.5%	79.2%
Ate a meal with their family yesterday (Q57-QN85)	72.5%	66.5%	68.6%	69.9%	68.3%	69.3%	66.7%	67.6%	66.3%	66.6%	73.4%	80.1%
Didn't do the minimum amount of either moderate (Q60) or vigorous (Q59) physical activity (Qnminpa)	18.9%	14.0%	18.2%	16.1%	16.1%	18.4%	24.0%	17.7%	12.6%	16.4%	19.5%	16.5%
Didn't do any moderate (Q60) or vigorous (Q59) physical activity (Qnnpa)	2.5%	1.7%	3.0%	2.0%	2.3%	4.2%	4.9%	1.9%	0.9%	1.9%	3.3%	2.1%
Watched TV (Q61) and played video games (Q62) 2 hours or less per day (R61R62)	32.0%	33.2%	36.1%	34.4%	33.0%	31.5%	34.3%	34.2%	38.3%	36.9%	35.9%	32.2%
Did take physical education class daily (Q63-QN47_nd)	29.0%	31.6%	36.9%	29.5%	53.6%	52.6%	31.4%	14.8%	28.1%	1.6%	50.4%	28.4%
Was taught about HIV/AIDS in school (Q66-QN49)	82.5%	83.4%	87.4%	82.8%	88.3%	76.1%	84.9%	90.7%	82.0%	90.7%	88.3%	89.3%
Have talked about HIV/AIDS with parent or other adults in their family (Q67-QN91)	42.3%	34.2%	37.2%	33.7%	31.3%	35.0%	39.4%	41.0%	32.8%	36.7%	36.1%	27.9%

**FINAL 2003 North Dakota YRBS Results - Middle School (Grade 7-8)**

**8th Grade: Behaviors that Result in Unintentional and Intentional Injuries**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
Carried any weapon in past 30 days other than for hunting (Q11-QN50)	7.7%	9.6%	11.9%	13.0%	7.7%	14.3%	16.4%	14.6%	9.8%	11.6%	11.4%	16.1%
Carried weapon in past 30 days on school property (Q12-QN51)	1.7%	2.7%	3.9%	2.2%	2.1%	4.0%	3.8%	5.0%	2.6%	1.0%	2.1%	5.0%
Been in a physical fight 1+ times during the past 12 months (Q13-QN52)	N.A.	39.5%	36.8%	38.6%	37.7%	45.1%	43.6%	42.1%	33.9%	33.8%	38.3%	27.2%
Made plan about how to attempt suicide in the past 12 months (Q17-QN56)	8.4%	10.2%	11.8%	8.6%	9.9%	11.2%	15.4%	9.5%	9.9%	8.2%	9.6%	11.3%

**8th Grade: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
Rode with someone who had been drinking in the past 30 days (Q15-QN54)	12.1%	15.6%	15.0%	17.5%	16.1%	17.3%	20.5%	14.5%	14.9%	16.2%	14.5%	19.3%
Current Cigarette Smoker: smoked cigarettes 1+ days in the past 30 days (Q22curr-QN20)	10.4%	12.0%	14.9%	11.8%	13.7%	16.2%	26.1%	10.1%	13.4%	9.5%	12.7%	8.9%
Frequent Cigarette Smoker: smoked cigarettes 20+ days in the past 30 days (Q22freq-QNFRCIG)	3.2%	4.1%	5.2%	3.8%	3.8%	5.6%	10.3%	5.4%	4.1%	4.0%	2.8%	3.3%
Ever Smoked Cigarettes Daily: smoked 1+ cigarette every day for 30 days (Q26-QN23)	7.8%	7.1%	10.1%	8.9%	8.4%	10.8%	17.2%	10.3%	8.6%	8.6%	9.2%	5.2%
If smoked in past 30 days, how usually obtained cigarettes: bought them at a store or gas station (Q24-QN59)	0.7%	0.3%	0.5%	1.0%	0.0%	1.3%	3.3%	0.3%	0.5%	0.7%	0.4%	0.3%
If smoked in past 30 days, how usually obtained cigarettes: someone else bought them (Q24-QN59d)	2.8%	3.3%	3.9%	2.3%	3.5%	3.8%	5.5%	2.1%	3.4%	2.5%	2.6%	2.7%
If smoked in past 30 days, how usually obtained cigarettes: borrowed or bummed them from someone else (Q24-QN59e)	4.1%	3.7%	4.1%	3.1%	6.9%	5.1%	4.3%	2.4%	3.2%	3.5%	4.2%	1.0%
Current Cigar Smoker: smoked cigars 1+ days in the past 30 days (Q27-QN25)	N.A.	5.5%	7.2%	4.6%	5.1%	7.7%	9.7%	5.8%	6.1%	2.9%	5.5%	5.1%
Current Smokeless Tobacco Use: used chewing tobacco or snuff 1+ days in the past 30 days (Q29-QN24)	6.2%	4.0%	4.6%	5.7%	2.1%	4.8%	11.7%	4.6%	3.7%	4.5%	4.9%	6.7%

"N.A." means "Not Applicable" because either the question was not asked or results cannot be generated.

**FINAL 2003 North Dakota YRBS Results - Middle School (Grade 7-8)**

**8th Grade: Tobacco, Alcohol, and Other Drug Use Including Drinking & Driving**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
Current Tobacco Use: smoked cigarettes (Q22) or cigars (Q27) or used chewing tobacco or snuff (Q29) on 1+ days in past 30 days (QNANYTOB)	N.A.	14.6%	18.1%	14.6%	15.7%	19.2%	28.8%	14.0%	15.8%	13.4%	15.1%	14.6%
Drank alcohol 1+ days in the past 30 days other than a few sips (Q30-QN62)	20.9%	21.4%	21.9%	23.1%	21.3%	24.2%	28.6%	20.6%	20.3%	25.3%	21.7%	22.6%
Had 5+ drinks in a row in the past 30 days (Q32-QN63)	11.4%	10.8%	11.6%	11.0%	12.7%	12.4%	14.4%	8.9%	10.6%	13.7%	10.6%	11.3%
Used marijuana in past 30 days (Q33-QN64)	6.1%	6.9%	9.1%	5.4%	7.0%	8.2%	13.9%	8.0%	8.4%	4.0%	5.9%	4.1%
Have sniffed/inhaled glue, paint, etc. in lifetime (Q36-QN66_nd)	9.9%	13.4%	16.0%	9.8%	13.8%	19.7%	17.1%	16.4%	11.1%	9.5%	10.0%	12.3%
Used methamphetamines in lifetime (Q37-QN67_nd)	4.6%	3.6%	4.8%	3.3%	1.5%	4.2%	6.7%	4.7%	3.4%	3.1%	4.1%	5.4%

**8th Grade: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ALL students.)**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
First whole cigarette tried under age 13 (Q21all-QN19all)	19.1%	18.0%	18.9%	18.4%	18.3%	22.0%	34.9%	20.5%	12.5%	17.9%	18.7%	15.4%
First use of chewing tobacco or snuff under age 13 (Q28all-QN61all)	9.8%	7.8%	6.0%	9.4%	7.4%	7.4%	15.9%	8.6%	4.4%	10.1%	6.4%	7.7%
First drink of alcohol tried under age 13 (Q31all-QN27all)	31.0%	28.2%	30.8%	34.3%	26.7%	35.7%	39.8%	33.9%	24.5%	34.5%	33.7%	38.4%
First time tried marijuana under age 13 (Q34all-QN29all)	7.1%	8.6%	9.9%	6.0%	6.6%	9.9%	16.2%	7.4%	6.9%	4.0%	7.3%	10.0%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q36all-QN66all)	7.3%	9.3%	11.2%	7.1%	9.9%	13.7%	12.1%	11.4%	7.5%	8.3%	6.6%	9.8%

**FINAL 2003 North Dakota YRBS Results - Middle School (Grade 7-8)**

**8th Grade: Age at Which Alcohol, Tobacco, or Other Drug Use Began (Includes ONLY students who have EVER used.)**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
First whole cigarette tried under age 13 (Q21use-QN19use)	70.8%	69.8%	66.6%	69.8%	62.6%	69.1%	79.0%	73.2%	58.0%	75.7%	66.3%	65.5%
First use of chewing tobacco or snuff under age 13 (Q28use-QN61use)	66.0%	60.3%	52.1%	63.5%	54.4%	58.8%	64.9%	65.1%	54.4%	69.5%	51.2%	48.0%
First drink of alcohol tried under age 13 (Q31use-QN27use)	65.8%	60.3%	63.1%	64.9%	52.5%	69.5%	62.5%	68.5%	55.3%	61.6%	66.5%	74.7%
First time tried marijuana under age 13 (Q34use-QN29use)	58.0%	55.2%	52.0%	53.7%	38.6%	49.4%	55.7%	51.5%	48.3%	51.0%	55.8%	69.6%
First time sniffed/inhaled glue, paint, etc. under age 13 (Q36use-QN66use)	73.6%	69.3%	69.9%	72.2%	71.8%	69.4%	70.9%	69.4%	67.8%	87.3%	65.3%	79.3%

**8th Grade: Other Risk Behaviors**

	2001 CDC State Data	2003 CDC State Data	2003 Winkelman Consulting Data									
			Urban	Rural	Region 1	Region 2	Region 3	Region 4	Region 5	Region 6	Region 7	Region 8
					(Williston)	(Minot)	(Devils Lake)	(Gr. Forks)	(Fargo)	(Jamestown)	(Bismarck)	(Dickinson)
Wear a seat belt always or most of the time (Q8-QN8_nd)	61.7%	63.3%	70.6%	60.6%	55.4%	66.1%	42.0%	67.7%	74.9%	57.4%	67.9%	70.8%
Drank 3 or more glasses of milk per day (Q47-QN75_nd)	46.3%	42.8%	42.4%	42.6%	43.8%	37.2%	36.1%	42.9%	45.9%	40.1%	45.3%	41.8%
Ate 5 or more fruits and vegetables each day in the past seven days (Q51 to Q56-QNFRVG)	N.A.	23.2%	21.4%	19.2%	18.9%	20.0%	25.1%	21.1%	19.5%	18.7%	19.2%	24.1%
Drank more than 12 ounces of sweetened beverage per day (Q49-QN77)	46.2%	46.9%	47.3%	47.7%	54.8%	51.9%	49.5%	48.5%	46.5%	42.4%	47.6%	40.7%
Ate breakfast 5 or more days in the past week (Q50-QN78_nd)	59.7%	60.0%	57.5%	57.4%	56.4%	51.8%	52.1%	56.9%	57.6%	54.7%	58.3%	71.8%
Ate a meal with their family yesterday (Q57-QN85)	66.9%	65.7%	66.5%	66.2%	62.9%	66.0%	61.1%	64.8%	67.3%	69.9%	61.1%	80.6%
Didn't do the minimum amount of either moderate (Q60) or vigorous (Q59) physical activity (Qnminpa)	16.5%	16.8%	20.7%	17.9%	18.1%	19.6%	25.7%	19.6%	16.1%	20.1%	23.3%	14.9%
Didn't do any moderate (Q60) or vigorous (Q59) physical activity (Qnnpa)	3.1%	2.2%	3.6%	3.1%	4.5%	3.6%	5.1%	3.6%	2.6%	2.5%	4.4%	1.3%
Watched TV (Q61) and played video games (Q62) 2 hours or less per day (R61R62)	34.5%	33.2%	30.9%	31.8%	29.6%	31.0%	36.9%	29.4%	31.3%	37.6%	29.8%	28.4%
Did take physical education class daily (Q63-QN47_nd)	42.7%	38.3%	42.2%	34.9%	62.8%	56.1%	36.7%	15.7%	46.1%	9.4%	51.5%	15.5%
Was taught about HIV/AIDS in school (Q66-QN49)	87.2%	86.0%	88.3%	85.5%	87.6%	82.2%	83.5%	94.1%	85.4%	87.8%	86.1%	93.0%
Have talked about HIV/AIDS with parent or other adults in their family (Q67-QN91)	40.3%	37.5%	39.9%	36.7%	30.5%	39.2%	39.8%	42.7%	33.7%	37.4%	42.1%	41.0%