


# NORTH DAKOTA STATE RAIL PLAN



Prepared by  
UPPER GREAT PLAINS TRANSPORTATION INSTITUTE  
for  
NORTH DAKOTA DEPARTMENT OF TRANSPORTATION  
Bismarck, North Dakota  
Website: <http://www.dot.nd.gov>

DIRECTOR  
Francis G. Ziegler

December 2007





# North Dakota Department of Transportation

Francis G. Ziegler, P.E.  
*Director*

John Hoeven  
*Governor*

December 2007

Dear North Dakotans:

Significant changes have taken place in the rail industry in the last decade. The 2007 North Dakota rail plan presented here considers these changes as it provides guidance for continued development of the North Dakota rail system. It also contains better, more comprehensive data for rail stakeholders. With this new plan, we are contributing to a safer, more secure, more efficient rail system that offers effective movement of freight and contributes to personal mobility.

It is important to acknowledge that it would have been impossible to develop the new rail plan without the Rail Advisory Group and the input of other individuals, businesses, and agencies. We pledge to continue providing opportunities for meaningful input and participation in the rail planning process.

The 2007 rail plan is a part of our ongoing effort to improve the North Dakota rail transport system. Please continue to share your thoughts and express your suggestions; working together we can make a difference.

Sincerely,

A handwritten signature in blue ink that reads "Francis G. Ziegler".

Francis G. Ziegler, P.E.  
Director

17/bj



# TABLE OF CONTENTS

<b><i>EXECUTIVE SUMMARY</i></b> _____	<b>1</b>
<b>Rail Plan Overview</b> _____	<b>3</b>
<b><i>CHAPTER 1 - ND RAIL PLANNING GUIDANCE</i></b> _____	<b>5</b>
<b>Purpose, Scope, and Use</b> _____	<b>5</b>
<b>Goals and Strategies</b> _____	<b>5</b>
<b>Trends</b> _____	<b>8</b>
<b>Policy Statements</b> _____	<b>9</b>
<b><i>CHAPTER 2 - THE NORTH DAKOTA RAIL SYSTEM</i></b> _____	<b>11</b>
<b>Brief History</b> _____	<b>11</b>
<b>North Dakota Railroad System Today</b> _____	<b>12</b>
<b>Carrier Profiles – Class I Railroads</b> _____	<b>14</b>
BNSF Railway (BNSF) _____	14
Canadian Pacific Railway (CPR) _____	15
<b>Carrier Profiles – Regional Railroads</b> _____	<b>16</b>
Dakota, Missouri Valley & Western (DVMW) _____	16
Northern Plains Railroad (NPR) _____	17
Red River Valley & Western Railroad (RRVW) _____	18
<b>Carrier Profiles – Local Railroads</b> _____	<b>19</b>
Dakota Northern Railroad (DNRR) _____	19
Yellowstone Valley Railroad (YSVR) _____	19
<b>Railroad Network Characteristics</b> _____	<b>20</b>
Track Condition and Quality Indicators _____	20
Rail Grade Crossing Characteristics _____	22
Characteristics of Shipper Facilities _____	23
Storage Capacity _____	23
Side Track Capacity _____	23
<b>Shuttle Train Elevators</b> _____	<b>24</b>
BNSF Railway Requirements _____	24
CPR Requirements _____	24
<b>NDDOT Shuttle and Biofuel Plant Impact Analysis</b> _____	<b>25</b>
<b>Rail Passenger Service and Traffic Levels</b> _____	<b>34</b>
<b><i>CHAPTER 3 - RAILROAD FREIGHT ASSISTANCE PROGRAMS AND GUIDELINES</i></b> _____	<b>37</b>
Brief History _____	37
<b>Local Rail Freight Assistance Guidelines</b> _____	<b>38</b>
<b>North Dakota Freight Rail Improvement Program</b> _____	<b>39</b>
Benefits of Rail Freight Assistance Programs _____	39
<b>Highway-Rail Grade Crossing Safety Programs</b> _____	<b>40</b>
Brief History _____	40
U.S. Department of Transportation ( <i>USDOT</i> ) Action Plan _____	41
Onboard Railroad Warning and Sounding Devices _____	42

<i>Conspicuous Locomotives</i> _____	43
Reflectorized Rolling Stock _____	43
Highway System Engineering and Enforcement Innovations _____	44
Enhancements of Highway Railroad Interface _____	44
Obstruction of Visibility _____	44
<b>State Grade Crossing Safety Programs</b> _____	<b>44</b>
<b>Operation Lifesaver</b> _____	<b>45</b>
<b><i>APPENDIX A - TRAFFIC AND COMMODITY STATISTICS</i></b> _____	<b>47</b>
<b>Railroad Statistics</b> _____	<b>49</b>
<b>Rail Commodity Movements</b> _____	<b>51</b>
Farm Products Traffic _____	52
Coal, Chemical, and Food Products Traffic _____	56
<b>Value of North Dakota Shipments</b> _____	<b>57</b>
<b><i>APPENDIX B - RAIL LINE ABANDONMENTS</i></b> _____	<b>59</b>
<b>Rail Abandonment Overview</b> _____	<b>61</b>
<b>Abandonment Procedures and Regulations</b> _____	<b>61</b>
Full Abandonment _____	61
Exempt Abandonment _____	62
Feeder Railroad Development Program _____	63
<b><i>APPENDIX C - DESCRIPTION OF NORTH DAKOTA RAIL LINES</i></b> _____	<b>69</b>
<b>Devils Lake Subdivision (BNSF)</b> _____	<b>71</b>
<b>Drayton Subdivision (BNSF)</b> _____	<b>72</b>
<b>Glasston Subdivision (BNSF)</b> _____	<b>73</b>
<b>Hannah Subdivision (BNSF)</b> _____	<b>74</b>
<b>Hillsboro Subdivision (BNSF)</b> _____	<b>75</b>
<b>Hunter, Clifford, &amp; Prosper Subdivisions (BNSF)</b> _____	<b>76</b>
<b>Warwick Subdivision (BNSF)</b> _____	<b>78</b>
<b>Jamestown Subdivision (BNSF)</b> _____	<b>79</b>
<b>KO Subdivision (BNSF)</b> _____	<b>80</b>
<b>Mayville Subdivision (BNSF)</b> _____	<b>81</b>
<b>Rolla Subdivision (BNSF)</b> _____	<b>82</b>
<b>Westhope Subdivision (BNSF)</b> _____	<b>83</b>
<b>Zap Subdivision (BNSF)</b> _____	<b>84</b>
<b>Crosby Subdivision (BNSF)</b> _____	<b>85</b>
<b>Dickinson Subdivision (BNSF)</b> _____	<b>86</b>
<b>Glasgow Subdivision (BNSF)</b> _____	<b>87</b>
<b>Grenora Subdivision (BNSF)</b> _____	<b>88</b>
<b>Hettinger Subdivision (BNSF)</b> _____	<b>89</b>

<b>Portal Subdivision (CPR)</b>	<b>90</b>
<b>New Town Subdivision (CPR)</b>	<b>91</b>
<b>Carrington Subdivision (CPR)</b>	<b>92</b>
<b>Elbow Lake Subdivision &amp; Veblen Subdivision (CPR)</b>	<b>93</b>
<b>Wallhalla and Glasston Lines (DNRR)</b>	<b>94</b>
<b>Dakota Subdivision (DMVW)</b>	<b>95</b>
<b>Aberdeen Subdivision (DMVW)</b>	<b>96</b>
<b>Napoleon and Hazelton Subdivisions (DMVW)</b>	<b>97</b>
<b>Missouri Valley Subdivision (DMVW)</b>	<b>98</b>
<b>Western Subdivision (DMVW)</b>	<b>99</b>
<b>Bisbee Subdivision (NPR)</b>	<b>100</b>
<b>Sarles – Lakota line: (NPR)</b>	<b>101</b>
<b>Devils Lake Subdivision (NPR)</b>	<b>102</b>
<b>Second Subdivision (RRVW)</b>	<b>103</b>
<b>Third Subdivision (RRVW)</b>	<b>104</b>
<b>Fourth Subdivision (RRVW)</b>	<b>105</b>
<b>Sixth Subdivision (RRVW)</b>	<b>106</b>
<b>Seventh Subdivision (RRVW)</b>	<b>107</b>
<b>Eighth Subdivision (RRVW)</b>	<b>108</b>
<b>Sidney Line (YVSR)</b>	<b>109</b>
<b><i>APPENDIX D - GOALS FOR NORTH DAKOTA RAIL PLANNING</i></b>	<b><i>111</i></b>
<b>Rail Plan Advisory and Visioning</b>	<b>113</b>
<b>North Dakota Rail Planning Vision Statements</b>	<b>114</b>
<b>Strategies to Achieve North Dakota Rail Plan Visions</b>	<b>117</b>
<b>Joint MN-ND Rail Planning Conference: Regional Rail Planning Issues</b>	<b>121</b>
Notes From the Joint Minnesota-North Dakota Rail Planning Conference	122
Overview of State Rail Programs	122
Perspectives of Metropolitan Planning Organizations	123
Perspectives of District Engineers	124
Perspectives of Regional Railroads	125
Perspectives of Class I Railroads	126
<b><i>APPENDIX E - BENEFIT COST CRITERIA</i></b>	<b><i>129</i></b>
<b>Introduction</b>	<b>131</b>
<b>Base vs. Incremental Traffic</b>	<b>131</b>
<b>Base Case of Continued Operation</b>	<b>132</b>
<b>Abandonment Base Case</b>	<b>132</b>
Shipper Cost Savings	132
Railroad Income Gains	132

Shipper Profit on New Production _____	133
Impacts on Through Traffic _____	133
Highway Impacts _____	133
<b><i>APPENDIX F - LOCAL FREIGHT RAIL ASSISTANCE GUIDELINES</i></b> _____	<b>137</b>
<b>APPLICATION INSTRUCTIONS</b> _____	<b>139</b>
<b>SECTION 1.0 – INTRODUCTION</b> _____	<b>139</b>
<b>SECTION 2.0 – ELIGIBLE APPLICANTS</b> _____	<b>139</b>
<b>SECTION 3.0 – ELIGIBLE PROJECTS</b> _____	<b>139</b>
<b>SECTION 4.0 – APPLICATION CONTENT AND PROCESS</b> _____	<b>140</b>
4.2 Application Review/Conference _____	142
4.3 Qualification and Ranking Data _____	143
4.4 Additional Data Filing _____	143
4.5 Emergency Assistance _____	144
<b>SECTION 5.0 – ASSISTANCE AWARD PROCESS</b> _____	<b>144</b>
5.1 Applicant Acceptance _____	144
5.2 Agreement Execution _____	144
<b>SECTION 6.0 – PROJECT SELECTION</b> _____	<b>144</b>
6.1 Project Selection Policies _____	144
6.2 Project Selection Criteria _____	145
<b>SECTION 7.0 – ASSISTANCE FORM AND AMOUNT</b> _____	<b>148</b>
7.1 Policies Affecting Assistance Amount _____	148
<b>SECTION 8.0 – SELECTED TERMS &amp; CONDITIONS</b> _____	<b>148</b>
8.1 List of Selected Terms & Conditions _____	148
<b>FEDERAL REGULATIONS</b> _____	<b>149</b>
§ 22101. Financial assistance for State projects _____	150
§ 22102. Eligibility _____	151
§ 22103. Applications _____	151
§ 22104. State rail plan financing _____	152
§ 22105. Sharing project costs _____	152
§ 22106. Limitations on financial assistance _____	153
<b><i>APPENDIX G - NDDOT FREIGHT RAIL IMPROVEMENT PROGRAM</i></b>	
<b><i>APPLICATION INSTRUCTIONS</i></b> _____	<b><i>149</i></b>
<b>PART I</b> _____	<b>157</b>
SECTION 1.0 INTRODUCTION _____	157
SECTION 2.0 ELIGIBLE APPLICANTS _____	157
SECTION 3.0 ELIGIBLE PROJECTS _____	157
SECTION 4.0 APPLICATION CONTENT AND PROCESS _____	157
SECTION 5.0 ASSISTANCE AWARD PROCESS _____	162
SECTION 6.0 ASSISTANCE FORM AND AMOUNT _____	162
SECTION 7.0 KEY ASSISTANCE AGREEMENT TERMS _____	162
<b>PART II</b> _____	<b>164</b>
SECTION 1.0 PROJECT SELECTION _____	164
SUB 1.1 PROJECT SELECTION POLICIES _____	164
SUB 1.2 PROJECT SELECTION CRITERIA _____	165



<b><i>APPENDIX H - RAIL REHABILITATION PROJECTS</i></b>	<b><i>171</i></b>
<b>NORTH DAKOTA LRSA/LRFA</b>	<b>173</b>
REVOLVING LOAN ACCOUNT ACTIVITY	173
<b>NORTH DAKOTA FRIP</b>	<b>175</b>
REVOLVING LOAN ACCOUNT ACTIVITY	175
<b>NORTH DAKOTA LRSA/LRFA</b>	<b>176</b>
GRANT ACTIVITY	176
<b><i>APPENDIX I - RAIL PLAN UPDATE PUBLIC HEARING COMMENTS</i></b>	<b><i>177</i></b>
<b>I. Introduction</b>	<b>179</b>
<b>II. Purpose of Hearing</b>	<b>179</b>
<b><i>APPENDIX J - DIRECTORY</i></b>	<b><i>197</i></b>
<b>RAILROAD BUSINESS CONTACTS</b>	<b>199</b>
<b>RAILROAD OPERATIONS/SAFETY CONTACTS</b>	<b>200</b>
<b>MPO CONTACTS</b>	<b>202</b>
<b>NDDOT CONTACTS</b>	<b>203</b>
Webpage: <a href="http://www.dot.nd.gov">http://www.dot.nd.gov</a>	203
<b>OTHER NORTH DAKOTA STATE GOVERNMENT CONTACTS</b>	<b>205</b>
<b>FEDERAL GOVERNMENT CONTACTS</b>	<b>206</b>
<b>OPERATION LIFESAVER CONTACT</b>	<b>206</b>
<b><i>GLOSSARY</i></b>	<b><i>207</i></b>



## **EXECUTIVE SUMMARY**

---

This document is a rewrite of the North Dakota State Rail Plan that was published in 1998. It provides information and guidance for state and local officials, rail users and others affected by railroad transportation, and serves as a guide for state investments in eligible rail lines and related projects.

In this document, the basic plan has been reorganized and shortened, with supporting information moved to appendices. In addition, the section that dealt with regulatory issues has been removed, because regulatory issues are not within the purview of **NDDOT** and are not within the scope of the rail plan. This change does not suggest that regulatory issues are unimportant. On the contrary, regulatory issues are very significant, since they can directly impact the largest segment of the North Dakota economy. Rail rates and service affect the cost and timing of commodity movements, which can affect access to markets. These variables directly impact agricultural producers. NDDOT recognizes and acknowledges the significance and importance of regulatory issues, but believes they would be better addressed in a venue other than the rail plan.

The rail plan is organized into the following chapters, with appendices:

Chapter 1 – ND Rail Planning Guidance

Chapter 2 – The North Dakota Rail System

Chapter 3 – ND Rail Assistance and Safety Programs and Guidelines

The state rail plan supports *TransAction II*, North Dakota’s strategic transportation plan. *TransAction II*’s mission, vision and goals are stated below.

### **Mission**

*“North Dakota will provide a safe and secure transportation system that considers personal choices, enhances business opportunities, and supports economic competitiveness; and promotes the wise use of all resources.”*

### **Vision**

*“North Dakota’s transportation system is an important part of regional, national and global systems, developed strategically to help grow and diversify our economy and enhance the state’s quality of life.”*

### **Goals**

- 1. Safe and secure transportation for residents, visitors, and freight.*
- 2. A transportation system that allows optimum personal mobility.*
- 3. A transportation system that allows the efficient and effective movement of freight.*
- 4. A transportation system that enhances economic diversity, growth, and competitiveness with consideration of environmental and social impacts.*
- 5. Funding sufficient to protect and enhance North Dakota’s transportation infrastructure and address future transportation needs*
- 6. A transportation environment where communication, cooperation, and collaboration exists.*

*TransAction II* articulates 12 Strategic Initiatives for improving the North Dakota Transportation system. All 12 Initiatives have direct application to the rail plan.

In accordance with *TransAction II*, the rail plan considers priorities and levels of service appropriate for North Dakota's rail transportation needs. For example:

- The emergence of identity preserved agriculture and the increasing globalization of markets has caused increasing demand for intermodal service.
- The emerging *biofuel* industry is impacting movement of bulk agricultural commodities.
- Increased demand for coal will impact rail transportation in North Dakota.

This rail plan is intended to be a working document, a useful and practical resource, as we work through these and other challenges to transportation in North Dakota.

**Administrative Note:**

Terms included in the Glossary are bolded and italicized with first use in the document.

# **RAIL PLAN OVERVIEW**

---

## **Chapter 1 – Introduction, Purpose, Scope and Use, and Goals and Strategies**

Chapter 1 provides guidance for rail planning in ND. It contains the rail plan’s purpose, scope, use, and planning goals and strategies. It also identifies trends that have potential to affect the ND rail transportation system.

A Rail Advisory Group (RAG), representing a cross-section of railroad, shipper, and public organizations, was tasked with developing a vision, with goals and implementation strategies, for rail transportation in North Dakota. The group met four times, with one meeting being a joint North Dakota – Minnesota planning and coordination session. Detailed information from these meetings is in Appendix D.

## **Chapter 2 – The North Dakota Rail System**

Chapter 2 provides an overview of the state railroad system and related information. There is a brief history of North Dakota railroads followed by summary profiles of the seven freight railroads operating in the state. Rail crossing characteristics are presented, as are characteristics of shipper facilities. There is an overview of shuttle loader facilities, and a map of their locations. Also included is an overview of passenger rail service and traffic levels. Commodity and freight flows are addressed. Chapter 2 also provides an overview of the abandonment process.

## **Chapter 3 – North Dakota Rail Freight Assistance Programs and Guidelines and Crossing Safety Programs**

Chapter 3 provides a description of the North Dakota rail freight assistance revolving loan funds and the state’s railroad–highway grade crossing safety efforts.

### **Rail Assistance**

North Dakota has two revolving loan funds for freight rail assistance; *Local Rail Freight Assistance (LRFA)* and *Freight Rail Improvement Program (FRIP)*. LRFA was initially funded with a federal grant and the funds retain federal identity. *Federal Railroad Administration (FRA)* approval is required for LRFA funded projects. FRIP loan funds are state funds and there is no requirement for federal approval for their use. LRFA and FRIP are presently the only state railroad assistance programs available for rail line construction and rehabilitation projects.

### **Crossing Safety**

The federal railroad-highway grade crossing safety program began in 1973, when Congress authorized expenditure of funds from the Highway Trust Fund for crossing improvements on the Federal Aid Highway System (FAS). In 1976, Congress extended funding to crossing improvements on all public highways, not just roads on the FAS, and has renewed the program in all subsequent surface transportation acts.

North Dakota's rail-highway crossing program began in 1978 and complements the federal program. The funds are used for signal installation and upgrade, other safety upgrades, and crossing closures.

### **Operation Lifesaver**

In 1991, Congress directed the Secretary of Transportation to set aside \$300,000 each fiscal year to support a public information and education program to help reduce motor vehicle accidents, injuries, and fatalities and improve driver behavior at railroad-highway crossings. The money has been used to support Operation Lifesaver. NDDOT continues to work with Operation Lifesaver and other safety groups to promote an awareness of grade crossing hazards and driver responsibility.

### ***Quiet Zones***

The state is aware that train horns create noise impacts in communities and encourages continued research into ways to mitigate noise impacts without compromising safety. FRA has established certain criteria for quiet zones, where train horns are not sounded. Fargo, in cooperation with Moorhead, MN, is in the process of implementing a quiet zone along the BNSF mainline that runs through both communities. Other North Dakota communities have expressed interest in quiet zones. NDDOT affirms that quiet zones are a local issue and decisions regarding them should be made at that level

### **Rail Advisory Group Members**

Bill Binek ND Public Service Commission	D.B. Messmer Federal Railroad Administration
Jim Boyd ND Department of Commerce	Dennis Ming Dakota Missouri Valley & Western Railroad
Bob Bright Fargo-Moorhead MetroCog (MPO)	Ray Morrell ND Department of Emergency Services
Steve Busek Federal Highway Administration	Steve Saunders Bismarck-Mandan MPO
Edward D. Dahlby Canadian Pacific Railway	Mark Sovig Regional Councils
Chuck Fleming ND Department of Agriculture	Brian Sweeney BNSF Railway
Earl Haugen Grand Forks, East Grand Forks MPO	Tanya Wisnewski Operation Lifesaver
Larry Jamieson Northern Plains Railroad	Dan Zink Red River Valley & Western Railroad

# **CHAPTER 1 - ND RAIL PLANNING GUIDANCE**

---

This chapter contains the Rail Plan's purpose, scope, and use; planning goals with implementation strategies and action items; and trends that have potential to impact rail transportation.

## **Purpose, Scope, and Use**

### **Purpose**

- Develop a shared vision for North Dakota's rail system.
- Provide broad strategic direction for collaborative rail system enhancement efforts.
- Develop and maintain an inclusive and ongoing strategic rail planning process.
- Communicate information regarding the existence and availability of rail assistance programs.

### **Scope**

The rail plan scope is broad. It engages public and private sector providers and users, all levels of government, and multiple modes of transportation. It identifies strategic rail transportation issues.

The rail plan examines strategic rail transportation roles and responsibilities across all levels of government and the private sector. It recognizes and respects the functions of the private sector and the prerogative of local governmental units and tribal governments to develop their own rail transportation plans and projects.

The rail plan also explores and identifies opportunities for public-private partnerships and collaborative efforts by identifying strategic goals and strategies.

### **Use**

- Promote cooperation and collaboration between jurisdictions and between the public and private sectors.
- Improve communication between the public and private sectors and between railroads and rail system users.
- Promote understanding of the strategic importance of rail transportation in North Dakota.
- Enable North Dakota to achieve its shared rail transportation vision.

## **Goals and Strategies**

The Rail Advisory Group (RAG) developed 11 primary vision statements for North Dakota's rail system. Specific categories within each vision were identified. Action items, or strategies, were then developed. The strategies were further refined to ensure that the proposed actions were within the scope of the rail plan. The vision statements and strategies were then distilled into four planning goals with supporting strategies and

action items. These goals, strategies and action items are the fundamental planning guidance for ND rail transportation. They are listed below. Implementation strategies to accomplish an annual work plan will be developed.

Detailed information from the RAG sessions, including the vision statements and strategies discussed at the meetings, is in Appendix D.

**Goal 1. A safe and secure railroad system.**

*Strategy 1. Support efforts to improve rail safety and security.*

- Broaden Operation Lifesaver target audience.
- Review best rail safety and security practices and determine applicability in North Dakota.
- Maintain a current rail crossing inventory.
- Continue to provide incentives to close low volume and non-essential public rail crossings.
- Support enforcement of rail crossing laws.
- Review the NDDOT rail crossing signal program for appropriate modification.
- Support federal, state and local incentives to regional and local railroads for implementing federal mandates.

*Strategy 2. Initiate discussion to identify and prioritize rail safety and security issues.*

- Encourage local governments to include rail crossing issues in the planning process.
- Seek private industry input on rail crossing issues.
- Review ND law regarding railroad safety and security to identify potential revisions, deletions or additions.
- Broaden the perspective of safety and security to include freight, vehicles, infrastructure and personal security issues.

**Goal 2. A rail system (integrated with other transportation modes) that is capable of meeting current and future service needs.**

*Strategy 1. Initiate dialog with railroads, private industry and local governments to determine current and future rail service needs in the state.*

- Initiate discussion with railroads to improve strategic planning for use of resources such as rail loan funds.
- Survey industry to determine service and capacity needs for the future.
- Evaluate ND rail system accessibility.
- Identify areas that would benefit from increased truck access to rail.
- Identify criteria to develop a means of measuring levels of freight and passenger service.
- Promote annual meetings between railroads and rail use stakeholders to discuss issues, needs and solutions.



*Strategy 2. Identify what is needed to achieve an integrated rail network.*

- Identify problems with freight transition between **Class I Railroads** and **Regional Railroads** and **Local railroads**.
- Identify bottlenecks, pinch-points and other deficiencies on the rail system.
- Develop a formal mechanism for information exchange to determine adequate service levels between Class I and Regional/Local railroads.
- Consider the effect that rail infrastructure projects will have on the overall transportation network of the state.

*Strategy 3. Provide assistance to improve infrastructure and enhance system capacity and efficiency.*

- Solicit public comment on rail infrastructure projects.
- Develop/refine procedures and selection criteria for rail loan fund projects.
- Emphasize system improvement as a criterion for allocation of state rail assistance funds.
- Support an economically viable railroad system that is profitable and allows for reinvestment in rail equipment and infrastructure.
- Support a favorable business and regulatory climate for rail investment and business development.
- Support public-private partnerships that promote business development and economic growth.
- Identify and monitor legislation that may have impact on rail policies, infrastructure or operations.

### **Goal 3. Railroad operations that enhance mobility and quality of life.**

*Strategy 1. Initiate an ongoing dialog between railroads, governmental entities and rail stakeholders to identify and mitigate negative impacts of railroad operations and activities.*

*Strategy 2. Encourage local governments to solicit participation by railroads in planning and zoning activities.*

*Strategy 3. Assess opportunities for use of abandoned rail line right-of-way.*

### **Goal 4. A coordinated inter/multimodal facilities network that provides access to national and international markets.**

*Strategy 1. Facilitate discussions between governmental entities, business owners, shippers and transportation providers to identify and ensure adequate transportation access to inter/multimodal facilities.*

- Implement ND rail freight strategy for **intermodal** and **transload** facilities.
- Serve as an information source regarding rail access for proposed inter/multimodal facilities.
- Support public-private partnerships that enhance development of an inter/multimodal network.

## **Trends**

Trends can force us to take new directions. Some trends present opportunity; others present challenges. To make effective transportation decisions, we need to identify the possible implications of trends. It is also important to remember that some trends can be influenced and changed.

The following trends appear to have important implications for rail transportation.

### **Continuing Long-Term Trends**

- ND farmers have always grown and shipped large volumes of bulk agricultural commodities.
- Railroads have always been the main mode of transportation for grain and oilseeds leaving the state.
- Production agriculture is a primary component of the ND economy.
- Federal regulations and environmental issues have significantly impacted transportation, in some situations positively and in others negatively.
- Over the long term, energy costs have risen, accompanied at times by intermittent supply disruptions and price instability.
- Funding authorization for Amtrak is year to year and there is no guarantee that funds will be authorized. The future of the Empire Builder, the only passenger rail service in ND, is sometimes in doubt because of this.

### **Emerging Trends**

- Global terrorism threatens national security, international relations and petroleum production, distribution and market stability world-wide.
- Transportation safety and security are becoming more integrated into the war on terror.
- Class 1 railroads are becoming capacity constrained, while the demand for rail transportation is increasing. This is causing upward pressure on rates and influencing service decisions.
- Demand for identity preserved, non-genetically modified organisms, organic, and pulse crops will require enhanced intermodal rail service.
- Growth will continue in the areas of e-commerce, just-in-time delivery, product and food safety, security concerns, and intermodal container movements.
- **Biofuel** plants will influence the movement of agricultural commodities, especially corn and oil seeds, in and out of North Dakota.
- Biofuel plants will place an additional burden on the state's transportation system, both rail and highway.
- Coal shipments into the state will increase.
- There may be significant intrastate coal movement to biofuel plants.
- More cities are expressing interest in Quiet Zones
- Additional transload facilities, either rail to highway or highway to rail, may be needed.

## **Policy Statements**

NDDOT has a limited number of policy statements related to rail transportation. They are stated here.

NDDOT:

- Will not own or operate rail lines
- Will not subsidize railroad operations
- Regards Quiet Zones as a local issue.
- Supports continued evaluation of Intelligent Transportation System solutions to grade crossing safety and urban congestion problems.
- Supports removal or mitigation of obstructions to visibility at grade crossings as cost-effective hazard mitigation.
- Supports evaluation of at grade crossings where highway curvature or alignment near the crossing might make it difficult for a driver to see an oncoming train.



## **CHAPTER 2 - THE NORTH DAKOTA RAIL SYSTEM**

### **Brief History**<sup>1</sup>

Development of the North Dakota rail system was influenced primarily by the Northern Pacific Railway (NP); the St. Paul, Minneapolis and Manitoba Railway – the Manitoba – and its successor, Great Northern Railway; and the Minneapolis, St. Paul and Sault Ste. Marie Railway (the Soo Line). They are briefly described below.

The Northern Pacific Railway was chartered by Congress in 1864 and given a 50 million acre land grant to construct a railroad from Duluth to the Puget Sound. The NP founded the city of Fargo in 1871 and brought rail service to North Dakota June 6, 1872, when construction of a bridge across the Red River linking Fargo and Moorhead, MN, was completed. The NP continued building its rail line west across the state, crossing the Montana border just west of the City of Beach.

The Manitoba, which was formed in 1879 with James J. Hill (the Empire Builder) as its general manager, reached Fargo in 1880. A line from Fargo to Grand Forks was completed in 1881, and construction continued toward the Canadian border. The Manitoba also built a line west from Grand Forks, reaching Devils Lake in 1883 and Minot in 1886. Construction continued west and the line crossed the Montana border near Williston in 1887. Several **branch lines**, known as the “Finger Lines” were built along the Grand Forks – Montana route, primarily to move grain. The Manitoba became the Great Northern Railway Company in September of 1889. The Northern Pacific and Great Northern operated in North Dakota until 1970, when they became part of what is now BNSF Railway. See the BNSF carrier profile for more detail.

The Soo Line<sup>2</sup> was formed in 1888 with the consolidation of the Minneapolis, Sault Ste. Marie & Atlantic Railway, the Minneapolis & Pacific Railway, the Minneapolis & St. Croix Railway and the Aberdeen, Bismarck & North Western Railway. In 1893, the Soo Line completed a diagonal route across North Dakota, from Fairmount to Portal, where it interchanged with the Canadian Pacific Railway (CPR). CPR was by then a transcontinental railroad, having completed construction of a line across Canada in November of 1885. The Soo Line next built a branch line network south and east of Bismarck, connecting to Fairmount via Oakes. Finally, between 1905 and 1912, the

---

<sup>1</sup> The main sources for this section are: (1) Thoms, William E. and R. J. Tosterud. *West of the Red—The Role of Transportation in the Development of North Dakota*, UGPTI, Reprinted, 1996; (2) Robinson, Elwyn B. *History of North Dakota*, University of Nebraska Press, 1963; and (3) various newspaper articles and railroad press releases.

<sup>2</sup> The Soo Line Railroad later became part of Canadian Pacific Railway. In describing historical events in the rail plan, the name of the railroad company at the time of the event is used unless the current or successor railroad company also was involved in the event or transaction.

“Wheat Lines”, which run across much of northern North Dakota, were constructed. The Soo Line became a subsidiary of the Canadian Pacific Railway when CPR participated in its financial restructuring in the late 1940s. After the restructuring, CPR held 56% of Soo Line common stock. CPR purchased 100 percent of Soo Line stock in 1990, making it a wholly owned subsidiary.

Several other railroad companies have owned or operated track in North Dakota. They include the Milwaukee Road, Chicago & Northwestern, Dakota, Minnesota & Eastern and the Midland Continental. Of these, only the Dakota, Minnesota & Eastern still exists as an operating railroad, but it no longer owns or operates track in ND.

The number of miles of railroad in North Dakota peaked in 1936 at more than 5,200. Since then, 1,650 miles have been abandoned, reducing the network to the approximately 3,600 miles it is today (Appendix B). *Miles of road* is a primary indicator of system coverage.<sup>3</sup>

### **North Dakota Railroad System Today**

Today in North Dakota there are seven railroad companies operating 3,609 miles of road. Two are Class I carriers, three are regional railroads and two are local railroads.

The Surface Transportation Board (*STB*) classifies railroads as *Class I, II, or III* on the basis of annual revenue.<sup>4</sup> Miles of road is not considered in STB classification.

The Association of American Railroads (*AAR*) has a classification system that considers both annual revenue and miles of road. AAR classifies railroads as Class I, *Regional Railroad* and *Local Railroad*. The seven railroads operating in ND, with classification, are named below.

BNSF and CPR are Class I railroads by both AAR and STB classification standards. The Dakota, Missouri Valley & Western Railroad (DMVW), the Northern Plains Railroad (NPR), and the Red River Valley & Western Railroad (RRVW) are defined as regional railroads by AAR classification standards because they operate more than 350 miles of road. The Yellowstone Valley Railroad (YSVR) and Dakota Northern Railroad (DNRR) are both local railroads because they fall below the AAR regional railroad criteria.<sup>5</sup> Table 1 lists the miles of *main line* and branch line track in North Dakota by operating

---

<sup>3</sup> Miles of road excludes side tracks, crossovers and yard tracks. The term is synonymous with *route miles*.

<sup>4</sup> Class I: =>\$250 million adjusted annual operating revenue for three consecutive years  
Class II: \$20 million - \$249,999,999.99 - Class III: <\$20 million

<sup>5</sup> A regional railroad is defined by the Association of American Railroads as a company that operates 350 miles of railroad and/or earns \$40 million in annual revenues. Mileage is based on total system miles, which may include track in more than one state. A local railroad is one that falls below regional railroad criteria.

railroad. BNSF miles of road are about 62% main line, while CPR has about 79% main line. The Class I carriers operate 62% of the total track mileage in North Dakota.

**Table 1 - North Dakota Railroad System Mileage (2005)<sup>6</sup>**

<b>Railroad</b>	<b>Main line</b>	<b>Branch Line</b>	<b>Total Miles</b>
BNSF Railway	1,107	683	<b>1,790</b>
Canadian Pacific Railway	353	92	<b>445</b>
Red River Valley & Western Railroad	-	428	<b>428</b>
Northern Plains Railroad	-	436	<b>436</b>
Dakota, Missouri Valley & Western Railroad	-	431	<b>431</b>
Yellowstone Valley Railroad	-	9	<b>9</b>
Dakota Northern Railroad	-	70	<b>70</b>
<b>TOTAL</b>	<b>1,460</b>	<b>2,149</b>	<b>3,609</b>

Table 2 summarizes the overall system characteristics of the two Class I railroads. BNSF operates more than 32,000 route miles. CPR operates nearly 14,000 miles. Both carriers operate in the United States and Canada. BNSF's North Dakota lines comprise 5.6% of BNSF's system miles, while the CPR's North Dakota lines comprise 3.2% of the CPR's system miles.

**Table 2 - Select System Statistics for BNSF and CPR (2005)<sup>7</sup>**

<b>Plant and Equipment</b>	<b>BNSF</b>	<b>CPR System</b>
Miles of road operated	32,154	13,369
Miles of road owned	23,733	9,300
Freight cars in service	108,139	55,480
Locomotives in service	5,751	1,669

Commodity movement information by railroad is presented in the carrier profiles that follow. More information is contained in Appendix A.

<sup>6</sup> Source: North Dakota Public Service Commission, December 2005, and website information

<sup>7</sup> Source: Association of American Railroads website and railroad website information.


## Carrier Profiles – Class I Railroads

### **BNSF Railway (BNSF)<sup>8</sup>**

The BNSF Railway system, the second largest in North America, is the result of a series of mergers and acquisitions. In 1970, the Great Northern, the Northern Pacific, and the Chicago, Burlington & Quincy merged to form the Burlington Northern Railroad. In 1980, the Burlington Northern merged with the St. Louis & San Francisco railroad (the “Frisco” line). The company name remained Burlington Northern. In September of 1995, the merger of Burlington Northern Inc., parent company of Burlington Northern Railroad, and Santa Fe Pacific Corporation, parent company of the Atchison, Topeka and Santa Fe Railway, created the Burlington Northern Santa Fe Railroad Company. The Burlington Northern Santa Fe Railroad Company became BNSF Railway in 2005. Detail for BNSF operation in ND is presented in Appendix C.

BNSF Railway currently operates 32,150 route miles in 28 states and two Canadian provinces. Its network covers the western two-thirds of the United States, stretching from major west coast ports in the Pacific Northwest and southern California to the Midwest, Southeast and Southwest, and from the Gulf of Mexico to Canada. BNSF operates 1,107 miles of main line and 683 miles of branch line in North Dakota, for a total of 1,790 miles of road in the state.

Figure 1 illustrates BNSF’s North Dakota commodity mix using the two-digit Standard Transportation Commodity Code (*STCC*). The chart is based on BNSF’s 2005 report to the North Dakota Public Service Commission (NDPSC), which reflects 2004 traffic data. As the chart shows, coal shipments comprise nearly 45% of the carloads handled by BNSF in North Dakota. Other major commodities transported by the BNSF include: farm products (25%), food and kindred products (11%), nonmetallic minerals (5%) and chemicals and allied products (4%). The Other category shown in Figure 1 includes waste and scrap materials, petroleum, coal products, and other miscellaneous traffic. Appendix A provides more traffic details, listing the carloads and tons originated and terminated for principal Standard Transportation Commodity Codes.



**Figure 1. Principal Commodities Handled by BNSF in North Dakota (2004)**

<sup>8</sup> Sources for the BNSF profile: Annual Report to the North Dakota Public Service Commission, Annual Report to Stockholders, and press releases by BNSF officials.




## Canadian Pacific Railway (CPR)<sup>9</sup>

The CPR is the seventh largest railroad system in North America. Based in Calgary, Alberta, it is a wholly owned subsidiary of Canadian Pacific Limited which also is the owner or has majority interests in Pan Canadian Petroleum, CP Hotels, and Fording Inc.

CPR operates 13,639 route miles on a combined railway network that extends from St. John, Newfoundland, to Vancouver, British Columbia in Canada, throughout the U.S. Midwest and Northeast, and as far south as Louisville, KY. CPR has direct connections with all Class I railroads in the United States and Canada. It also has connections to many US and Canadian regional and local railroads.

The CPR markets its services throughout North America under the Canadian Pacific Railway name, but there are four different railroads that handle the company's business. They are: CPR, St. Lawrence & Hudson Railway, Delaware & Hudson Railway and Soo Line Railroad Company. Soo Line handles business for CPR in North Dakota. Detail for CPR operation in ND is presented in Appendix C.

Figure 2 illustrates CPR's North Dakota commodity mix using the two-digit STCC. The chart is based on CPR's 2005 report to the NDPSC, which reflects 2004 traffic data. As the chart shows, farm products shipments comprise 65% of the carloads handled by CPR in North Dakota. Other major commodities transported by the CPR include: food products (19%), chemicals and allied products (8%), waste and scrap (4%) and stone, glass and clay (3%). Appendix A provides more traffic details.



**Figure 2. Principal Commodities Handled by CPR in North Dakota (2004)**


<sup>9</sup> Sources for the CPR profile: Annual Report to NDPSC, Annual Report to Stockholders, Company Profile and various press releases as posted at CPR's Internet site.

## **Carrier Profiles – Regional Railroads**

### **Dakota, Missouri Valley & Western (DMVW)<sup>10</sup>**

DMVW began operation September, 1990, on track and trackage rights leased from CPR. The railroad is headquartered in Bismarck, ND and currently operates 431 miles of rail line in North Dakota, along with limited operations in Montana and South Dakota. The railroad interchanges with CPR at the North Dakota cities of Flaxton, Max, and Hankinson. DMVW system detail is presented in Appendix C.

Figure 3 illustrates DMVW's North Dakota commodity mix using the two-digit STCC. The chart is based on DMVW's 2005 report to the NDPSC, which reflects 2004 traffic data. DMVW handles about 22,000 annual carloads, including bridge traffic. As shown in Figure 3, farm products comprise approximately 72% of the railroad's traffic base in North Dakota, with miscellaneous shipments comprising the largest share. Peas, fly ash, lime, and ballast are the largest contributors to the miscellaneous category. Wheat, corn, soybeans, and durum comprise 68% of DMVW total carloads. The remainder is minor crops and fertilizer. More traffic details are presented in Appendix A.




**Figure 3. Principal Commodities Handled by DMVW in North Dakota (2004)**

<sup>10</sup> The primary sources of the DMVW profile are a company profile provided by railroad officers and the railroad's annual report to NDSPC.

## Northern Plains Railroad (NPR)<sup>11</sup>

NPR began operation January, 1997 over 383 miles of track leased from CPR. NPR is headquartered in Fordville, ND and currently operates 436 miles of track in ND. NPR also operates track in Minnesota from Oslo to Thief River Falls. NPR interchanges with CPR at Kenmare, ND, and Thief River Falls, MN. NPR system detail is presented in Appendix C.

Figure 4 illustrates NPR's North Dakota commodity mix using the two-digit STCC. The chart is based on NPR's 2005 report to the NDPSC, which reflects 2004 traffic data. NPR handles about 16,000 annual carloads, including bridge traffic. As shown in Figure 4, wheat (63%) and barley (21%) shipments comprise 84% of NPR's carloads in North Dakota. Durum, soybeans, aggregate, fertilizer, and sunflower shipments provide most of the remaining carloads. More traffic details are presented in Appendix A.



**Figure 4. Principal Commodities Handled by NPR in North Dakota (2004)**

<sup>11</sup> The NPR profile was compiled from newspaper articles and CPR press releases.

## Red River Valley & Western Railroad (RRVW)<sup>12</sup>

RRVW began operations July 19, 1987, over track acquired from BNSF Railway (then Burlington Northern Railroad). RRVW is headquartered in Wahpeton, ND and owns and operates 428 miles of track in North Dakota with additional operations in Minnesota. RRVW interchanges with BNSF at Breckenridge, MN. RRVW system detail is presented in Appendix C.

Figure 5 illustrates RRVW's North Dakota commodity mix using the two-digit STCC. The chart is based on RRVW's 2005 report to the NDPSC, which reflects 2004 traffic data. In 2004, RRVW handled more than 35,000 carloads in North Dakota. Farm products shipments comprise 58% of the railroad's traffic base, but the base is more diversified than that of the other regional carriers. Corn, wheat, corn syrup, sugar and soybeans account for a combined total of 65% of traffic. Figure 5 illustrates overall traffic percentages. More traffic details are shown in Appendix A.




Figure 5. Principal Commodities Handled by RRVW in North Dakota (2004 )

<sup>12</sup> The primary sources of the RRVW profile are a company profile provided by railroad officers and the railroad's annual report to the NDSPC.

## **Carrier Profiles – Local Railroads**

---

### **Dakota Northern Railroad (DNRR)<sup>13</sup>**

DNRR began operation February 5, 2006, on 70 miles of branch line leased from BNSF. The railroad is headquartered in Crookston, MN and is owned by KBN Group, Inc., a Minnesota corporation. DNRR operates 70 miles of track in North Dakota and interchanges with BNSF at Grafton. DNRR system detail is presented in Appendix C.

Since DNRR is a new operation, there is no movement history. The railroad expects to move about 3,500 cars/year.

### **Yellowstone Valley Railroad (YSVR)<sup>14</sup>**

YSVR began operation August 15, 2005, over track leased from BNSF. YSVR is headquartered at Sidney, MT. It is one of 17 *short line* railroads owned by Watco Companies Inc., a Kansas corporation. The YSVR network is entirely in Montana, except for where the Glendive line crosses into North Dakota near Fairview and runs north for 8.7 miles before crossing back into Montana. YSVR interchanges with BNSF in Montana, at Glendive and Snowdon. YSVR system detail is presented in Appendix C.

Because YSVR is a new operation, there is no movement history. According to a joint YSVR/BNSF press release, YSVR will serve 12 customers and is expected to move more than 8,000 carloads in 2005.

---

<sup>13</sup> The primary sources for the DNRR profile are the BNSF web site and the Surface Transportation Board.

<sup>14</sup> The primary source for the YSVR profile is the company web site.

## **Railroad Network Characteristics**

---

### **Track Condition and Quality Indicators**


Several aspects of the railroad network are important to rail planning, but track speed limits and maximum car weights in particular impact efficiency of line operations. Collectively, they indicate where railroads have concentrated investments and where investments may be necessary for continued integration of branch lines and main lines traffic.

Train speed is governed by *track classification*, which is established by FRA. A line's track classification is a proxy for track condition and train operating costs. Freight operations over Excepted and Class 1 track are restricted to 10 mph; freight operations over Class 2 track are restricted to 25 mph. Regional railroads view speed restrictions differently than Class I carriers. Because of flexible work rules and lower overhead costs, regional railroads feel less economic pressure to operate at higher speeds. However, the slower train speeds on long branch lines with Excepted or Class 1 track may cause crew related labor cost to be higher than normal for those lines.

The gross weight limit of a line is another indicator of track quality. It also provides an indication of the ability of a segment to interchange traffic with other segments. In the 1970s, much of the branch line network was restricted to gross car weights of 220,000 pounds, which allowed net loads of 70 to 80 tons. However, the need for effective use of 100-ton hopper cars resulted in branch line capacity limits being raised to 263,000 pounds. Today, the main line track of Class I railroads supports 286,000 pound cars, which permits cargo loads of 110 to 115 tons, depending on the commodity density and the *tare weight* of the rail car. There are some railroads operating 315,000-pound cars in designated main line corridors. These high capacity cars permit net loads of 125 tons.


Larger capacity rail cars are more efficient for railroads because a higher net to tare weight ratio generally means more railroad revenue per car without increasing the cost per bushel for the shipper. But higher carload rates for higher capacity cars may have economic consequences for shippers beyond the rate itself. With a carload rate structure, shippers pay for the total capacity of the car regardless of whether they fully use it. For example, at \$4,000 per carload, a shipper who loads 111 tons on the car pays \$36 per ton. A shipper who loads the same car with 100 tons pays \$40 per ton.

Figure 6 shows the average gross weight limit for each railroad in tons. The values reflect the controlling limit for each segment, weighted by the segment length. The chart shows the DMVW system is limited to 134-ton cars or 100 tons of cargo (exceptions are permitted). Much of the RRVW system is subject to similar limits. However, NPR's system is unrestricted, even though much of it



**Figure 6. Average Gross Weight Limit in Tons, Weighted by Segment Length**


consists of light weight rail. This anomaly may reflect the substantial amount of tie and ballast work done on the Wheat Lines between 1983 and 1997, when approximately \$11 million of rail assistance funds were invested. It should be noted that track weight limits are set by the railroads and are subject to change. Weight limits are a compromise based on economics and engineering judgment.



**Figure 7. Average System Speed Limit, Weighted by Line Length.**

Figure 7 shows the average train speed limit for each carrier's system. The underlying individual values reflect the controlling speed for each segment, weighted by the segment length. As the chart shows, all of the DMVW system is restricted to 10 mph (exceptions are permitted under special orders). The average train speed limit on NPR is 15.3 mph; while on RRVW it is 25 mph. Both NPR and RRVW systems have both Class 1 and Class 2 track, but RRVW is mostly Class 2. As Figure 7 shows, average speed limits are higher for the Class I railroads; 45.5 mph and 43.5 mph for CPR and BNSF, respectively.

As Figure 8 shows, considerable differences exist between branch line and main line speed limits. The controlling train speed on CPR branch lines is 25 mph, as opposed to 49 mph on main lines. A similar difference in maximum speed exists on the BNSF system, where main line speeds are 30 mph greater than branch line average speeds.



**Figure 8. Average Class 1 Speed Limit, Weighted by Line Length.**

## Rail Grade Crossing Characteristics

The Federal Railroad Administration (FRA) Office of Safety Analysis reported nine highway-rail incidents in North Dakota in 2006. This is down from 10 incidents in 2005, 15 in 2004, and 23 in 2003. On average, only two incidents per year occur at private crossings. Crash data is presented graphically on page 39.

Public roads with *at grade crossings* have warning signs to alert motorists that they are approaching a rail crossing. The crossings themselves have warning devices to alert motorists to watch for approaching trains. The devices are either passive or active. Passive devices typically include crossbucks and signs. Active devices typically include automated flashing lights and crossing gates.

The *AADT* on the highway and the number of trains per day on the rail line are generally the dominant criteria for determining the type of warning devices used at a crossing. Several other factors may be considered as well, such as sight distance, school bus traffic, proximity to schools, local traffic patterns or unusual hazards. In North Dakota, state and federal highways with AADT of 100 or more, that cross main line railroad tracks at grade, have active warning devices. Other crossings have active devices based on review of the hazards present at the location.



## Characteristics of Shipper Facilities

### Storage Capacity

Farm product shipments comprise approximately 64% of the railroad traffic originating in North Dakota. Therefore, the organization and characteristics of grain elevators are of particular importance to the rail plan. There is discussion in this section about whether North Dakota elevators are strategically organized and possess the plant configurations to take full advantage of trends in railroad transportation, such as *shuttle train* rates.

In the 1990s BNSF introduced shuttle train rates for grain movements in the Northern Plains. To obtain these rates, shippers typically have to be able to load 110 or more 111-ton covered hopper cars within 15 hours, sometimes as often as three times per month. This requirement makes on-site storage capacity a significant issue. As a point of reference, a 110-car train of 111-ton covered hopper cars would require about 400,000 bushels of wheat.

Under the strict time limits imposed, 800,000 bushels may be the minimum storage capacity necessary for an elevator to function effectively in the shuttle train program.<sup>15</sup> There are 206 grain elevators located on the BNSF system in North Dakota; 29% (60) of them currently possess as much as 800,000 bushels of storage capacity. 46% (95) have less than 500,000 bushels of available capacity; they might find it difficult to consistently load three 100-car trains a month.<sup>16</sup> The rest have less than 250,000 bushel capacity and could at best fill only about 69 cars without re-supply.

### Side Track Capacity

Side track capacity of shipper facilities impacts railroads and the logistical efficiency of the rail system. Side track capacity is measured in equivalent rail cars. For example, a Trinity Industries 286,000-pound gravity-discharge covered hopper car is approximately 60 feet in length between coupling faces. It takes about 6,600 feet of track to hold 110 of them. The total amount of track required for a 110-car train might exceed 7,000 feet, considering the additional space required for dedicated power and spotting clearances.

---

<sup>15</sup> This minimal capacity value is approximately equal to two 110-car shuttle trains. There are several rationales underlying this estimate. First, an elevator would probably need some of its storage for specialty commodities, blending, or other functions. Thus, the full capacity of an elevator may not be available for loading a given shuttle train. Second, to participate in the shuttle program, an elevator may have to load as many as three trains per month. With a 10-day interval between trains, any shortage of grain on hand could result in the elevator missing a shuttle train. Finally, it may be risky for the elevator to plan on accumulating a trainload from farms or nearby elevators by truck within 15 hours, particularly during periods of inclement weather or load limits. In many respects, storage provides a buffer against uncertainties in supply.

<sup>16</sup> This value is computed from the BNSF Grain Elevator Directory available via the Internet at *bnsf.com*.

Fewer than 15% (31) of the elevators on the BNSF system in ND have track capacity for an unbroken string of more than 100 cars.

### **Shuttle Train Elevators**

Shuttle train rates have caused a proliferation of shuttle loading facilities. The requirements vary by railroad, but a shuttle train is typically a 100 or 110-car train of 111-ton covered hopper cars. Shuttle trains usually have dedicated power, with the locomotives and cars remaining together as they move back and forth between shipper and destination. Elevators must have adequate track and grain storage capacity, as mentioned above, to be able to take advantage of shuttle rates and service.

### **BNSF Railway Requirements**

BNSF defines a shuttle facility as one “that can accept 110-cars in one string and can load or unload them in 15 hours without *fouling the main line*. Shuttle facilities on the RRVW network meet these requirements. Products shipped in the BNSF shuttle program include corn, wheat, and soybeans.

### **CPR Requirements**

The CPR refers to shuttle trains as *efficiency trains*. CPR efficiency trains have 100 cars, usually with dedicated power. An efficiency train elevator is required to be able to load 100 cars within 24 hours without fouling the mainline. All efficiency train facilities on the CPR and DMVW networks meet these requirements. The requirement for NPR lines is listed below. Wheat is the primary commodity shipped on CPR efficiency trains.

CPR allows two exceptions to the 100 car efficiency train requirement in North Dakota. One is for trains originating on NPR lines. NPR restricts train length to a maximum of 75 cars so elevators on NPR lines load 75 car trains. 75 car trains are allowed eastbound from NPR lines. Trains destined for western Canada and PNW are brought to 100 cars when they reach the CPR mainline. The other exception is a pooling arrangement where two elevators each load a certain number of cars which are later combined to make up a 100 car train.

Even though there are relatively few shuttle loaders in ND compared to the total number of elevators in the state, their grain handling ability is adequate for present ND crop production and movement requirements if they are operated at capacity. More shuttle loader facilities may be established, but, as the shuttle impact analysis that follows indicates, it will likely be for reasons other than the need for more crop handling capacity absent a significant change in ND crop production or distribution.

## **NDDOT SHUTTLE AND BIOFUEL PLANT IMPACT ANALYSIS**

### **Shuttle Loaders**

Shuttle loading facilities influence commodity movement by rail, both in and out of state. They also impact the highway system. Trucks must move commodities to the shuttle facility for rail loading. There is often a shift of highway traffic from one road to another as shippers and producers begin transporting grain to the shuttle loaders instead of other elevators they had used before. Because shuttle loading facilities have substantial impact on the transportation system, it is important to monitor and periodically review the state's shuttle loading system. The emerging biofuel industry will also impact the transportation system, perhaps in ways similar to those of shuttle facilities, but it is unknown at this time to what extent. A brief analysis follows.

Assumptions and data:

- 286,000 lb. capacity cars are used in shuttle trains<sup>17</sup>
- Car payload is 224,000 lbs. (112 tons).<sup>18</sup>
- Throughput capacity calculations assume shipment of wheat or soybeans. Throughput for corn is about 7% higher.<sup>19</sup>
- BNSF shuttle trains have 110 cars.
- CPR shuttle trains have 100 cars.
- A facility can ship a maximum of 30 shuttle trains per year.<sup>20</sup>
- The crops most commonly shipped by shuttle are corn, hard red spring wheat and soybeans.

**Table 3.** ND Crop Production 2004 – 2006 (bushels x 1,000):

<b>Crop</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>	<b>3 Year Avg</b>
Corn (for grain)	120,750	154,800	154,020	143,190
Wheat	243,950	224,400	212,350	226,900
Soybeans (for beans)	82,110	107,300	99,900	96,437
<b>Total Production</b>	<b>446,810</b>	<b>486,500</b>	<b>466,270</b>	<b>466,527</b>

<sup>17</sup> 286,000 lb. capacity cars are assumed since they are the most widely used. In reality, not all shuttle trains are made up entirely of 286,000 lb. cars. Smaller 268,000 lb. cars are sometimes used during peak demand times when there are not sufficient larger cars available. When this happens, trains might have a mix of 286,000 lb. and 268,000 lb. cars.

<sup>18</sup> Trinity Industries covered hopper, a widely used car. Gross loaded weight: 286,000 lbs.; tare weight: 62,000 lbs.; load capacity: 224,000 lbs.

<sup>19</sup> Wheat and soybeans are 60 lbs. per bushel. Corn is 56 lbs. per bushel. 286,000 lb. car capacity is 3700 bushels of wheat or soybeans or 4000 bushels of corn. BNSF shuttle trains carry 400,000 bushels of wheat or soybeans or 440,000 bushels of corn. CPR shuttle trains carry 370,000 bushels of wheat or soybeans or 400,000 bushels of corn. Numbers are rounded down to even hundreds.

<sup>20</sup> Based on normal round trip duration for shuttles to Pacific Northwest (PNW) ports.

Theoretical annual throughput capacity, ND shuttle loader elevators:  
BNSF:<sup>21</sup>

- Wheat and Soybeans = 288 million bushels
- Corn = 316 million bushels

CPR:<sup>22</sup>

- Wheat and Soybeans = 266 million bushels
- Corn = 288 million bushels

### **Analysis**

There are 48 facilities in ND with shuttle loading capability. They are distributed along rail mainlines and branchlines. Most are north and east of the Missouri River, serving areas where shuttle crop production tends to be greatest. The theoretical annual throughput capacity of these facilities is 554 million bushels of wheat or soybeans, or 604 million bushels of corn.<sup>23</sup> That capacity is not being fully used at present, and is not likely to be unless there is a substantial increase in crop production. Over the last three years, ND averaged 466.5 million bushels per year in total production of corn, hard red spring wheat and soybeans.

Theoretical throughput numbers are higher than the actual shuttle system working capacity, since calculations assume ideal conditions.<sup>24</sup> However, real world data indicate that the system can handle more throughput than it presently does. For example, elevators with track capacity of 95 or more cars handled 228.8 million bushels of ND corn, soybean and wheat movements in 2005. If the movements had all been shuttle shipments, which they were not, they would have used less than half of the shuttle system theoretical throughput capacity.

According to these data, new shuttle loading facilities will probably not be constructed in ND to increase capacity, unless there is a substantial increase in production of crops for export or a significant change in where they are grown. But shuttle loading facilities are sometimes constructed for reasons having little to do with capacity. Other factors, such as competition between railroads or elevators for market share, can determine if shuttle facilities are built, and when and where. Therefore, it's not safe to say no new shuttle facilities will be built. We may, however, be approaching a point where new facilities will have a greater impact on existing ones than has previously been the case.

### **Biofuel Plants**

Nearly all biofuel plants in North Dakota, whether operating, planned or under construction, are ethanol plants. For that reason, this discussion pertains mostly to ethanol plants.

---

<sup>21</sup> 24 facilities x 30 trains @ 400,000 bushels (wheat and soybeans) and 440,000 bushels (corn).

<sup>22</sup> 24 facilities x 30 trains @ 370,000 bushels (wheat and soybeans) and 400,000 bushels (corn).

<sup>23</sup> Total BNSF + CPR carrying capacity.

<sup>24</sup> Theoretical throughput calculations assume product and rail service is available for each facility to ship 30 trains per year.

Until recently, ethanol production in North Dakota was been limited to facilities at Grafton and Walhalla. Their combined capacity is 34 million gallons per year.<sup>25</sup>

The recent strong demand for alternatives to petroleum based energy sources, coupled with tax incentives, has stimulated this industry. The resurgence of the industry will have an impact on the ND transportation system. Consider the following:

- A 50 million gallon<sup>26</sup> ethanol plant began operation at Richardton in January, 2007.
- A 50 million gallon ethanol plant began operation at Underwood in February, 2007.
- Construction has begun on a 100 million gallon ethanol plant at Hankinson.
- A 100 million gallon ethanol plant will be built at Casselton.
- There is discussion underway regarding a 100 million gallon ethanol plant to be built near Spiritwood.
- A 50 million gallon ethanol plant is being considered for siting near Williston.
- Archer Daniels Midland is adding an 85 million gallon biodiesel plant to their existing canola crushing facility at Velva.<sup>27</sup>
- Biofuel plants can function as shuttle train and *unit train* unloading and loading facilities.

Biofuel plants consume large amounts of raw material, and may have an impact on the transportation system similar to that of shuttle loading facilities. For example, a 100 million gallon ethanol plant will consume approximately 35.5 million bushels of corn annually; a 50 million gallon biodiesel plant will consume approximately 460,000 tons of canola annually.

For economic reasons, it is likely most inbound raw material to ethanol plants will be by rail. For example, BNSF has established shuttle rates for corn to the ethanol plant at Richardton. However, since trucks compete favorably with trains for hauls of 300 miles or less, it is likely that most of the raw material grown within ND that biofuel plants use will be shipped to them by truck. However, there will be some intrastate movement of raw material by rail. For example, the Underwood ethanol plant is receiving some corn grown in southeast ND via rail.

Biofuel plants in ND will likely be powered by coal or natural gas. The Underwood facility is an exception. Ethanol production there will be fueled by heat from the Coal Creek Station generating plant, located nearby. In the future, ethanol plants might use distilled grain solids (DGS), a by-product of ethanol production, for fuel. Biodiesel plants might use the meal that is a by-product of vegetable oil production as a fuel source.

Fueling biofuel plants with natural gas will not impact the ND highway or rail system. Fueling them with coal, on the other hand, will. The Richardton ethanol plant, for example, uses lignite trucked from a mine near Center, ND, which causes substantial impact to the highway network in that area.

---

<sup>25</sup> ND Agriculture Commissioner Roger Johnson in testimony before the ND Senate Finance and Taxation Committee, February 1, 2005.

<sup>26</sup> Design annual production capacity.

<sup>27</sup> The existing facility has been producing vegetable oil for other than fuel purposes. Total capacity will be 85 million gallons.

Depending on the number and location of coal using plants, it is possible that coal transload facilities will serve them. The Crystal Sugar operation in eastern ND models the concept. There, coal for use by the Crystal Sugar beet plants in eastern ND and western MN is delivered to a transload facility at Ardoch, ND by rail. From there it is loaded on trucks for delivery to the beet plants. Before the Ardoch facility was built, coal was delivered directly to the plants by rail. The change has significantly impacted highways and traffic patterns in the affected area.

Most ethanol produced in ND will be shipped by rail to out of state destinations. Some might move within the state by rail or truck, such as to the Mandan refinery. Ethanol plants also have a DGS by-product that will be shipped via highway or rail.

### **Conclusions:**

- It appears that the shuttle loading system in ND is mature in terms of capacity.
- New facilities may be constructed for reasons other than the need for additional capacity.
- It seems unlikely that there will be major changes in the shuttle facility network unless there is a substantial increase in crop production or a significant change in production location.
- There are insufficient data at present to predict how or to what extent the biofuel industry will influence commodity production and movements in ND.
- The biofuel industry will cause increased movement of coal into and/or within ND.
- To the extent it occurs by truck, coal movement will increase costs to the public due to more frequent maintenance and construction requirements for the state's highway system.
- Biofuel production will cause increased traffic on the state's rail system, both for raw material to the plants and product transportation out.
- Increased demand for rail service from the biofuel industry could affect rates and service to other market segments.

Figures 9-11 show the locations of shuttle and efficiency train elevators in North Dakota. The maps are overlaid on crop layers representing production levels across the state. Four types of elevators are included: BNSF 110-car shuttle elevators, CPR Efficiency Elevators, CPR Efficiency Pooling Elevators, and the 75-car limited NPR Efficiency Elevators. Figure 12 shows existing and proposed ethanol plant locations overlaid on a corn production layer. Figure 13 shows existing and proposed biodiesel locations overlaid on a canola production layer. Canola is the crop of choice for most biodiesel production, although biodiesel can be produced from soy beans or sunflower seeds as well.

# North Dakota Shuttle Elevator Locations and 2006 Corn Production in Bushels




Figure 9. Shuttle Elevator Locations on Corn Production Layer

# North Dakota Shuttle Elevator Locations and 2006 Soybean Production in Bushels




Figure 10. Shuttle Elevator Locations on Soybean Production Layer



# North Dakota Shuttle Elevator Locations and 2006 Wheat Production in Bushels




Figure 11. Shuttle Elevator Locations on Wheat Production Layer

# North Dakota Biodiesel Plant Locations and 2006 Canola Production in Pounds




Figure 12. Biodiesel Plants on a Canola Production Layer

North Dakota Ethanol Plant Locations  
and 2006 Corn Production in Bushels





Figure 13. Ethanol Plants on a Corn Production Layer

## **Rail Passenger Service and Traffic Levels**

The only passenger rail service in North Dakota is Amtrak's Empire Builder, which runs from Chicago, Illinois to Seattle, Washington and Portland, Oregon. In ND, the Empire Builder operates on the BNSF main line from Fargo to Grand Forks, then west to near Fort Buford, where it crosses into Montana. The train stops at depots in Fargo, Grand Forks, Devils Lake, Rugby, Minot, Stanley, and Williston. Service is twice daily, with one train in each direction.

Figure 14 illustrates trends in ND Amtrak ridership since 1998. Table 3 lists ridership statistics by station. As Figure 14 shows, there was little change between 1998 and 2001. A reduction in service frequency caused a loss of ridership in 2002. Ridership levels recovered when service frequency was restored in 2003, and have increased every year since.



**Figure 14. Total Amtrak Ridership in North Dakota 1998-2006<sup>28</sup>**

<sup>28</sup> Source: Amtrak

As Table 3 shows, Minot generates the most riders of any North Dakota station by quite a large margin. The reason is not readily apparent.

**Table 4. Amtrak Ridership Statistics for North Dakota<sup>29</sup>**

<b>City</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>	<b>2005</b>	<b>2006</b>
Devils Lake	3,446	3,773	4,236	4,713	3,974	4,726	4,834	6,039	6,272
Fargo	16,223	16,577	15,546	14,738	11,637	13,869	15,546	18,812	22,771
Grand Forks	13,717	13,300	13,235	12,923	10,481	13,024	14,638	17,847	19,574
Minot	25,333	25,822	26,907	26,169	22,522	27,493	29,511	33,314	35,829
Rugby	3,884	4,708	4,799	5,304	4,179	4,940	5,533	6,272	5,975
Stanley	1,907	2,068	2,221	2,104	2,112	2,678	2,688	2,694	3,018
Williston	14,653	15,609	15,994	16,320	13,328	16,196	16,659	19,504	21,300
<b>Total</b>	<b>79,163</b>	<b>81,857</b>	<b>82,938</b>	<b>82,271</b>	<b>68,233</b>	<b>82,926</b>	<b>89,319</b>	<b>104,482</b>	<b>114,739</b>

<sup>29</sup> Source: Amtrak: 1998 and 1999 are calendar year. 2000-2006 are October 1<sup>st</sup> through September 30<sup>th</sup>



## **CHAPTER 3 - RAILROAD FREIGHT ASSISTANCE PROGRAMS AND GUIDELINES**

---

### **Brief History**

In 1982, NDDOT established a revolving loan fund with dollars from its Local Rail Service Assistance (LRSA) grant. LRSA became Local Rail Freight Assistance (LRFA) in 1990 when Congress modified the program and changed its name. In addition to the name change, Congress restricted LRFA funds to lines with less than five million *gross tons per mile*, but at least 20 *carloads per mile*, in the year previous to the year of application for assistance. There is no waiver provision for the 20 carloads per mile requirement if the operating railroad cannot guarantee at least 40 carloads per mile for each of the first two years following the expenditure of assistance funds. These changes essentially made Class I railroads ineligible for LRFA assistance, other than for low traffic density branch lines.

The North Dakota LRFA loan program makes available reduced-interest loans, primarily for infrastructure projects on short line railroads.<sup>30</sup> The funds have retained their federal identity. The program was created to keep the state rail assistance funds from being depleted and to provide railroads with an alternative to commercial lending sources. The low interest rate and 10-year repayment period help improve railroad cash flow. The LRFA loan fund retains the principal from repaid loans, plus the interest the LRFA account itself bears.

In 1995, NDDOT established a second revolving loan fund, called the Freight Rail Improvement Program (FRIP) fund, using interest from repaid LRFA loans as a funding source. FRIP is similar in purpose to LRFA, but the funds are state funds and there is more latitude allowed in their use. FRIP is funded with interest from repaid LRFA loans, principal and interest from repaid FRIP loans, and the interest the account itself bears.

NDDOT freight rail assistance presently consists of the LRFA and FRIP loan funds. There is no additional funding source for these loan programs, other than the interest sources already mentioned. LRFA and FRIP are described in greater detail in the next section.

---

<sup>30</sup> The interest rate on the loans is typically several points below the prime commercial lending rate.

## **Local Rail Freight Assistance Guidelines**

---

Title 49 of the United States Code describes three potential purposes or uses of federal financial assistance to states under LRFA:

1. rail line acquisition
2. rail line rehabilitation
3. construction of new facilities

Federal funds may also be used for improving and rehabilitating rail property, but only to the extent necessary to allow adequate and efficient transportation on the line. In all cases, the railroad must certify the line related to the project meets the traffic density criteria previously mentioned.

A state may use federal funds to acquire an interest in a rail line or rail property for the purpose of maintaining existing rail service or to provide future service. The Surface Transportation Board must have authorized abandonment or discontinuance of service on a line before it may be acquired with federal funds.<sup>31</sup> It is currently the policy of NDDOT to not own or operate rail lines.

Federal funds may also be used for building rail or rail related facilities that will improve the quality and efficiency of the state's rail freight transportation system. Eligible uses include new connections between at least two existing rail lines, intermodal freight terminals, *sidings*, bridges, and relocation of existing lines.

Three basic conditions must be met for a project to be eligible for LRFA funds:

1. The railroad must certify that the rail line meets traffic density criteria.
2. The ratio of benefits to costs for the project must be greater than 1:1.
3. The state where the project resides must have an adequate plan for rail transportation service in the state and a suitable process for updating, revising, and modifying the plan.

LRFA application instructions and the full text of the federal rail assistance guidelines are presented in Appendix F.

---

<sup>31</sup> Rail lines exempted from the abandonment requirements also qualify.



## **North Dakota Freight Rail Improvement Program**

FRIP loan guidelines generally mirror those of LRFA. Eligible FRIP applicants include counties, cities, railroads, and current or potential users of freight railroad service. An eligible project generally is one in which the line related to the project has carried less than five million gross ton-miles of freight per mile in the year previous to the year of application and which accomplishes any of the following objectives: rehabilitates a segment of rail line, results in economic development, improves transportation efficiency, promotes safety, promotes the viability of the state freight rail system, assists intermodal freight movement, or provides industry access to the national railroad system. The Director may waive the five million gross ton-miles requirement for a project if it is determined that a significant public interest exists.

FRIP project applications are evaluated on the basis of six criteria, each with a weighted value. The rating system generates a score for establishing project qualification and ranking. The six criteria are:

1. Benefit-cost ratio.
2. Line traffic density (same as LRFA).
3. System connectivity enhancement.
4. Enhancement to North Dakota's economy.
5. Safety and security enhancement of the ND rail system.
6. Environmental and community impacts.

FRIP application instructions and project guidelines are shown in Appendix G.

### **Benefits of Rail Freight Assistance Programs**

NDDOT has provided more than \$26 million in assistance since 1979 to rehabilitate more than 500 miles of rail line in the state and to help improve rail-related facilities. Without state assistance, some of the rehabilitated lines would have been abandoned. Preservation of the lines has helped maintain rail access for many North Dakota producers and manufacturers, resulting in transportation cost savings for them.

Although safety benefits are difficult to quantify, it is clear that state rehabilitation funding assistance has had a positive effect on both railroad and public safety by reducing the probability of derailments on many miles of improved lines. In addition, the preservation of rail lines has helped slow the increase of heavy truck axle loads on the state's highways, particularly the rural collectors. Finally, the freight rail assistance programs have allowed some rural communities to maintain connectivity with the national freight rail system, helping to maintain the economic base of rural areas of the state.

Rail assistance projects are shown in Appendix H.

## **Highway-Rail Grade Crossing Safety Programs**

About every 90 minutes someone in America is hit by a train.<sup>32</sup> Tragically, most of those occurrences are avoidable. Most crossing accidents occur because motorists ignore warning signs, signals or safety gates. Many people seem unaware that it takes a train traveling at 50 mph approximately a mile and half to stop.

This chapter describes federal and state programs and related activities aimed at improving grade crossing safety. The chapter begins with a brief history of the programs, followed by a discussion of federal and state safety improvement activities.

### **Brief History**

In 1970, Congress passed the Federal Railroad Safety Act and the Highway Safety Act. Provisions in these laws required comprehensive studies of issues related to safety at highway-rail at grade crossings on the federal aid highway system (FAS). Agencies were to make recommendations for appropriate action to increase safety at these crossings for both the public and the railroads.

The Federal Highway Administration (FHWA) and Federal Railroad Administration (FRA) subsequently prepared a report for Congress. Based on the report's recommendations, Congress established a program to eliminate hazards at rail crossings. Section 203 of the Highway Safety Act of 1973 authorized \$175 million from the Highway Trust Fund for crossing improvements on the FAS. A 1975 inventory revealed that 77 percent of highway-rail crossings were located off the FAS and thus were not eligible for improvement with Section 203 funds. In 1976, Congress provided funding for all public crossings.

Congress established a general hazard elimination program in the Surface Transportation Assistance Act of 1978. The hazard elimination program – described in 23 U.S.C. 152 – provides funds to each state to “identify hazardous locations...and establish and implement a schedule of projects for their improvement.”<sup>33</sup> Hazard elimination funds may be used for improvement of rail crossings. The cost share is typically 90% federal, 10% non-federal.<sup>34</sup> These funds may also be used to support crossing closures and crossing eliminations, such as *grade separations*.<sup>35</sup>

---

<sup>32</sup> Estimate by Federal Railroad Administration

<sup>33</sup> Funds authorized to carry out this section can be expended on any public road, other than a highway on the Interstate System. The federal cost share under this section is ninety percent.

<sup>34</sup> The railroad share of projects that eliminate crossings at which active traffic control devices are in place, or are scheduled to be installed is five percent. Generally, railroads cannot be required to contribute to other types of improvement projects financed with federal funds. The railroad share, if any, of the cost of grade crossing improvements shall be determined in accordance with 23 CFR part 646, subpart B (Railroad-Highway Projects).

<sup>35</sup> Crossing eliminations include new grade separations, relocation of highways, relocation of railroads, and other crossing closures that occur without construction.

The Intermodal Surface Transportation Efficiency Act (ISTEA) of 1991 established the Surface Transportation Program. The Surface Transportation Program provides funds for a variety of purposes including rail-highway grade crossings safety and hazard elimination. The Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users of 2005 (SAFETEA-LU) continues funding for rail-highway grade crossing safety and hazard elimination.

Driver education and enforcement programs are major elements of federal and state highway safety improvement programs. Operation Lifesaver (OL) is perhaps the best known grade crossing educational program. OL began with a cooperative agreement between the Union Pacific Railroad and the state of Idaho in 1972. Other state programs followed. In 1978, the National Safety Council was designated as the national coordinator for individual state efforts and charged with the “development, implementation, and evaluation of a national Operation Lifesaver program.”<sup>36</sup> In ISTEA 1991, Congress directed the Secretary of Transportation to set aside \$300,000 each fiscal year for support of OL.<sup>37</sup> Funding for OL has been renewed with each subsequent transportation bill and is continued under SAFETEA-LU.

### **U.S. Department of Transportation (*USDOT*) Action Plan**

According to the FRA, the hazard elimination program has saved more than 10,500 lives and prevented 51,000 injuries since its inception in 1974. Since 1994, grade crossing safety efforts have resulted in a 48% reduction in the number of crossing fatalities despite steadily growing exposure.<sup>38</sup>

In 1994, USDOT formulated a Rail Highway Crossing Safety Action Plan designed to build on early successes of safety efforts. New and improved technologies and engineering solutions were an essential part of the plan, addressing three dimensions or systems:

1. onboard systems, such as train horns
2. highway systems, such as traffic control devices
3. multimodal communication links between highway and rail systems.

The safety action plan set forth strategies related to enforcement, engineering, education, research, and public awareness – all crucial aspects of grade crossing safety. The goal was to achieve at least a 50% reduction from 1994 grade crossing accident and fatality levels by 2003. The plan was also designed to instill an attitude of “zero tolerance” for highway rail crossing collisions, fatalities, and injuries.<sup>39</sup>

---

<sup>36</sup> U.S. Dept. of Transportation. Railroad-Highway Grade Crossing Handbook, 2<sup>nd</sup> Edition, 1986.

<sup>37</sup> The ISTEA amended 23 U.S.C. section 104(d) to provide for Operation Lifesaver funding.

<sup>38</sup> Estimate by Volpe Center, U.S. DOT.

<sup>39</sup> Testimony of Jolene M. Molitoris, Federal Railroad Administrator, before the House Committee on Transportation and Infrastructure, Subcommittee on Railroads, April 1, 1998.

## Onboard Railroad Warning and Sounding Devices<sup>40</sup>

Research continues regarding the cost-effectiveness of alternative onboard warning devices. Although the relative cost-effectiveness of the train horn has not been established, a 1995 nationwide study by FRA suggests that silencing train horns increases crash risks by 84%.<sup>41</sup> Moreover, a study of local whistle bans on the Florida East Coast Railway found that crashes at crossings with flashing lights and gates tripled when train horns were banned.<sup>42</sup> This finding led FRA to issue Emergency Order No. 15 in July, 1991, which required railroad operators to “sound the horn.” Subsequently, in the Federal Railroad Safety Authorization Act of 1994, Congress directed FRA to require the use of train horns at highway rail crossings.<sup>43</sup> FRA was given authority to allow exceptions where supplementary safety measures fully compensated for the absence of the train horn. Also, the sounding of locomotive horns at public crossings was subject to applicable state and local laws, and many local governments legislated whistle bans, (quiet zones), within their communities.

FRA interprets the 1994 statute to mean that “at a minimum, flashing lights and gates should be provided at crossings where train horns are silenced.”<sup>44</sup> In evaluating exceptions to the train-horn rule, FRA also judges “what supplementary measures, provided by local traffic control or law enforcement authorities, will be sufficient to compensate for loss of the train horn on corridors already equipped with flashing lights and gates.”<sup>45</sup>

In 2005, in response to a legislative mandate, FRA issued a Final Rule on the Use of Locomotive Horns at Highway-Rail Grade Crossings. The Rule became effective June 24. It pre-empted state and local laws regarding train horn use, but allowed the creation of quiet zones if specified criteria were met. The rule also detailed actions communities with existing whistle bans could take to meet the new standards and preserve the quiet zones they had become accustomed to.

---

<sup>40</sup> This section is summarized from: (1) the 1994 “Rail-Highway Crossing Safety Plan,” by FRA, (2) testimony of Jolene M. Molitoris, FRA, before the house Committee on Transportation and Infrastructure, Subcommittee on Railroads, April 1, 1998, and (3) Volpe Center, *Highway-Rail Grade Crossing Safety Research Publication*, 1998.

<sup>41</sup> Testimony of Jolene M. Molitoris, Federal Railroad Administrator, before the House Committee on Transportation and Infrastructure, Subcommittee on Railroads, April 1, 1998.

<sup>42</sup> Ibid.

<sup>43</sup> Specifically, Title 49, U.S.C 20153 states that: *the Secretary may except from the requirement to sound the locomotive horn any categories of rail operations or categories of highway-rail grade crossings (by train speed or other factors specified by regulation) – (A) that the Secretary determines not to present a significant risk with respect to the loss of life or serious personal injury; (B) for which use of the locomotive horn as a warning measure is impractical; or (C) for which, in the judgment of the Secretary, supplementary safety measures fully compensate for the absence of the warning provided by the locomotive horn.*

<sup>44</sup> Testimony of Jolene M. Molitoris, Federal Railroad Administrator, before the House Committee on Transportation and Infrastructure, Subcommittee on Railroads, April 1, 1998.

<sup>45</sup> Ibid.

In North Dakota, the city of Fargo, in cooperation with Moorhead, MN, has received FRA approval to establish a Fargo-Moorhead Quiet Zone along the BNSF mainline that runs through the downtown areas of both cities. Implementation of this quiet zone requires supplemental safety measures at some crossings and closure of others. Other cities in North Dakota, including Bismarck, Grand Forks and New Salem, have expressed interest in quiet zones.

### **Conspicuous Locomotives**

Visual warning of an on-coming train is especially important at crossings with passive warning devices. In 1991, FRA began researching conspicuous locomotives. It later published rules to encourage the industry to adopt changes to make locomotives more visible to motorists and pedestrians.<sup>46</sup> Subsequently, railroads installed auxiliary lights, called Locomotive Alerting Lights (LAL), or “ditch lights” on locomotives. LAL are mounted low on the front of the locomotive, one on each side. The LAL and main headlights form a triangular pattern when viewed from the front. The triangular pattern and increased light output makes the train more visible and provides motorists and pedestrians with better perception of the size and speed of the approaching locomotive. A FRA benefit/cost analysis claims that installation of ditch lights has reduced grade crossing accidents in the range of ten percent for locomotives so equipped.<sup>47</sup>

### **Reflectorized Rolling Stock**

While warning of an on-coming train is important, additional warning is needed at passive warning crossings. Since there are no gates or flashing lights, drivers sometimes don't see that a train is occupying the crossing until it is too late to avoid hitting it. These kinds of crashes cause deaths and injuries each year. After conducting research into increasing the visibility of locomotives and rail cars, FRA developed regulations requiring railroads to place reflective material on rolling stock. The requirements and compliance standards are stated in the Code of Federal Regulations (49 CFR, Part 224). Generally, railroads are required to have all locomotives in compliance by 2010 and all freight cars in compliance by 2015.

---

<sup>46</sup> FRA issued the first interim regulation on this subject in 1994 to encourage early installation. The requirement for Locomotive Alerting Lights became fully effective Dec. 31, 1997. LAL are now required by law.

<sup>47</sup> Testimony of Jolene M. Molitoris, Federal Railroad Administrator, before the House Committee on Transportation and Infrastructure, Subcommittee on Railroads, April 1, 1998.

## **Highway System Engineering and Enforcement Innovations**

A long-term goal of USDOT is to separate or close crossings on the National Highway System. For other at-grade crossings, USDOT describes several highway engineering improvements that warrant further research and debate, include the following:

- median barriers to keep motorists from going around gates;
- paired one way streets with gates extending across all lanes;
- four quadrant gates that block all lanes of travel;
- temporary closure of roads during whistle ban hours.

Electronic enforcement, such as automated photographic identification, may prove to be an effective deterrent to those who drive around crossing gates or ignore other warning devices. Moreover, low cost options may be useful at crossings that lack automated warning devices.

### **Enhancements of Highway Railroad Interface**

At many locations, linking grade crossing warning systems and highway traffic signals is of critical importance. With this arrangement, automated crossing warning devices are coordinated with traffic signals to help reduce the chance vehicles will be caught in traffic on or dangerously near the crossing. Demonstration projects are sometimes used to test such systems.

### **Obstruction of Visibility**

Removing or modifying obstructions to visibility at highway rail crossings is a low-technology solution that can have large payoffs. However, solutions to visibility problems frequently require communication and coordination among railroads, property owners, and public authorities.

## **State Grade Crossing Safety Programs**

The North Dakota rail-highway crossing program complements the federal plan and continues an on-going grade crossing improvement program that began in 1978. Since then, the state has spent more than \$30 million participating in approximately 600 grade crossing safety improvement projects.

ND develops an annual list of crossing safety projects. Initially, state efforts were concentrated on signal installation on Class I railroad main line crossings because of the higher number of trains and greater train speeds. Presently, Class I main line crossings on state and federal highways with AADT of 100 or more are signalized. The emphasis has now shifted to crossings on branch lines and other crossings with safety concerns.

The grade crossing program has positively impacted safety in North Dakota. There were approximately 100 motor vehicle accidents per year at railroad crossings in the mid

1970s. In 2005, there were 18. On average, there are 75% fewer grade crossing accidents annually now than there were in 1975. ND grade crossing crash history from 1975 – 2005 is portrayed graphically in Figure 15 on page 498.

The state is aware of the noise impacts of train horns on communities and encourages continued research into alternative audible train warning devices. However, substantial evidence exists that banning train horns in the absence of other effective warning devices increases the risks of crossing accidents. The state does not support additional exceptions to the train horn under 49 U.S.C. 20148 unless the Secretary of Transportation determines that silencing the train horn will not pose a significant risk and supplementary safety measures exist which fully compensate for absence of the horn.

If the cost-effectiveness of alternative onboard or wayside warning devices can be established, NDDOT encourages railroads to adopt new and effective warning technologies that will mitigate community noise impacts. However, the state is opposed to the substitution of new train warning devices for train horns if such substitutions would diminish safety levels.

NDDOT believes that the removal or mitigation of obstructions to visibility at highway rail crossings can reduce the risk of accidents and may be a cost-effective way to reduce hazard. The state encourages proper vegetation planning and control by railroads and other property owners in the vicinity of grade crossings.

## **Operation Lifesaver<sup>48</sup>**

---

In 1972, a concerned Union Pacific Railroad employee, working with the support of many Idaho communities, established a state-wide public education program called Operation Lifesaver (OL) in an effort to reduce the numbers of crashes, injuries and fatalities occurring at highway-rail at grade crossings. The crossing fatality rate in Idaho dropped 43 percent in the first year of OL. In 1973, the same education program was started in Nebraska, where there was a 26 percent reduction in the collision rate at rail crossings. In recent years, OL has placed increased emphasis on reducing and preventing injuries and fatalities caused by people trespassing on railroad property, in addition to the effort to reduce crashes at highway crossings.

Operation Lifesaver is now active in the 49 continental United States and Washington, D.C. In addition, OL is active in Canada, Mexico, Argentina, England and Estonia. Since its inception in 1972, this public education program has been a major factor in the dramatic reduction in injuries and fatalities at rail crossings across the nation.

A cooperative effort involving education, engineering and enforcement continues to make OL successful. Education is provided by OL certified volunteers. Engineering is provided by the professionals who are responsible for improving and maintaining the

---

<sup>48</sup> This section summarized from the Operation Lifesaver websites: <http://www.oli.org> and <http://www.ndsc.org/lifesaver.asp>.

crossings. Enforcement is provided by state and local law enforcement officers who patrol the public highways and by railroad police officers who guard railroad right-of-way and other property against trespassers.

In North Dakota, Operation Lifesaver conducts nearly 500 grade crossing safety presentations annually. OL also serves as a resource for grade crossing safety educational materials and statistics in the state. NDDOT provides funding support to OL with an annual grant. As Figure 15 shows, there has been a general downward trend in the annual number of crashes at rail crossings since the late 1970s




Figure 15. North Dakota At Grade Rail Crossing Crash Data



**APPENDIX A**  
**TRAFFIC AND COMMODITY STATISTICS**

---



## Railroad Statistics

**Table A.1- BNSF Traffic Originated or Terminated in North Dakota in 2004, by STCC\***

STCC	Commodity	Carloads Originated in ND	Carloads Terminated in ND	Carloads Transported in ND	Percent of Carloads Carried
1	Farm Products	61,028	5,417	87,067	31.5%
11	Coal	48,163	8,413	108,177	39.1%
20	Food and kindred products	19,580	1,248	40,756	14.7%
28	Chemicals and allied products	1,677	5,892	8,824	3.1%
29	Petroleum and coal products	2,872	2,899	6,877	2.4%
40	Waste and scrap materials	1,087	699	4,053	1.5%
<b>Grand Total, Carload Traffic</b>		135,698	94,442	276,534	

Source: Report to the North Dakota Public Service Commission, 2005. \* Only commodities comprising at least 1 percent of carloads are shown. Thus, percentages may not equal 100 percent.

**Table A.2- CPR Traffic Originated or Terminated\* in North Dakota in 2004, by STCC\*\***

STCC	Commodity	Carloads Originated in ND	Carloads Terminated in ND	Percent of Carloads Carried
1	Farm Products	51,292	3,899	63.8%
20	Food and kindred products	16,484	113	19.2%
28	Chemicals and allied products	285	6,610	7.9%
40	Waste and scrap materials	3,596	2	4.2%
32	Stone, clay and glass	1	2,966	3.4%
<b>Grand Total, Carload Traffic</b>		71,841	94,442	

Source: Report to the North Dakota Public Service Commission, 2006. \*CPR did not report Carloads Transported in ND as separate category. \*\* Only commodities comprising at least 1 percent of carloads are shown. Thus, percentages may not equal 100 percent.

**Table A.3 – DMVW Traffic Originated or Terminated in North Dakota in 2004**

Description	Originated Traffic		Terminated Traffic		Total Traffic	
	Carloads	Tons	Carloads	Tons	Carloads	Tons
Wheat (except durum)	5,920	592,000	0	0	5,920	592,000
Durum	2,932	293,200	0	0	2,932	293,200
Barley	159	15,900	0	0	159	15,900
Sunflowers	121	12,100	0	0	121	12,100
Corn	4,960	496,000	0	0	4,960	496,000
Flax	324	32,400	0	0	324	32,400
Oats	110	11,000	0	0	110	11,000
Soybeans	2,668	266,800	0	0	2,668	266,800
Fertilizer	0	0	329	32,900	329	32,900
Misc	3,443	344,300	1,594	159,400	5,037	503,700
<b>Total</b>	<b>20,692</b>	<b>2,069,200</b>	<b>2,108</b>	<b>210,800</b>	<b>22,800</b>	<b>2,280,000</b>

Source: Report to the North Dakota Public Service Commission, 2005. \*Only commodities comprised of greater than 100 carloads are reported.

**Table A.4 – NPR Traffic Originated or Terminated in North Dakota in 2004**

Description	Originated Traffic		Terminated Traffic		Total Traffic	
	Carloads	Tons	Carloads	Tons	Carloads	Tons
Wheat (except durum)	7,855	1,021,150	0	0	7,855	1,021,150
Durum	661	85,930	0	0	661	85,930
Barley	2,564	333,320	0	0	2,564	333,320
Sunflowers	16	2,080	0	0	16	2,080
Corn	190	24,700	0	0	190	24,700
Soybeans	460	59,800	0	0	460	59,800
Fertilizer	0	0	326	42,380	326	42,380
Misc	0	0	460	46,000	460	46,000
<b>Total</b>	<b>11,746</b>	<b>1,526,980</b>	<b>786</b>	<b>88,380</b>	<b>12,532</b>	<b>1,615,360</b>

Source: Report to the North Dakota Public Service Commission, 2005.

**Table A.5 – RRVW Traffic Originated or Terminated in North Dakota in 2004\***

Description	Originated Traffic		Terminated Traffic		Total Traffic	
	Carloads	Tons	Carloads	Tons	Carloads	Tons
Wheat (except durum)	5,705	570,500	379	37,900	6,084	608,400
Durum	0	0	1,213	121,300	1,213	121,300
Barley	1,113	100,170	0	0	1,113	100,170
Corn	3,057	320,985	3,083	308,300	6,140	629,285
Steel	0	0	1,402	154,220	1,402	154,220
Mill Byproducts	2,015	197,470	0	0	2,015	197,470
Soybeans	2,189	251,735	517	51,700	2,706	303,435
Other Grain	765	68,850	15	1,350	780	70,200
Wheat Flour	537	53,163	0	0	537	53,163
Sugar	2,940	323,400	0	0	2,940	323,400
Pellets	987	97,713	0	0	987	97,713
Fertilizer	0	0	721	71,379	721	71,379
Syrup	5,853	573,594	0	0	5,853	573,594
Coal	0	0	1,354	135,400	1,354	135,400
Petroleum	0	0	250	17,500	250	17,500
Aggregate	0	0	979	97,900	979	97,900
Scrap	445	44,500	470	47,000	44,945	89,445
Misc.	2	190	354	33,630	356	33,820
<b>Total</b>	<b>25,744</b>	<b>2,614,510</b>	<b>11,076</b>	<b>1,095,918</b>	<b>36,820</b>	<b>3,710,428</b>

Source: Report to the North Dakota Public Service Commission, 2005 \*Only commodities comprised of greater than 250 carloads are reported.

## **Rail Commodity Movements**

This section presents an in-depth analysis of commodity movements and describes the markets for North Dakota shipments. It begins with an overview of the principal commodities transported by railroads in North Dakota, followed by a discussion of major grain destinations and rail share of total shipments. The grain summary is followed by a digest of coal, chemical, and food products traffic data. The value of North Dakota shipments and the impacts of commodity value on mode choice are summarized in conclusion.<sup>49</sup>

<sup>49</sup> The 2003 data in Tables 6 and 7 are based on Class I railroad QCS Reports to the STB and on the AAR's survey of local and regional railroads. They represent the most current complete year of state-level data available at the time this section of the rail plan was prepared. The relative importance of commodities may change somewhat from year-to-year depending on economic and demand factors.

Table A.6 shows percent of the tons originated in North Dakota in 2003 by commodity.

**Table A.6. Top Commodities Originated by Railroads in North Dakota During 2003**

<b>Commodity</b>	<b>Tons of Freight</b>	<b>Percent of Total</b>
Farm Products	12,234,397	54
Coal & Chemicals	4,934,702	22
Food Products	4,465,102	20
Waste & Scrap	488,196	2
Petroleum or Coal Products	214,412	1

Source: Association of American Railroads, 2005.

Table A.7 shows percentage of tons terminated in North Dakota during 2003 by commodity.

**Table A.7. Top Commodities Terminated by Railroads in North Dakota During 2003**

<b>Commodity</b>	<b>Tons of Freight</b>	<b>Percent of Total</b>
Coal	5,562,028	61
Farm Products	863,190	10
Chemicals	721,128	8
Glass & Stone Products	556,040	6
Nonmetallic Minerals	555,144	6

Source: Association of American of Railroads, 2005.

## **Farm Products Traffic**

Two data sources are used to describe farm products shipments: North Dakota Grain and Oilseed Shipment Statistics and the Railroad *Waybill* Sample. The Grain and Oilseed data is based on elevator reports to the North Dakota Public Service Commission, referred to hereafter as grain elevator reports. The grain elevator reports include rail and truck shipments to primary destinations, such as Minneapolis, Duluth, other Minnesota and Wisconsin, the Gulf Coast and the Pacific Northwest (PNW). The Railroad Waybill data is based on a random sample of railroad shipments reported to the STB. In some cases, the waybill sample provides more specific destination information than grain elevator reports. Moreover, the waybill sample includes descriptive information about shipments, such as length of haul, rate, and variable cost. The two data sources

complement each other; together, they provide a comprehensive description of North Dakota farm products movements.

According to grain elevator reports, between 75 and 80% of the state's grains and oilseeds are shipped by rail. As Figure A.1 shows, rail share tends to be greatest in distant markets. For example, only 21% of grain shipments terminated in state were moved by rail in 2003. These in-state shipments, destined for processing plants and terminal elevators such as the North Dakota Mill & Elevator, usually cover short distances where trucks are more competitive with railroads. In contrast, 84% of the grain moving to Minneapolis and 90% of the grain destined for Duluth travels by rail. Moreover, railroads transport about 93% of grain shipments to the Gulf and 99% of grain shipments to the PNW.

**Figure A.1. Rail Share of Grain & Oilseeds Originating in North Dakota by Destination<sup>50</sup>**




Figure A.2 (on the next page) is also based on grain elevator reports. As the chart shows, approximately 42% of North Dakota grain and oilseed shipments went to Minneapolis, Duluth, or other Minnesota and Wisconsin destinations in 2004. Many of the shipments terminated at processing plants or mills in MN and WI. However, some may have been transferred to barges at Minneapolis or re-billed to another destination, such as Chicago. The fact that 16% of ND grain and oilseed shipments were terminated in-state illustrates the importance of the local processing sector of the economy.

<sup>50</sup> Source: Upper Great Plains Transportation Institute. Other MN includes movements to WI.

**Figure A.2. Percentage of North Dakota Grain & Oilseed Shipments by Destination<sup>51</sup>**




Table A.8 is based on the waybill sample. As the table shows, Washington is the top destination state for ND farm products, followed by Wisconsin, Minnesota, Illinois, Missouri, and Oregon. Most shipments to Washington, Oregon, Louisiana, and Texas were for export. The average distance for interstate rail movements ranged from 414 miles (Minnesota) to 1,762 miles (Gulf Coast). Average distance for PNW shipments was 1521 miles.

**Table A.8: Destination State for Farm Products Originated In ND by Rail and Average Distance of Shipments - 2003<sup>52</sup>**

Destination State	Estimated Tons	Average Distance
Washington	2,886,407	1,663
Wisconsin	1,907,100	551
Minnesota	1,702,342	414
Illinois	1,470,065	843
Missouri	932,500	1,093
Oregon	597,773	1,380
North Dakota	526,780	167
Texas	452,197	1,753
Louisiana	332,471	1,771
Alberta	323,498	976

Table A.9 (on the next page) shows the number of elevators making grain and oilseed shipments, the percent using rail service, the percent shipping in various car block sizes, and the percentage of tons shipped under three railroad service levels during 2004.

<sup>51</sup> Source: Upper Great Plains Transportation Institute. Other MN includes shipments to Wisconsin.

<sup>52</sup> Source: 2003 Waybill Sample




**Table A.9. North Dakota Grain and Oilseed Shipments by Car Block Size<sup>53</sup>**

	Number Shipping by Car Block Size (Percent of Elevators With a Shipment in Various Car Size Blocks)			Tons Shipped by Car Block Size (Percent of Rail Tonnage Shipped in Each Car Size Block)		
	1-24 Cars	25-49 Cars	50+ Cars	1-24 Cars	25-49 Cars	50+ Cars
<b>BNSF</b>	123 (51%)	72 (30%)	47 (19%)	761,405 (13%)	1,239,784 (21%)	4,019,229 (67%)
<b>CPR</b>	32 (47%)	23 (34%)	13 (19%)	367,273 (17%)	431,644 (20%)	1,338,240 (63%)
<b>DMVW</b>	17 (37%)	16 (35%)	13 (28%)	277,501 (20%)	314,736 (23%)	787,187 (57%)
<b>NPR</b>	19 (46%)	12 (29%)	10 (24%)	242,297 (23%)	186,487 (18%)	612,226 (58%)
<b>RRVW</b>	30 (53%)	17 (30%)	10 (17%)	443,363 (30%)	403,066 (27%)	631,965 (43%)
<b>DNRR</b>	NA	NA	NA	NA	NA	NA
<b>YSVR</b>	NA	NA	NA	NA	NA	NA

As Table A.9 shows, 30% of RRVW and 20% of DMVW grain shipments moved in 1-to-24 car blocks in 2004. Most grain was moved in 50+ car shipments.

As Figure A.3 shows, about 67% of grain shipments from BNSF elevators consisted of 50 cars or more. Moreover, shipments of 50 cars or more comprised 63% to 43% of grain traffic handled by CPR, DMVW, NPR, and RRVW.

**Figure A.3. Percentages of Grain Shipped in Blocks of 50 Cars or More in 2004<sup>54</sup>**



<sup>53</sup> Source: Upper Great Plains Transportation Institute

<sup>54</sup> Source: Upper Great Plains Transportation Institute

## Coal, Chemical, and Food Products Traffic

The railroad waybill sample is the only consistent source of information for commodities other than grain. The waybill sample is collected each year by the Surface Transportation Board. The sampling frame is the terminating railroad. All railroads that terminated more than 4,500 revenue carloads of freight during any of the previous three years, or any railroad that terminated more than 5% of the traffic in a given state during any of the previous three years, must participate in the sample. The sampling unit is the waybill, which is created each time a shipment is consigned, with the possible exception of contract movements.

The sampling process uses a stratified random sampling procedure based on the number of cars per shipment. The sampling strata and corresponding rates are: 1-2 cars (1:40), 3-15 cars (1:12), 16-60 cars (1:4), 61-100 cars (1:3), and more than 100 cars (1:2).

In addition to the waybill sample, the Department of Energy (DOE) publishes information regarding coal movements from mines to utilities. According to DOE and waybill data, about 85% of the coal tonnage originated in North Dakota is terminated in-state. The remaining coal movements originated in North Dakota are terminated elsewhere in the northern plains region.

Destinations for food and kindred products are much more dispersed than are coal or grain destinations. Illinois, Minnesota, Washington, California, Missouri, Texas, and North Dakota were the principal destination states for railroad shipments in 2003 (Table A.10).<sup>55</sup> Average shipment distances ranged from less than 200 miles to more than 2,300 miles. Essentially, all coal, chemical and food products traffic moved in single-car consignments.

More than 78% of farm products traffic terminated in-state in 2003 originated from North Dakota or Montana. Approximately 66% of the chemical shipments terminated in-state in 2003 originated from Alberta, Florida, or Minnesota.

**Table A.10. Major Destinations for Food Products Originated in ND by Rail, 2003<sup>56</sup>**

<b>Destination</b>	<b>Estimated Tons</b>	<b>Average Cars Per Shipment</b>	<b>Average Distance</b>
Illinois	1,327,920	1.09	690
Minnesota	524,220	1.70	286
Washington	362,000	1.00	1,598
California	334,056	3.33	2,349
Missouri	305,520	1.21	958
Texas	252,516	2.32	1,502
North Dakota	200,608	10.03	157

<sup>55</sup> The 2003 waybill sample was the most recent data set available at the time the rail was prepared.

<sup>56</sup> Source: 2003 Waybill Sample


## Value of North Dakota Shipments

---

The Bureau of Transportation Statistics (BTS) has published estimates of the value of North Dakota shipments and mode use based on the 2002 Commodity Flow Survey (CFS). The CFS is a survey of 200,000 domestic establishments conducted by the Census Bureau. These establishments were randomly selected from a universe of 800,000 establishments in manufacturing, mining, wholesale, auxiliary warehouses, and other select activities in the retail and service sectors of the economy. Note that CFS is a sample of establishments, not of shipments. Moreover, as sample data, the statistics are subject to potential error when used to estimate population values. However, the data are useful for comparison to other data sources and for analyzing the value of shipments and mode share.

Based on this survey, BTS estimates that about 61 million tons of freight was originated by all modes in North Dakota during 2002, and that the goods were valued at approximately \$11 billion. Figure A.4 shows the top five commodities originated in North Dakota during 2002 in terms of value. The 2002 data was the most recent available at time of publication.

**Figure A.4. Top Commodities Originated in ND, by Percentage of Total Value.<sup>57</sup>**




---

<sup>57</sup> Source: 2002 Commodity Flow Survey

Figure A.5 shows the estimated distribution of shipments originated from North Dakota by mode of transport. Trucks moved about 69% of the value of originated traffic during 2002, but only 42% of the weight. In comparison, railroads moved about 18.6% of originated shipments in terms of weight, but only 13.9% in terms of value. The comparisons clearly illustrate the distribution of high-value manufactured and low-value bulk products among the two surface modes, particularly when the value of parcel and small freight shipments are considered. About 38% of the value and 56% of the weight of shipments originated in North Dakota were shipped to destinations within the state. About 62% of the value and 29% of the weight of North Dakota shipments went to other states.

**Figure A.5. Distribution of ND Shipments Among Modes Based on Value and Weight<sup>58</sup>**



<sup>58</sup> Source: 2002 Commodity Flow Survey

**APPENDIX B**  
**RAIL LINE ABANDONMENTS**


---



## Rail Abandonment Overview

1,650 miles of railroad have been abandoned in North Dakota since 1936. However, only 26 miles were abandoned prior to 1970. As Figure B.1 shows, most of the abandonments occurred during the 1980s, when 715 miles of line were abandoned. 373 miles have been abandoned thus far this decade. The timing of the abandonments reflects deregulation and the cumulative impacts of deferred track maintenance during the 1960s and 1970s.

Figure B.1. Miles of Railroad Abandoned in North Dakota Since 1970<sup>59</sup>



## Abandonment Procedures and Regulations

The *ICC Termination Act* of 1995 requires rail abandonments to be approved by the Surface Transportation Board (STB). STB has established two types of abandonment procedures – Non-Exempt (full) and Exempt. Railroads may use either or both of these procedures to accomplish abandonments. A brief description of each follows. Virtually all abandonments in North Dakota are Exempt proceedings.

### **Full Abandonment**

STB evaluates full abandonment filings using two basic criteria. The first is the need of local communities and shippers for continued service. The second is the broader public interest in freeing railroads from financial burdens that drain resources and lessen their ability to operate economically elsewhere. The railroad has to show that continued operation of the line it wants to abandon will be a financial burden.

There are four steps in the Non-Exempt abandonment process. In the first step, railroads communicate full abandonment intentions on what is known as a *System Diagram Map*. The System Diagram Map is used for full abandonments only and nothing related to

<sup>59</sup> Source: North Dakota PSC, NDDOT 2005

exempt abandonments appears on it. The System Diagram Map is color-coded to show five categories of lines:

1. Lines or portions of lines for which the railroad expects to file abandonment application within three years of the filing date of the map or amendment;
2. Lines or portions of lines the carrier has under study and believes may be subject to future abandonment application;
3. Lines or portions of lines for which an abandonment application is pending before the STB;
4. Lines that are presently being operated with financial assistance;
5. All other lines or portions of lines the carrier owns and operates, directly or indirectly.

The second step in the Non-Exempt process requires the railroad to provide the STB with a Notice of Intent, informing it of the railroad's plans to abandon. The Notice of Intent is to be received by STB 15-30 days before an Abandonment Application is filed.

Filing an Abandonment Application is the third step in the process. The abandonment application is used by the railroad to provide detailed information about costs and revenues on the subject line, as well as the overall financial condition of the railroad.

The fourth step in the process is the STB decision. After receipt of the abandonment application by the STB, there is a 45-day window during which protests may be filed. All parties involved in the abandonment process may access prior filings, including the System Diagram Map, Notice of Intent, and Abandonment Application, and may base protests upon these documents. If no successful protests are lodged and the railroad can prove that the burden caused by the operation of the line is greater than the benefit of continued operation, the line is abandoned.

### **Exempt Abandonment**

The Exempt abandonment process is much more streamlined. There is no requirement to file a System Diagram Map or amendment. There are two exempt abandonment procedures, the Notice of Exemption and the Petition for Exemption.

The most used procedure for ND abandonments is the Notice of Exemption, where the railroad files such notice with the STB. A railroad may file a Notice of Exemption if: 1) no local traffic has moved over a line for at least two years; 2) any overhead traffic on the line can be rerouted over other lines; 3) no formal complaint is filed by a user of the service on the line or by a government entity acting on behalf of a user.

The Petition for Exemption procedure begins with the railroad filing a Petition for Exemption with the STB. The carrier must prove, and STB confirm, the following before approval is granted for the Petition for Exemption:

- that the line is not necessary to carry out the rail transportation policy of the United States Government;



- that the line is of limited scope;
- that continued regulation is unnecessary to protect shippers from abuse of market power.

All abandonment procedures require that opportunity be granted for public protest or comment regarding the abandonment, and that sufficient time be allowed for offers of financial assistance to be made for the purpose of keeping the line in operation.<sup>60</sup>

### **Feeder Railroad Development Program**

In addition to provisions previously discussed, the *Staggers Rail Act* also established the Feeder Railroad Development Program, which gives STB authority to require sales of light-density lines to “responsible owners.” A line is eligible for forced sale if it appears in Category 1 or 2 of the System Diagram map but the carrier has not yet filed an abandonment application for it, or if the public convenience and necessity (the public good) requires it. To force a line sale under the public convenience and necessity criterion, a potential purchaser must show that:

- the operating carrier has refused to provide adequate service to shippers within a reasonable period of time;
- transportation over the line is inadequate for the majority of shippers;
- sale of the line would not have an adverse financial or operational impact on the current carrier;
- sale of the line would likely result in improved service for shippers.

Two basic conditions are placed on a forced line sale:

1. The purchase price must be at least equal to the greater of these two computed values: Going Concern or Net Liquidation. This provision is designed to protect the existing carrier’s investment.
2. Potential purchasers must meet these criteria:
  - Financially responsible party capable of assuring continued operations for at least three years
  - Not Class I or Class II carrier
  - Willing and able to pay the purchase price .

No rail lines in North Dakota have been acquired under the feeder railroad program. Table B.1 begins on the next page. It shows rail line abandonments in North Dakota since 1936.

---

<sup>60</sup> These sections paraphrase abandonment procedures outlined in [http://www.iowarail.com/pdfs/rail\\_abandonment\\_brochure.pdf](http://www.iowarail.com/pdfs/rail_abandonment_brochure.pdf) and <http://www.stb.dot.gov/stb/docs/Abandonments%20and%20Alternatives1.pdf>

**Table B.1 – North Dakota Rail Line Abandonments Since 1936**

CASE NO.	COMPANY	LINE	LENGTH	DATE
1045	MILW	Brampton to Cogswell	7.50	1936
A-193	GN	Walhalla to Canadian Border	5.30	1936
A-194	GN	St. John to Canadian Border	3.60	1936
----	GN	Clifford to Portland	10.00	1962
1449	MID-CONT	Clements ville to Edgeley	48.50	1970
1451	BN	Maxbass to Dunning	4.70	1972
1450	BN	Rutland to Ludden	30.20	1974
IRC 3	BN	Neché to Canadian Border	1.00	1976
IRC 8	BN	Blanchard to Mayville	10.10	1976
IRC 23	BN	Minnewauken to Brinsmade	7.50	1976
IRC 23 (SUB 1)	BN	Brinsmade to Leeds	9.90	1977
IRC 39	BN	Jamestown to Klose	5.90	1979
IRC 43	MILW	Fargo to SD Border	70.40	1980 P
IRC 50	MILW	Edgeley to SD Border	31.50	1980 P
IRC 56	MILW	Brampton to SD Border	4.50	1980 P
IRC 57	BN	Ellendale to Forbes	13.50	1980 P
IRC 62	BN	Devils Lake to Warwick	21.10	1980 C
IRC 63	BN	Joliette to Pembina	12.20	1980 P
IRC 73	BN	Fairview Jct. To Great Bend	8.80	1981 P
IRC 76	BN	Binford to McHenry	11.70	1981 C
IRC 77	BN	Newburg to Dunning	5.60	1981 N
IRC 82	MILW	New England to SD Border	123.80	1982 P

IRC 84	BN	Golva to MT Border	7.40	1981 N
IRC 97	BN	Wolford to Dunseith	23.40	1982 P
IRC 100	BN	Casselton to Amenia	6.10	1982 C
IRC 101	BN	Rolla to St. John	7.20	1982 N
IRC 103	SOO	Wimbledon to Clementsville	9.30	1982 N
IRC 105	BN	Grand Forks to Honeyford	16.60	1983 C
IRC 106	BN	Edgeley to Streeter	39.40	1983 P
IRC 109	BN	Ludden Jct. To Ellendale	20.10	1984 P
IRC 110	BN	Beach to Golva	12.90	1984 N
IRC 111	BN	Truax to Truax Jct.	6.70	1984 N
IRC 113	BN	Regan to Wilton	11.50	1984 N
IRC 115	BN	Lorraine to Sherwood	7.60	1984 N
IRC 116	BN	Zeeland to SD Border	6.00	1984 P
IRC 117	SOO	Egeland to Armourdale	19.60	1984 N
IRC 119	BN	Westhope to Antler	13.00	1985 N
IRC 120	BN	Hunter to Blanchard	10.50	1985 C
IRC 125	BN	Zap to Killdeer	40.90	1984 P
IRC 128	BN	Mandan to Mott	99.40	1986 N
IRC 132	SOO	Bismarck to Moffit	22.10	1986 N
IRC 135	SOO	Ashley to SD Border	16.30	1987 N
IRC 139	BN	Fargo to Horace	8.10	1988 N
IRC 140	BN	Rogers to Dazey	7.70	1988 N
IRC 143	BN	Fairview to Watford City	36.60	1992 C
IRC 144	CPR	Drake to Baker	40.90	1991 N

IRC 149	RRVW	Alice to Lucca	8.70	1992 N
IRC 150	BN	Linton to Zeeland	29.90	1993 N
IRC 151	BN	McCanna to Conway	16.70	1993 N
IRC 152	BN	Towner to Newburg	35.00	1993 N
IRC 153	BN	Glasston to Neche	19.20	1993 N
IRC 154	BN	Mohall to Loraine	7.40	1993 N
IRC 157	CPR	Harlow to Baker	5.50	1995 N
IRC 158	BN	Devils Lake to Hansboro	65.70	1996 N
IRC 159	BN	Hannaford to Binford	25.10	1996 N
IRC 163	RRVW	Maddock to Esmond	11.90	1997 N
IRC 164	Track Tech	Hamar to Warwick	5.90	1997 N
IRC 165	Track Tech	Minot to Tatman (Air Force Base)	12.70	1997 N
IRC 166	RRVW	Oberon to Minnewaukan	10.6	1998N
IRC 170	RRVW	Woodworth to Regan	59.7	1999 N
IRC 172	RRVW	Casselton to Alice	18.7	1999 N
IRC 173	RRVW	Bowdon to Turtle Lake	56.3	2000 N
IRC 174	SOO	Wishek to Ashley	19.0	1999 N
IRC 175	BNSF	Valley City Low Line	7.9	1999 N
IRC 178	MRI/NP	Granville to Lansford	29.8	2001 N
IRC 179	RRVW	Oakes to SD Border	13.6	2001 N
IRC 180	RRVW	Lucca to Marion	32.9	2002 N
IRC 182	BNSF	Tolna to Hamar	6.0	2002 N
IRC 183	BNSF	Powers Lake to Grenora	60.5	2002 N
RR-04-165	BNSF	Langdon to Hannah	20.93	2004 N

RR-04-175	BNSF	Souris to Westhope	15.5	2004 N
RR-04-190	BNSF	Walum to Dazey	4.69	2004 N
RR-04-202	BNSF	Antelope Valley Station to Zap	3.36	2004 N
RR-04-198	BNSF	Hannah Junction to McCanna	6.5	2004 N
RR-04-291	SOO	Devils Lake to Harlow	28.35	2004 N
RR-04-401	RRVW	Carrington to Bowdon	27.76	2004 N
RR-04-625	BNSF	Sanborn to Rogers	8.0	2005 N
RR-05-208	DMVW	Moffit to Linton	32.3	2005 N
RR-05-656	BNSF	Voss to Grafton	7.12	2005 N
<b>Total</b>			<b>1,649.81</b>	

*P* means the NDPSC filed a protest with the ICC. *C* means the NDPSC filed comments with the ICC. *N* means the application was not protested and no comments were filed with the ICC. *Soo Line* is used as the company reference in abandonment petitions including CPR's North Dakota lines prior to 1990. Starting in 1990, *CPR* is used as the company reference.



## **APPENDIX C**

### **DESCRIPTION OF NORTH DAKOTA RAIL LINES**


---





***Devils Lake Subdivision (BNSF):***

**Grand Forks-Surrey Line  
(BN012, BN022, & BN028)**



The BNSF Devils Lake Subdivision consists of the mainline track between Grand Forks and Surrey. The subdivision begins at *milepost* 0.4 in Grand Forks, at the Devils Lake Switch, and runs west from there 195.9 miles to the Surrey station. The Devils Lake subdivision connects to the BNSF KO Subdivision at Surrey. The traffic density over the line is between 5 and 9.99 million gross ton-miles per mile. The maximum speed for freight trains on the Devils Lake Subdivision line is 50 miles per hour and the maximum carload is 143 tons. Detailed information about this segment is given in Table C.1. The Amtrak Empire Builder also uses this line. The maximum speed for passenger trains is 79 miles per hour.

**Table C.1 Devils Lake Subdivision Grand Forks-Surrey Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Traffic Density (Million Gross Ton Miles/Mile)</b>
0.0	196.3	50 mph	143 tons	5-9.99

The Grand Forks-Surrey line generated 18.6 million bushels of grain movements in 2004; 10.5% more than the 2002 – 2004 three year average of 16.8 million bushels. There were 4,878 carloads of grain generated in 2004. Detailed information about grain movements is given in Table C.2.


**Table C.2 Grain Movements Generated on the BNSF Devils Lake Subdivision**

<b>Table C.2 Grain Movements Generated on the BNSF Devils Lake Subdivision Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	16,810,912	18,579,158
<b>Tons</b>	489,691	544,345
<b>Cars</b>	4,388	4,878
<b>Cars Per Mile</b>	22	25

***Drayton Subdivision (BNSF):***

**Grafton-Joliette Line (BN033)**

The Grafton-Joliette Line is the BNSF Drayton Subdivision in northeastern North Dakota. The Grafton-Joliette line runs 33.8 miles northeast of the Grafton station to Joliette.



The Drayton Subdivision has a maximum speed of 25 mph and a maximum carload of 134 tons. For confidentiality reasons, the grain movement reported includes the Glasston and Walhalla Subdivisions. In 2004, 356,950 tons of grain movements were generated over the Drayton, Glasston, and Walhalla Subdivisions, 18.4% greater than the 2002 – 2004 three year average of 301,259 tons.

Detailed information about the grain movements generated over the Grafton-Joliette Line is given in Table C.3.

**Table C.3 Grafton-Joliette Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
145.0	178.8	25 mph	134 tons	301,259	356,950

There were 11.9 million bushels of grain movements, 1.8 million more than the three year average of 10.1 million bushels, generated on the Drayton, Glasston, and Walhalla Subdivisions in 2004. There were 2,978 carloads generated on the line in 2004. Detailed information about the grain movements generated over the Drayton, Glasston, and Walhalla Subdivisions is given in Table C.4.


**Table C.4 Grain Movements Generated on the BNSF Drayton, Glasston, and Walhalla Subdivisions**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	10,112,343	11,905,616
<b>Tons</b>	301,260	356,950
<b>Cars</b>	2,699	2,978
<b>Cars Per Mile</b>	19	21

***Glasston Subdivision (BNSF):***

**Grand Forks-Glasston Line (BN033)**

The Grand Forks-Glasston Line is the BNSF Glasston Subdivision in northeast North Dakota. This branch line connects to the main line at Grand Forks and runs 59.6 miles north and west to the Glasston Station.



The Glasston Subdivision has a maximum speed of 25 mph and a maximum carload of 143 tons. For confidentiality reasons, the grain movement reported includes the Glasston and Walhalla Subdivisions. In 2004, 356,950 tons of grain movements were generated over the Drayton, Glasston, and Walhalla Subdivisions, 18.4% greater than the 2002 – 2004 three year average of 301,259 tons.

**Table C.5 Grand Forks-Glasston Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
145.0	178.8	25 mph	143 tons	301,260	356,950

There were 11.9 million bushels of grain movements, 1.8 million more than the three year average of 10.1 million bushels, generated on the Drayton, Glasston, and Walhalla Subdivisions in 2004. There were 2,978 carloads generated on the line during the same period. Detailed information about the grain movements generated over the Drayton, Glasston, and Walhalla Subdivisions is given in Table C.4.

**Table C.4 Grain Movements Generated on the BNSF Drayton, Glasston, and Walhalla Subdivisions**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	10,112,343	11,905,616
<b>Tons</b>	301,260	356,950
<b>Cars</b>	2,699	2,978
<b>Cars Per Mile</b>	19	21


The portion of the Glasston Subdivision between Grafton and Glasston was leased to the Dakota Northern Railroad on February 5, 2006. As the line was in operation by BNSF in 2004, the above data reflect commodity movements under BNSF.

The Walhalla Subdivision, between Grafton and Walhalla, was leased to the Dakota Northern Railroad on February 5, 2006. As the line was in operation by BNSF in 2004, the above data reflect commodity movements under BNSF.

**Hannah Subdivision (BNSF):**

**Conway-Langdon Line (BN027)**

The Conway-Langdon line is the BNSF Hannah Subdivision in northeastern North Dakota. The Conway station is located southwest of Grafton. The line connects a section of rail on which BNSF and Northern Plains Railroad have joint trackage rights. The line connects to the BNSF Glasston Subdivision at Ardoch via the NPR Devils Lake Subdivision. From Conway, the Conway-Langdon line runs northwest 50 miles to the Langdon station.



The Hannah Subdivision has a maximum speed of 25 mph and a maximum carload of 143 tons. In 2004 369,389 tons of grain movements were generated on the Conway-Langdon line, slightly more than the 2002 to 2004 three year average of 359,874 tons. Detailed information about the Conway-Langdon line is given in Table C.6.

**Table C.6 Conway-Langdon Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
23.6	73.6	25 mph	143 tons	359,874	369,389

In 2004, 12.5 million bushels of grain movements were generated on the Conway-Langdon line, less than 3% greater than the 2002 to 2004 three year average 12.2 million bushels. There were 3,309 carloads generated on the line in 2004. Detailed information about the grain movements generated over the Conway-Langdon line is given in Table C.7.


**Table C.7 Grain Movements Generated on the BNSF Hannah Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	12,246,609	12,588,891
<b>Tons</b>	359,874	369,389
<b>Cars</b>	3,224	3,309
<b>Cars Per Mile</b>	64	66

**Hillsboro Subdivision (BNSF):**

**Fargo-Grand Forks Line (BN030)**

The Fargo-Grand Forks line is the BNSF Hillsboro Subdivision in east central North Dakota. The Fargo-Grand Forks line runs north 74 miles from Fargo to the Grand Forks station. The Hillsboro Subdivision connects to the Devils Lake Subdivision at the Devils Lake Switch in Grand Forks.



The Fargo-Grand Forks main line connects to the KO subdivision main line at Fargo, and the Devils Lake subdivision main line at Grand Forks. The traffic density over the line is between 10 and 19.99 million gross ton-miles per mile. The maximum speed for freight trains on the Fargo-Grand Forks line is 50 miles per hour and the maximum carload is 143 tons. Detailed information about this segment is given in Table C.8. The Amtrak Empire Builder also uses this line. The maximum speed for passenger trains is 79 miles per hour.

**Table C.8 Fargo-Grand Forks Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Traffic Density (Million Gross Ton Miles/Mile)</b>
24.2	98.2	50 mph	143 tons	10-19.9


24.5 million bushels of grain movements were generated on the Fargo-Grand Forks line in 2004, 10.6% lower than 2002 to 2004 three year average of 27.4 million bushels. There were 6,310 carloads of grain generated in 2004. Detailed information about grain movements is given in Table C.9.

**Table C.9 Grain Movements Generated on the BNSF Hillsboro Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	27,417,411	24,488,948
<b>Tons</b>	794,730	704,270
<b>Cars</b>	7,121	6,310
<b>Cars Per Mile</b>	96	85

***Hunter, Clifford, & Prosper  
Subdivisions (BNSF):***

- Vance-Hunter Line (BN050)**
- Erie Junction-Clifford Line (BN050)**
- Fargo-Nolan Line (BN050)**



**Vance-Hunter Line (BN050)**

The Hunter, Clifford, and Prosper Subdivisions are grouped together due to the similar operating characteristics and the limited number of stations present in each Subdivision. The Hunter, Clifford, and Prosper Subdivisions include two short branch lines and one low-volume main line.

The first, Vance-Hunter Line is the BNSF Hunter Subdivision in eastern North Dakota. The Vance station is located 23 miles west of Fargo on the Prosper Subdivision of the BNSF main line. The Vance-Hunter Line connects to the Prosper line and runs north 11.4 miles to the Hunter station. Detailed information about the Vance-Hunter Line is given in Table C.10.

**Table C.10 Vance-Hunter Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
64.2	75.2	10 mph	134 tons	170,004	100,474

**Erie Junction-Clifford Line (BN050)**

The Erie Junction-Clifford line is part of the BNSF Clifford Subdivision in eastern North Dakota. The Erie Junction is located 33 miles west of Fargo on the Prosper Subdivision of the BNSF main line. The Erie Junction-Clifford line connects to the Prosper line and runs north 17.5 miles to the Clifford station. Detailed information about the Erie Junction-Clifford line is given in Table C.11.

**Table C.11 Erie Junction-Clifford Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
0.0	17.5	25 mph	134 tons	170,004	100,474

**Fargo-Nolan Line (BN050)**

The Fargo-Nolan line is known as the Prosper subdivision of the BNSF main line in eastern North Dakota. The Fargo-Nolan line runs 41.0 miles northwest from Fargo to the Nolan station. The Fargo-Nolan Line connects to the BNSF KO Subdivision main line at Nolan. The Prosper Subdivision also connects to the Clifford and Hunter branch line Subdivisions at Erie Junction and Vance respectively. Detailed information about the Fargo-Nolan line is given in Table C.12.

**Table C.12 Fargo-Nolan Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Traffic Density (Million Gross Ton Miles/Mile)</b>
0.0	41.0	49 mph	143 tons	0-0.99

For confidentiality reasons, the grain movements generated are not reported for the individual subdivisions. In 2004, 3.6 million bushels of grain movements were generated on the Hunter, Clifford, and Prosper Subdivisions. This is nearly 40% lower than the 2002-2004 three year average of 5.9 million bushels. In 2004, 900 carloads of grain were generated over these three subdivisions. Detailed information about grain movements on the Hunter, Clifford, and prosper subdivisions is given in Table C.13.


**Table C.13 Grain Movements Generated on the BNSF Hunter, Clifford, and Prosper Subdivisions**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	5,977,096	3,617,210
<b>Tons</b>	170,004	100,474
<b>Cars</b>	1,523	900
<b>Cars Per Mile</b>	22	13

**Warwick Subdivision (BNSF):**

**Warwick Junction-Tolna Line (BN059)**

The Warwick Junction-Tolna Line is the BNSF Warwick Subdivision. The Warwick Junction is located at Nolan which is 49.9 miles west of the Dilworth, MN station on the BNSF KO Subdivision. The Warwick Junction-Tolna line runs 66.6 miles northwest from Warwick to the Tolna station.



The Warwick Subdivision has a maximum speed of 25 miles per hour and a maximum carload of 134 tons. In 2004, 373,587 tons of grain movements were generated on the Warwick Junction-Tolna line, which is slightly less than the 2002-2004 three year average of 375,346 tons. Detailed information about the Warwick Junction-Tolna line is given in Table C.14.

**Table C.14 Warwick Junction-Tolna Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
24.3	90.9	25 mph	134 tons	375,346	373,587

In 2004, 12.8 million bushels of grain movement generated on the Warwick Subdivision, which is roughly 100,000 less than the 2002-2004 three year average of 12.9 million bushels. There were 3,347 carloads generated in 2004. Detailed information about grain movements generated over the Warwick Subdivision is given in Table C.15.


**Table C.15 Grain Movements Generated on the BNSF Warwick Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	12,921,711	12,827,765
<b>Tons</b>	375,346	373,587
<b>Cars</b>	3,363	3,347
<b>Cars Per Mile</b>	50	50



***Jamestown Subdivision (BNSF):***

**Surrey Junction-Mandan Line  
(BN064 & BN076)**



The Surrey Junction-Mandan Line is the BNSF Jamestown subdivision, which is part of the BNSF mainline that extends across southern North Dakota. The Surrey Junction-Mandan line connects to the KO Subdivision at Surrey Junction and runs west 169.1 miles to the Mandan station. The Surrey Junction is located 31.2 miles west of Fargo on the KO Subdivision, which is part of another BNSF main line.

Traffic density over this line is greater than 40 million gross ton-miles per mile. The maximum speed on the line is 60 miles per hour and the maximum carload is 143 tons. Detailed information about this segment is given in Table C.16.

**Table C.16 Surrey Junction-Mandan Mainline**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Traffic Density (Million Gross Ton Miles/Mile)</b>
31.2	200.3	60 mph	143 tons	> 40


In 2004, there were 23.8 million bushels of grain movement generated on the Surrey Junction-Mandan line, slightly less than the 2002-2004 three year average 24.3 million bushels. There were 6,332 carloads generated on the line in 2004. Detailed information about grain movements on the Surrey Junction-Mandan line is given in Table C.17.

**Table C.17 Grain Movements Generated on the BNSF Jamestown Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	24,377,423	23,862,720
<b>Tons</b>	723,304	706,673
<b>Cars</b>	6,481	6,332
<b>Cars Per Mile</b>	38	37

**KO Subdivision (BNSF):**

**Fargo –Minot  
(BN0036, BN076, BN0061, & BN059)**



The BNSF Fargo-Minot main line is the KO Subdivision, extending from eastern to north central North Dakota. The Fargo-Minot line extends from the Fargo station on the North Dakota-Minnesota border northwest 203.2 miles to the Minot station. The KO Subdivision connects to the Jamestown Subdivision mainline at the Surrey Junction, and to the Devils Lake Subdivision mainline at the Surrey station. It is part of the KO-Glasgow main line.

The traffic density over the entire BNSF KO-Glasgow main line in North Dakota is greater than 40 million gross ton miles per mile. The maximum speed on the Fargo-Minot line is 60 miles per hour and the maximum carload is 143 tons. Detailed information about this segment is given in Table C.18.

**Table C.18 Fargo-Minot Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Traffic Density (Million Gross Ton Miles/Mile)</b>
0	203.2	60 mph	143 tons	> 40

There were 15.9 million bushels of grain movements generated on the Fargo-Minot line in 2004, more than 11.6% less than the 2002-2004 three year average of 18 million bushels. There were 3,906 carloads generated in 2004. Detailed information about grain movements is given in Table C.19.


**Table C.19 Grain Movements Generated on the BNSF KO Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	18,055,988	15,950,381
<b>Tons</b>	494,447	435,893
<b>Cars</b>	4,431	3,906
<b>Cars Per Mile</b>	22	19

**Mayville Subdivision (BNSF):**

**Mayville Junction-Mayville (BN073)**

The Mayville Junction-Mayville line is known as the BNSF Mayville Subdivision in eastern North Dakota. The Mayville Junction is located 0.6 miles east of Larimore on the Devils Lake Subdivision of the BNSF main line. The Mayville Junction-Mayville line connects to the main line and runs south 33.6 miles to the Mayville station.



The Mayville Junction-Mayville line has a maximum speed of 25 miles per hour and a maximum carload of 134 tons. In 2004, 199,691 tons of grain movements were generated over the Mayville Subdivision, 5% less than the 2002-2004 three year average of 211,369 tons. Detailed information about the Mayville Junction-Mayville line is given in Table C.20.

**Table C.20 Mayville Junction-Mayville Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
129.6	97.5	25 mph	143 tons	211,369	199,691

In 2004, 6.7 million bushels of grain movements were generated on the Mayville Subdivision, 389,000 million bushels less than the 2002-2004 three year average of 7.1 million bushels. There were 1,789 carloads generated in 2004. Detailed information about the grain movements generated over the Mayville Junction-Mayville line is given in Table C.21.


**Table C.21 Grain Movements Generated on the BNSF Mayville Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	7,112,171	6,723,276
<b>Tons</b>	211,369	199,691
<b>Cars</b>	1,893	1,789
<b>Cars Per Mile</b>	56	53

**Rolla Subdivision (BNSF):**

**Churchs Ferry-Rolla Line (BN021)**

The Churchs Ferry-Rolla line is the BNSF Rolla Subdivision in north central North Dakota. The Churchs Ferry station is located 19 miles west of Devils Lake on the Devils Lake Subdivision of the BNSF main line. The Churchs Ferry-Rolla line connects to the Devils Lake Subdivision and runs northwest 47.4 miles to the Rolla station.



The Churchs Ferry-Rolla line has a maximum speed of 25 miles per hour and a maximum carload of 134 tons. In 2004, 54,455 tons of grain movements were generated over the Rolla Subdivision, 30% less than the 2002-2004 three year average of 77,321 tons. Detailed information about the Churchs Ferry-Rolla Line is given in Table C.22.

**Table C.22 Churchs Ferry-Rolla Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
0.0	47.3	25 mph	143 tons	77,321	54,455

In 2004, 1.9 million bushels of grain movements were generated on the Rolla Subdivision, 800,000 less than the 2002-2004 three year average of 2.7 million bushels. There were 488 carloads generated in 2004. Detailed information about the grain movements generated on the Rolla Subdivision is given in Table C.23.


**Table C.23 Grain Movements Generated on the BNSF Rolla Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	2,725,569	1,926,170
<b>Tons</b>	77,321	54,455
<b>Cars</b>	693	488
<b>Cars Per Mile</b>	15	10

***Westhope Subdivision (BNSF):***

**Rugby-Souris Line (BN011)**

The Rugby-Souris line is commonly known as the BNSF Westhope Subdivision in north central North Dakota. The segment from Souris to Westhope has been abandoned and the line presently ends just west of Souris. The line begins at the Rugby station, located 60.5 miles east of Minot on the BNSF main line (Devils Lake Subdivision) and runs northwest 51 miles to Souris.



The Rugby-Souris line has a maximum speed of 25 mph and a maximum carload of 143 tons between Rugby and Bottineau, and 134 tons between Bottineau and Souris. In 2004, 137,596 tons of grain movements were generated over the Westhope Subdivision, 8% below the 2002-2004 three year average of 149,127 tons. Detailed information about the line is given in Table C.24.

**Table C.24 Rugby-Westhope Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
0.0	51.0	25-30 mph	134-143 tons	149,127	137,596

In 2004, 4.97 million bushels of grain movements were generated over the Westhope Subdivision, roughly a half million bushels less than the 2002-2004 three year average of 5.44 million bushels. Detailed information about the grain movements generated over the line is given in Table C.25.


**Table C.25 Grain Movements Generated on the BNSF Westhope Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	5,441,830	4,973,253
<b>Tons</b>	149,127	137,596
<b>Cars</b>	1,336	1,232
<b>Cars Per Mile</b>	26	24

## ***Zap Subdivision (BNSF)***

### **Mandan-Zap Line (BN101)**

The Mandan-Zap line is commonly known as the Zap Subdivision of the BNSF in central North Dakota. The Mandan station is located on the western end of the Jamestown Subdivision of the BNSF main line. The Mandan-Zap line connects to the main line at Mandan, and runs northwest 80.5 miles to the Zap station.



The Mandan-Zap line has a maximum speed of 25 miles per hour and a maximum carload of 143 tons. The traffic density on the Mandan-Zap line is between 1 and 4.99 carloads per mile from Mandan to Stanton, and between 5 and 9.99 carloads per mile from Stanton to Zap. The increased density between Stanton and Zap is due to shipments from coal mines in the area to the Antelope Valley and Coyote power plants and to the Great Plains Synfuels Plant, which are all near Beulah on the western end of the Mandan-Zap line.

For confidentiality reasons, and the low volume of grain movement over the Zap Subdivision, grain movement data is not reported. However, a shuttle loader facility was recently built on the Mandan-Zap line, which will substantially increase grain movements on the line. Detailed information about the Mandan-Zap line is given in Table C.26.


**Table C.26 Mandan-Zap Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
0.0	80.5	25 mph	143 tons

**Crosby Subdivision (BNSF):**

**Berthold-Crosby Line (BN007)**

The Berthold-Crosby branch line is known as the Crosby Subdivision of the BNSF in North Dakota. The Berthold station is located 23 miles west of Minot on the Glasgow Subdivision of the main line. The Berthold-Crosby line connects to the Glasgow line and runs northwest 85.9 miles to the Crosby station. Currently, the last 31.5 miles of the line, from Lignite Junction to Crosby, is listed by BNSF as out of service trackage.



The Berthold-Crosby line has a maximum speed of 25 miles per hour and a maximum carload of 143 tons. In 2004, 117,064 tons of grain movements were generated over the Berthold-Crosby line, 21% greater than the 2002-2004 three year average of 96,306 tons. Detailed information about the Berthold-Crosby line is given in Table C.27.

**Table C.27 Berthold-Crosby Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
0.0	88.5	25 mph	143 tons	96,306	117,064

In 2004, 5.97 million bushels of grain movements were generated on the Crosby Subdivision, 1.3 million bushels greater than the 2002-2004 three year average of 4.67 million bushels. In 2004, 1,048 carloads of grain were generated on the line. Detailed information about the grain movements generated on the Crosby Subdivision is given in Table C.28.


**Table C.28 Grain Movements Generated on the BNSF Crosby Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	4,666,227	5,977,005
<b>Tons</b>	96,306	117,064
<b>Cars</b>	863	1,048
<b>Cars Per Mile</b>	15	18

***Dickinson Subdivision (BNSF):***

**Mandan-Beach Line  
(BN058)**

The Mandan-Beach main line is the BNSF Dickinson Subdivision in North Dakota extending from Mandan in south central North Dakota 174.2 miles west to Beach on the Montana/North Dakota Border.



The Mandan-Beach line is a continuation of the Jamestown Subdivision of the southern east-west BNSF main line in North Dakota.

The traffic density over the entire BNSF Dickinson and Jamestown main line is greater than 40 million gross ton miles per mile. The maximum speed on the Mandan-Beach line is 60 miles per hour and the maximum carload is 143 tons. Detailed information about this segment is given in Table C.29.

**Table C.29 Mandan-Beach Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Traffic Density (Million Gross Ton Miles/Mile)</b>
0	203.2	60 mph	143 tons	> 40

There were 24.1 million bushels of grain movements generated on the Mandan-Beach line in 2004, more than 23% greater than the 2002-2004 three year average of 19.6 million bushels. There were 6,471 carloads of grain generated on the line in 2004. Detailed information about grain movements on the Dickinson Subdivision is given in Table C.30.

**Table C.30 Grain Movements Generated on the BNSF Dickinson Subdivision**


<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	19,628,136	24,115,638
<b>Tons</b>	589,754	722,241
<b>Cars</b>	5,284	6,471
<b>Cars Per Mile</b>	30	37



***Glasgow Subdivision (BNSF):***

**Minot-Williston Line (BN002 & BN008)**

The Minot-Williston main line in northwestern North Dakota is commonly referred to as the Glasgow Subdivision. It extends 133.2 miles from Minot to the Montana border, where it crosses near Trenton.



The traffic density over the entire BNSF Glasgow and KO main line in North Dakota is greater than 40 million gross ton miles per mile. The maximum speed for freight trains on the Minot-Williston line is 60 miles per hour and the maximum carload is 143 tons. Detailed information about this segment is given in Table C.31. The Amtrak Empire Builder also uses this line. The maximum speed for freight trains is 79 miles per hour.

**Table C.31 Minot-Williston Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Traffic Density (Million Gross Ton Miles/Mile)</b>
0.0	133.2	60 mph	143 tons	> 40

Grain movements on the line were slightly higher than the 2002-2004 three year average. Detailed information about grain movements on the BNSF Glasgow Subdivision is given in Table C.32.


**Table C.32 Grain Movements Generated on the BNSF Glasgow Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	18,334,653	18,550,716
<b>Tons</b>	530,703	541,106
<b>Cars</b>	4,755	4,848
<b>Cars Per Mile</b>	36	36

***Grenora Subdivision (BNSF):***

**Stanley-Powers Lake Line (BN001)**

The Stanley-Powers Lake line is commonly known as the Grenora Subdivision of the Minot Division of the BNSF in North Dakota. The Stanley station is located 54 miles west of Minot on the Glasgow Subdivision of the main line. The Stanley-Powers Lake line connects to the Glasgow line and runs northwest 24.6 miles to the Powers Lake station.



For confidentiality reasons and the low volume of grain movement over the Grenora Subdivision, grain movement data is not reported. Detailed information about the Stanley-Powers Lake line is given in Table C.33.


**Table C.33 Stanley-Powers Lake Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
0.0	24.6	25 mph	143 tons

***Hettinger Subdivision (BNSF):***

**Hettinger-Baker Line (BN078)**

The Hettinger-Baker line is commonly known as the Hettinger Subdivision of the BNSF in North Dakota. The Hettinger station is located at the west end of the Mobridge Subdivision of the BNSF in South Dakota. The Hettinger-Baker line connects to the Mobridge Subdivision and crosses the extreme southwest corner of North Dakota as it runs west northwest 89.6 miles to the Baker, Montana station in eastern Montana.



The traffic density over the entire BNSF Hettinger main line in North Dakota is between 10 and 19.99 million gross ton miles per mile. The maximum speed on the Minot-Williston line is 60 miles per hour and the maximum carload is 143 tons. Detailed information about this segment is given in Table C.34.

**Table C.34 Hettinger-Baker, Montana Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Traffic Density (Million Gross Ton Miles/Mile)</b>
926.0	1015.6	40 mph	143 tons	10 – 19.99


In 2004, 11.1 million bushels of grain movements were generated on the Hettinger-Baker line, 1.9 million bushels greater than the three year average of 9.1 million bushels. There were 2,981 carloads of grain generated on the line in 2004. Detailed information about the grain movements generated over the Hettinger Subdivision is given in Table C.35.

**Table C.35 Grain Movements Generated on the BNSF Hettinger Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	9,116,802	11,100,588
<b>Tons</b>	273,231	332,651
<b>Cars</b>	2,448	2,981
<b>Cars Per Mile</b>	27	33

**Portal Subdivision (CPR):  
Harvey-Portal Line  
(CPR130 and CPR137)**

The Harvey-Portal line is the CPR Portal Subdivision in west-central North Dakota. The Harvey station is located 72.2 miles southeast of Minot. The Harvey-Portal line runs 152.5 miles from Harvey in central North Dakota to Portal which is located at the Canadian Border.



The Harvey-Portal line is part of the CPR main line that runs diagonally across the state of North Dakota. The traffic density over the main line is between 10 and 19.99 million gross ton-miles per mile. The maximum speed on the Harvey-Portal line is 49 mph and the maximum carload is 143 tons. Detailed information about this segment is given in Table C.36.

**Table C.36 Harvey-Portal Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Traffic Density (Million Gross Ton Miles/Mile)</b>
396.5	549.0	30-49 mph	143 tons	10-19.99


In 2004 over 22 million bushels of grain movements were generated on the Harvey-Portal line, slightly more than the 2002-2004 three year average of 21.57 million bushels. Detailed information about grain movements over the Portal Subdivision is given in Table C.37

**Table C.37 Grain Movements Generated on the CPR Portal Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	21,574,214	22,150,780
<b>Tons</b>	595,857	625,832
<b>Cars</b>	5,339	5,607
<b>Cars Per Mile</b>	35	37

***New Town Subdivision (CPR):***

The New Town Subdivision consists of the Drake-Max line, the Max-New Town line and the Prairie Junction-Plaza line. The total length of the New Town Subdivision is 114.7 miles.



**Drake-Max Line (CPR133)**

The Drake-Max line is part of the CPR New Town Subdivision in west-central North Dakota. The Drake station is located 49.2 miles southeast of Minot on the Portal Subdivision of the CPR main line. The Drake-Max branch line connects to the Portal line and runs 48.2 miles west to the Max station.

**Max-New Town Line (CPR131)**

The Max-New Town line runs from the Max station 62.7 miles northwest to the New Town station.

**Prairie Jct.-Plaza Line (CPR131)**

The Prairie Junction station is located 31.1 miles west of Max and extends 3.8 miles north to the Plaza station.

The New Town subdivision has a maximum speed of 25 mph and a maximum carload of 143 tons. In 2004, 332,329 tons of grain movements were generated on the subdivision, slightly greater than the 2002-2004 three-year average of 310,150 tons. Detailed information about the New Town Subdivision is given in Table C.38.

**Table C.38 New Town Subdivision**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
418.5	529.4	25 mph	143 tons	310,150	332,329

In 2004, 11.67 million bushels of grain movements were generated on the New Town Subdivision, 1 million greater than the 2002-2004 three year average. There were 2,978 carloads of grain shipped on the line in 2004. Detailed information about grain movement on the New Town Subdivision is given in Table C.39.


**Table C.39 Grain Movement Generated on CPR New Town Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	10,739,359	11,672,001
<b>Tons</b>	310,150	332,329
<b>Cars</b>	2,779	2,978
<b>Cars Per Mile</b>	25	27

***Carrington Subdivision (CPR):***

**Enderlin-Harvey Line  
(CPR136 & CPR138)**

The Enderlin-Harvey Line is the CPR Carrington Subdivision in east-central North Dakota. The Enderlin station is located 30 miles southeast of Valley City. The Enderlin-Harvey line runs 112.2 miles from Enderlin in southeast North Dakota to Harvey in the central part of the state.



The Enderlin-Harvey Line is part of the CPR mainline which extends diagonally across the state of North Dakota. The traffic density over the entire line in North Dakota is between 10 and 19.99 million gross ton-miles per mile. The maximum speed on the Enderlin-Harvey Line is 49 mph and the maximum carload is 143 tons. Detailed information about this segment is given in Table C.40.

**Table C.40 Enderlin-Harvey Line**


<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Traffic Density (Million Gross Ton Miles/Mile)</b>
257.3	396.5	49 mph	143 tons	10-19.99

In 2004, 22.3 million bushels of grain movements were generated on the Enderlin-Harvey line, more than 14% greater than the 2002-2004 three year average of 19.5 million bushels. There were 5,795 carloads of grain movements generated on the line in 2004. Detailed information about grain movements on the Carrington Subdivision is given in Table C.40.

**Table C.40 Grain Movements Generated on CPR Carrington Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	19,513,144	22,276,916
<b>Tons</b>	570,831	646,774
<b>Cars</b>	5,114	5,795
<b>Cars Per Mile</b>	46	52

***Elbow Lake Subdivision & Veblen Subdivision (CPR):***



**Fairmount-Enderlin Line (CPR138)**

The Fairmount-Enderlin Line is located in the CPR Elbow Lake Subdivision of the CPR main line in southeastern North Dakota. The Fairmount station is located 1.2 miles west of the Minnesota border.

The Fairmount-Enderlin Line runs 67 miles northwest from Fairmount to Enderlin in North Dakota. Detailed information about the segment is given in Table C.41

**Table C.41 Fairmount-Enderlin Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Traffic Density (Million Gross Ton Miles/Mile)</b>
190.3	257.3	49 mph	143 tons	10-19.99

**Veblen Jct-South Dakota Line (CPR138)**

The Veblen Junction-South Dakota Line is the CPR Veblen Subdivision in southeast North Dakota. Veblen Junction is located 10 miles east of Hankinson in ND, on the Elbow Lake Subdivision of the main line. The Veblen Junction line connects to the Elbow Lake line and runs south 8.9 miles to the South Dakota border. Available information about the segment is given in Table C.42

**Table C.42 Veblen Junction-South Dakota Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
191.4	210.0	25 mph	143 tons

In 2004, 17, 888,637 bushels of grain were shipped on the Subdivision, more than 5 million bushels above the 2002-2004 average. Detailed information about grain movements on the subdivision is given in table C.43

**Table C.43 Grain Movement Generated on CPR Elbow Lake and Veblen Subdivisions**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	12,506,345	17,888,637
<b>Tons</b>	364,028	522,220
<b>Cars</b>	3,262	4,679
<b>Cars Per Mile</b>	43	61

***Walhalla and Glasston Lines  
(DNRR):***

DNRR began operation February 5, 2006 on the Grafton to Glasston and Grafton to Walhalla lines, leased from BNSF. DNRR has interchange capability with BNSF at Grafton. This branch line connects to the Glasston Subdivision of the BNSF branch line at Grafton.



The Grafton-Glasston and Grafton-Walhalla lines have a maximum speed of 25 mph and a maximum carload of 143 tons.

**Table C.44 Grafton-Glasston Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
39.4	59.6	25 mph	134 tons

**Table C.45 Grafton-Walhalla Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
0.0	47.9	25 mph	134 tons

There was no movement history for DNRR available at time of publication.



***Dakota Subdivision (DMVW):***

**Wishek-Hankinson Line  
(DM151 & DM145)**



The Wishek-Hankinson line is commonly referred to as the Dakota Subdivision of the DMVW in southeastern North Dakota. The line connects to the RRRW Third Subdivision at Oakes and the CPR Elbow Lake Subdivision of the main line at Hankinson. From the Wishek station in southern North Dakota, the Wishek-Hankinson line runs 135.4 miles east to the Hankinson station.

The Dakota Subdivision has a maximum speed of 10 mph and a maximum carload of 143 tons. However, between the Fullerton and Wishek stations, the maximum carload is restricted to 134 tons. In 2004, 914,681 tons of grain movements were generated on the Wishek-Hankinson line, 7% greater than the 2002-2004 three-year average of 850,901 tons. Detailed information about the Wishek-Hankinson line is given in Table C.46.

**Table C.46 Wishek-Hankinson Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
341.0	205.6	10 mph	143 tons	850,906	914,681

In 2004, 31.6 million bushels of grain movements were generated on the Dakota Subdivision, roughly 2.3 million greater than the 2002-2004 three year average of 29.2 million bushels. There were 8,196 carloads of grain generated on the line in 2004. Detailed information about grain movements generated over the Dakota Subdivision is given in Table C.47.

**Table C.47 Grain Movements Generated on the Dakota Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	29,297,447	31,601,455
<b>Tons</b>	850,906	914,681
<b>Cars</b>	7,625	8,196
<b>Cars Per Mile</b>	56	60

***Aberdeen Subdivision (DMVW):***

**Geneseo Junction-Havana**

The Geneseo Junction-Havana Line is part of the DMVW Aberdeen Subdivision in southeast North Dakota. The Geneseo Junction-Havana line runs from the Geneseo Junction, located 0.7 miles west of Geneseo in North Dakota, on the DMVW Dakota Subdivision and runs southwest 20.8 miles to Havana, near the South Dakota Border.



The Aberdeen Subdivision has a maximum speed of 10 miles per hour and a maximum carload of 134 tons. Detailed information about the Geneseo Junction-Havana line is given in Table C.48. Grain movement data for the line was not available.

**Table C.48 Geneseo Junction-Havana Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
43.3	64.1	10 mph	134 tons

***Napoleon and Hazelton  
Subdivisions (DMVW):***

**Wishek-Moffit Line (DM151)**

The Wishek-Moffit Line is the DMVW Napoleon Subdivision in south central North Dakota. The Wishek-Moffit line connects to the Dakota Subdivision at Wishek and runs northwest 52.9 miles to Moffit.



The Napoleon Subdivision has a maximum speed of 10 miles per hour and a maximum carload of 134 tons. For confidentiality reasons, grain movements over the Wishek-Moffit line are not reported. Detailed information about the Wishek-Moffit line is given in Table C.49.

**Table C.49 Wishek-Moffit Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
341.0	391.9	10 mph	134 tons

**McKenzie-Linton Line (DM151)**

The McKenzie-Linton line is the DMVW Hazelton Subdivision in south central North Dakota. The McKenzie station is located 18.3 miles east of Bismarck on the Jamestown Subdivision of the BNSF main line. DMVW has trackage rights on the BNSF mainline between Bismarck and the McKenzie Station. The McKenzie-Linton line connects to the BNSF Jamestown Subdivision and runs south to a point one mile south of the Moffit Junction. The remainder of the line between there and Linton has been abandoned.

The Hazelton Subdivision has a maximum speed of 10 miles per hour and a maximum carload of 134 tons. For confidentiality reasons, grain movements over McKenzie-Linton line are not reported. Detailed information about the McKenzie-Linton line is given in Table C.50.

**Table C.50 McKenzie-Linton Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
0.0	45.3	10 mph	134 tons

**Missouri Valley Subdivision  
(DMVW):**

**Max-Bismarck Line  
(DM149 & DM 151)**

The Max-Bismarck line is commonly referred to as the Missouri Valley Subdivision of the DMVW in North Dakota. The line runs from the Max station on the CPR Newtown subdivision 48.2 miles west of Drake south 93.3 miles to the Bismarck station. The Max-Bismarck line connects to the BNSF main line at Bismarck. DMVW has trackage rights on the BNSF mainline from Bismarck east to the McKenzie Station.



The Missouri Valley Subdivision has a maximum speed of 10 miles per hour and a maximum carload of 134 tons between Bismarck and Falkirk, and 143 tons on the remainder of the line. In 2004, 278,908 tons of grain movements were generated on the Max-Bismarck line, 16% higher than the 2002-2004 three year average of 241,282 tons. Detailed information about the Max-Bismarck line is given in Table C.51.

**Table C.51 Max-Bismarck Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
341.0	205.6	10 mph	134 tons	241,282	278,908

In 2004, 9.8 million bushels of grain movements were generated on the Missouri Valley Subdivision, roughly 1.3 million greater than the 2002-2004 three year average of 8.5 million bushels. There were 2,499 carloads of grain generated on the line in 2004. Detailed information about the grain movements generated over the Dakota Subdivision is given in Table C.52.

**Table C.52 Grain Movements Generated on the DMVW Missouri Valley Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	8,483,620	9,785,310
<b>Tons</b>	241,282	278,908
<b>Cars</b>	2,162	2,499
<b>Cars Per Mile</b>	23	27

***Western Subdivision (DMVW):***

**Flaxton-Montana Line (DM125)**

The Flaxton-Montana Line is commonly known as the Western Subdivision of the DMVW in North Dakota. The line runs 10.3 miles west from the Flaxton station on the CPR mainline, Portal Subdivision, to the Crosby station on BNSF Crosby Subdivision. From the Crosby station, the Western Subdivision runs 29.9 miles west to the Montana border, then on to Whitetail, MT



The Western Subdivision has a maximum speed of 10 miles per hour and a maximum carload of 134 tons. In 2004, 140,326 tons of grain movements were generated on the Flaxton-Montana line, 23% below the 2002-2004 three year average of 183,148 tons. Detailed information about the Flaxton-Montana Line is given in Table C.53.

The Western Subdivision has a maximum speed of 10 miles per hour and a maximum carload of 134 tons. In 2004, 140,326 tons of grain movements were generated on the Flaxton-Montana line, 23% below the 2002-2004 three year average of 183,148 tons. Detailed information about the Flaxton-Montana Line is given in Table C.53.

**Table C.53 Flaxton-Montana Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
540.5	676.4	10 mph	134 tons	183,148	140,326

In 2004, 4.7 million bushels of grain movements were generated on the Western Subdivision, roughly 1.5 million less than the 2002-2004 three year average of 6.2 million bushels. There were 1,257 carloads of grain generated on the line in 2004. Detailed information about the grain movements generated over the Western Subdivision is given in Table C.54.

**Table C.54 Grain Movements Generated on the DMVW Western Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	6,159,356	4,720,557
<b>Tons</b>	183,148	140,326
<b>Cars</b>	1,641	1,257
<b>Cars Per Mile</b>	21	18

***Bisbee Subdivision (NPR):***

**Fordville-Kenmare Line (NPR135 & NPR139)**

The Fordville-Kenmare Line is the NPR Bisbee Subdivision in north central North Dakota. The Fordville station is located 34.3 miles west of Oslo on the Devils Lake Subdivision. The Fordville-Kenmare line connects to the Devils Lake line and runs northwest 216.8 miles to the Kenmare station.



The branch line from Fordville-Kenmare has a maximum speed of 10 miles per hour and a maximum carload capacity of 143 tons. In 2004, the Fordville/Kenmare line generated 634,715 tons of grain movements, slightly greater than the 2002-2004 average of 596,838 tons. Tables C.55 provides a detailed summary of the segment.

**Table C.55 Fordville-Kenmare Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
389.2	606.0	10 mph	143 tons	596,838	634,715

In 2004, there were 23,099,658 bushels shipped on this branch line, more than 1,000,000 bushels higher than the 2002-2004 three-year average. There were 5,687 carloads of grain shipped on the line in 2004, 6.3% higher than the 2002-2004 three year average of 5,348. Detailed information about the grain movements over the Bisbee Subdivision is given in Table C.56.

**Table C.56 Grain Movements Generated on NPR Bisbee Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	22,010,268	23,099,658
<b>Tons</b>	596,838	634,715
<b>Cars</b>	5,348	5,687
<b>Cars Per Mile</b>	25	26

***Sarles – Lakota line: (NPR)***

**Lakota-Sarles Line**

The Lakota-Sarles line begins just north of the Lakota station, which is located 24.6 miles east of Devils Lake on the Devils Lake Subdivision of the BNSF main line. The Lakota-Sarles line runs north 73 miles to the Sarles station.



NPR began operation on this line after it was acquired from BNSF in October, 2005. The Lakota-Sarles line has a maximum speed of 10 miles per hour and a maximum carload of 134 tons. Detailed information about the Lakota-Sarles segment is given in Table C.57.

**Table C.57 Lakota-Sarles Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
0.0	72.4	25 mph	134 tons

There was no history of commodity movements on the line under NPR operation available at time of publication.

***Devils Lake Subdivision (NPR):***

**Oslo-Devils Lake Line (NPR144)**

The Oslo-Devils Lake line is part of the NPR Devils Lake Subdivision in northeast North Dakota. The Oslo Station is located on the Minnesota side of the Red River, 48.5 miles west of Thief River Falls, Minnesota. The line runs 118 miles west from Oslo to the Harlow, North Dakota station.



The branch line from Oslo-Devils Lake operates at speeds ranging from 5 to 25 mph. The maximum car load is 143 tons. In 2004, the Oslo-Devils Lake line generated 395,967 tons of grain movements, about 14% higher than the 2002-2004 three year average of 348,563 tons. Table C.58 provides a detailed summary of the segment.

**Table C.58 Oslo-Devils Lake Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
354.9	472.9	5-25	143 tons	348,563	395,967

Table C.59 gives a detailed summary of the grain movements over the Devils Lake Subdivision. In, 2004, 13,373,572 bushels of grain movements were generated on the line, more than 1.5 million greater than the 2002-2004 average 11,833,771 bushels. There were 3,548 carloads of grain generated on the line in 2004, nearly 14% higher than the 2002-2004 three year average of 3,123.

**Table C.59 Grain Movements Generated on the NPR Devils Lake Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	11,833,771	13,373,572
<b>Tons</b>	348,563	395,967
<b>Cars</b>	3,123	3,548
<b>Cars Per Mile</b>	14	16



***Second Subdivision (RRVW):***

**Wahpeton Jct.-Casselton Line  
(RV051 & RV085)**

The Wahpeton Junction-Casselton line is the largest portion of the RRVW Second Subdivision in southeastern North Dakota. The line connects to the BNSF Jamestown Subdivision and runs southeast 53.6 miles south and east to the Wahpeton Junction. The Wahpeton Junction-Casselton Line has a maximum speed of 25 mph and a maximum carload of 143 tons. A detailed summary of the segment is included in Table C.60.



**Table C.60 Wahpeton Jct.-Casselton Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
1.4	55.0	25 mph	143 tons

**Chaffee Jct.-Chaffee Line (RV051)**

The Chaffee Junction-Chaffee Line is part of the RRVW Second Subdivision in southeastern North Dakota. The line connects to the Wahpeton Junction-Casselton line and runs west 11.6 miles to Chaffee. The Chaffee Junction-Chaffee line has a maximum speed of 25 mph and a maximum carload of 143 tons. A detailed summary of the segment is included in Table C.61.

**Table C.61 Chaffee Jct.-Chaffee Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
0	11.6	25 mph	143 tons

Table C.62 gives a detailed summary of the grain movements over the RRVW Second Subdivision. In 2004, the number of bushels of grain shipped on this branch line was nearly 1 million higher than the 2002-2004 three-year average. There were 4,655 carloads of grain shipped on the line in 2004, 4.2% higher than the three year average of 4,465.

**Table C.62 Grain Movements Generated on the RRVW Second Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	17,380,672	18,328,106
<b>Tons</b>	498,277	519,450
<b>Cars</b>	4,465	4,655
<b>Cars Per Mile</b>	68	71

**Third Subdivision (RRVW):**

**Oakes Junction-Independence Line (RV063)**

The Oakes Junction-Independence line is commonly referred to as the RRVW Third Subdivision in southeastern North Dakota. The line connects to the BNSF main line at Wahpeton and runs 88.8 miles west and north to the Independence station via Oakes.



The Oakes Junction-Independence line has a maximum travel speed of 25 miles per hour, and a maximum carload capacity of 143 tons. In 2004, the Oakes-Independence line generated 559,390 tons of grain movements, 40% more than the 2002-2004 three year average of 397,225 tons. Table C.63 provides a detailed summary of the segment.

**Table C.63 Oakes Junction-Independence Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
76.5	0	25	143 tons	397,225	556,390

Table C.64 gives a detailed summary of the grain movements over this line. In 2004, there were 19,083,965 bushels of grain movements on the line, 40% greater than the 2002-2004 average. There were 4,986 carloads of grain moved in 2004, 40% greater than the 2002-2004 three year average of 3,559.


**Table C.64 Grain Movements Generated on the RRVW Third Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	13,643,405	19,083,965
<b>Tons</b>	397,225	556,390
<b>Cars</b>	3,559	4,986
<b>Cars Per Mile</b>	46	65

***Fourth Subdivision (RRVW):***

**Horace-Edgeley Line  
(RV087, RV055 & RV091)**

The Horace-Edgeley line is commonly referred to as the RRVW Fourth Subdivision in southeastern North Dakota. The line runs 98.4 miles in an east-west direction and intersects with the RRVW Second, Third, and Sixth Subdivisions at Davenport, Independence, and LaMoure respectively.



The Horace-Edgeley line has a maximum travel speed of 25 miles per hour and a maximum carload capacity of 143 tons. In 2004, the Horace-Edgeley line generated 249,910 tons of grain movements, 40% less than the 2002-2004 average. Table C.65 provides a detailed summary of the segment.

**Table C.65 Horace-Edgeley Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>	<b>Tons Generated (3 yr. avg. 02, 03, 04)</b>	<b>Tons Generated (2004)</b>
9.5	107.9	25 mph	143 tons	351,224	249,910

Table C.66 gives a detailed summary of the grain movements over this line. In 2004, there were 8,477,846 bushels of grain shipped on this branch line, about 3.5 million less than the 2002-2004 average. There were 2,239 carloads in 2004, 40% less than the 2002-2004 three year average.


**Table C.66 Grain Movements Generated on the RRVW Fourth Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	11,939,576	8,477,846
<b>Tons</b>	351,224	249,910
<b>Cars</b>	3,147	2,239
<b>Cars Per Mile</b>	32	23

***Sixth Subdivision (RRVW):***

**Jamestown-LaMoure Line (RV099)**

The Jamestown-LaMoure line is commonly referred to as the RRVW Sixth Subdivision in southeastern North Dakota. The line connects to the BNSF mainline at Jamestown and runs south 48.5 miles to the Lamoure station.




The Jamestown-LaMoure line has a maximum travel speed of 25 miles per hour and a maximum carload capacity of 134 tons. For confidentiality reasons, grain movement data for the line is not reported. Detailed information about the Jamestown-LaMoure Line is given in Table C.67.

**Table C.67 Jamestown-LaMoure Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
2.0	48.5	25 mph	134 tons

***Seventh Subdivision (RRVW):***

**Jamestown-Maddock Line  
(RV017, RV019, RV083 & RV099)**



The Jamestown-Maddock Line is commonly referred to as the RRVW Seventh Subdivision in central North Dakota. The line connects to the BNSF mainline and the RRVW Sixth Subdivision at Jamestown and runs North 78.3 miles to Oberon and 15.4 miles west to Maddock.

The Jamestown-Maddock line has a maximum travel speed of 25 miles per hour, and a maximum carload capacity of 143 tons. Detailed information about the Seventh Subdivision is given in Tables C.68 and C.69.

**Table C.68 Jamestown-Oberon Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
0.0	78.3	25 mph	134 tons

**Table C.69 Oberon-Maddock Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
0.0	15.4	25 mph	134 tons

Table C.70 gives a detailed summary of the grain movements over this line. 2004 grain shipments on this line exceeded the 2002-2004 three year average by nearly 700,000 bushels, an increase of more than 16%. There were 1,222 carloads of grain shipped on the line in 2004.


**Table C.70 Grain Movements Generated on the RRVW Seventh Subdivision**

<b>Quantity</b>	<b>Three Year Average (02, 03, 04)</b>	<b>2004</b>
<b>Bushels</b>	4,112,161	4,781,911
<b>Tons</b>	118,270	136,323
<b>Cars</b>	1,060	1,222
<b>Cars Per Mile</b>	11	13

***Eighth Subdivision (RRVW):***

**Pingree-Woodworth Line (RV081)**

The Pingree-Woodworth line is commonly known as the RRVW Eighth Subdivision in central North Dakota. The line connects to the RRVW Seventh Subdivision at Pingree and runs 21.55 miles west to the Woodworth station. Available information about the line is given in Table C.71



**Table C.71 Pingree-Woodworth Line**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
0.4	21.55	25 mph	134 tons


For confidentiality reasons, grain movements over the Eighth Subdivision are not reported.

***Sidney Line (YVSR):***

**Glendive, MT – Snowdon, MT**

**Bainville, MT – Scobey, MT**

YSVR began operation August 15, 2005, over track leased from BNSF. YSVR is headquartered at Sidney, MT. The YSVR network runs from Glendive to Snowdon and Bainville to Scobey, with trackage rights on the BNSF Glasgow Subdivision mainline between Snowdon and Bainville. The YSVR network is entirely in Montana, except for where the Glendive line crosses into North Dakota near Fairview and runs north for 8.7 miles before crossing back into Montana. YSVR interchanges with BNSF at Glendive and Snowdon. Available information about the line is given in Table C.72



**Table C.72 Glendive Line (ND segment)**

<b>Beginning Milepost</b>	<b>Ending Milepost</b>	<b>Maximum Speed</b>	<b>Maximum Carload</b>
64.6	73.3	NA	NA

There was no movement history for YSVR available at time of publication.





## **APPENDIX D**

### **GOALS FOR NORTH DAKOTA RAIL PLANNING**



## **Rail Plan Advisory and Visioning**

A rail advisory group was formed to provide input to the rail plan update process and to establish a vision for the future of North Dakota's rail system. The advisory group consisted of various stakeholders in the rail industry in North Dakota.

The group held four meetings, including a joint meeting with Minnesota to consider cross border issues and issues common to both states.

The visions and strategies generated from the advisory committee were condensed to formulate the rail planning goals outlined in Chapter 1. The main visions identified were:

1. A safe and secure railroad system, without fatalities or trespassers, that is integrated with a comprehensive homeland security vision and is achieved without excessive administrative burdens.
2. An integrated railroad network.
3. An adequately maintained railroad infrastructure that is capable of meeting current and future service demands.
4. Railroad operations and infrastructure that enhance community mobility and quality of life.
5. A level of railroad service that reflects service frequencies, times, and equipment availability; develop a separate level of service for freight transportation
6. Improve service by eliminating choke points and through consolidation that benefits both railroads and shippers.
7. A viable railroad system with adequate service and capacity to promote efficiency and growth and allow existing and potential businesses to develop and expand into national and world markets.
8. A favorable business and regulatory climate for shippers and railroads that reflects a heightened focus on investment and business development.
9. Public-private partnerships that improve communication and coordination among shippers, governments, and railroad companies and promote business development, economic growth, and grade crossing safety.
10. A viable and coordinated inter/multimodal facilities network that maximizes benefits to the state, allows agricultural and manufacturing businesses to grow and diversify, and improves access for communities.
11. Coordinated public-private multimodal planning efforts that consider all modes of transportation to make the best investments of public and private funds.

### **State Rail Advisory Group**

- BNSF Railway
- Canadian Pacific Railway
- Dakota, Missouri Valley & Western Railroad
- Northern Plains Railroad
- Red River Valley & Western Railroad
- Fargo/Moorhead MetroCog
- Grand Forks/East Grand Forks MPO
- Bismarck/Mandan MPO
- North Dakota Department of Transportation
- North Dakota Public Service commission
- North Dakota Department of Agriculture
- North Dakota Department of Commerce
- Operation Lifesaver
- Federal Railroad Administration
- Federal Highway Administration

From these visioning statements, specific categories within each vision were identified.

## **North Dakota Rail Planning Vision Statements**

---

**1. A safe and secure railroad system, without fatalities or trespassers, that is integrated with a comprehensive homeland security vision and is achieved without excessive administrative burdens**

- A practical and achievable partnership between private and public agencies to help ensure the success of railroad operations
- A rail system that expedites the movement of commodities, goods, materials, and people and that contributes to and does not hinder the safety and security of individuals and communities in North Dakota
- Railroads that contribute to an integrated comprehensive focus on homeland security
- A safe and secure railroad system achieved without excessive administrative burdens
- Enhanced opportunities for secure shipments of identity preserved products by rail
- No deaths at rail-highway grade crossings and within the industry itself including derailments, rail operations, and trespassers on railroad property
- A public that is better educated about grade crossing safety and procedures
- No unprotected grade crossings
- More grade separations for safer highway-rail intersections
- No trespassers on railroad properties
- Greater awareness at border crossings of the potential impacts of trespassers on homeland security
- An updated rail/highway crossing inventory which supports proper safety measures being in place
- Installation of automated signals at crossings with high traffic volumes or poor visibility
- Closing of unnecessary at-grade crossings

**2. A railroad network that provides enhanced access in both rural and urban areas and is integrated with alternative transportation services**

- A connected transportation system with alternative services, including public transportation
- Enhanced access in both urban and rural areas
- A fully integrated multimodal transportation infrastructure
- Smooth transitions from short line railroads to Class 1 railroads

**3. An adequately maintained railroad infrastructure that is capable of meeting current and future service demands**

- A rail system (including short line railroads) that is adequately maintained with a track structure capable of meeting current and future service demands
- Upgraded railroad infrastructure capable of handling increased car weights and train speeds
- Public infrastructure investment to assist short line and Class 1 railroads

- 4. Railroad operations and infrastructure that enhance community mobility and quality of life while reducing intermodal conflicts**
  - Minimize intermodal conflicts
  - Quiet zones are a local issue
  - Quiet zones should be implemented without compromising public safety
  - Less noise – horns, operations and coupling
  - *Smart Growth* of communities (integrate rail planning with urban planning)
  - Include railroads and rail safety in land use planning (public vs. private crossings, siting of residential developments)
  - Tradeoff between reduced through-town speeds and blocked crossing duration
  - Reduce time lost due to blocked crossings
  
- 5. A measurable level of railroad service that reflects service frequencies, times, and equipment availability (separate passenger and freight); develop a separate level of service for freight transportation – i.e. capacity of railroads to move desired volumes)**
  - Increased equipment availability to meet service demands
  - Better arrival and departure times for passenger rail services
  - A measurable and understandable level of service
  - Competitively priced passenger rail service
  
- 6. Improve service by eliminating choke points and through consolidation that benefits both railroads and shippers**
  - No bottlenecks, pinch-points, or system defects on the rail system which limit effects cascading to other modes
  - Service consolidation locations which make sense to shippers, service providers and other modes
  
- 7. A viable railroad system with adequate service and capacity to promote efficiency and growth and allow existing and potential businesses to develop and expand into world and national markets**
  - An economically viable railroad system
  - Railroad profitability which supports reinvestment in rail equipment and infrastructure
  - Railroad service offerings that accommodate efficiency, growth, and capacity
  - A rail system that allows existing and potential businesses to develop and expand in North Dakota by moving into world and national markets
  - Rail services that contribute to and do not hinder economic growth
  - A rail system that accentuates North Dakota’s strengths and capabilities
  
- 8. A favorable business and regulatory climate for shippers and railroads that reflects a heightened focus on investment and business development**
  - A favorable business and regulatory climate for shippers and railroads
  - Heightened focus on investment and business development

**9. Public-private partnerships that improve communication and coordination among shippers, governments, and railroad companies and promote business development, economic growth, and grade crossing safety**

- More public/private partnerships that would specifically improve railroad competitiveness
- Public programs for the retention of abandoned railroad rights-of-way and to assess different opportunities for right-of-way use
- Improved communications between state and local economic development entities and railroads to move forward new ideas for business opportunities and growth
- Enhanced communication between the public and railroads to achieve better understanding of expectations and perspectives on both sides
- ND rail system should become a key component in economic development considerations of the state including investment in necessary projects
- Mesh the expectations of shippers, governments, and railroads
- Leverage state investments in the rail system through project prioritization
- Entities other than state and local government increase contribution to crossing safety

**10. A viable and coordinated inter/multimodal facilities network that maximizes benefits to the state, allows agricultural and manufacturing businesses to grow and diversify, and improves access for communities**

- Geographic locations of intermodal/multimodal facilities that maintain their viability and allow agricultural and manufacturing opportunity to grow and diversify
- Smaller distributed facilities in addition to larger centralized facilities
- Established thresholds for intermodal facilities to assist in facility planning
- Structure to coordinate facility location and size to maximize the overall benefit to the state rather than individual communities
- Provide intermodal connectivity consistent with community commitment, resources and capabilities
- Improve and enhance access roads to intermodal facilities
- Real-time data exchange among modes for optimization of operations
- Planning to include all types of intermodal movements not just containerized shipments
- Multimodal commerce centers including intermodal, transfer and transloading capabilities

**11. Coordinated public-private multimodal planning efforts that consider all modes of transportation in order to make the best investments of public and private funds**

- More flexibility and partnerships between states, cities and railroads to achieve intermodal connectivity
- Facility planning and construction with the necessary highway infrastructure to provide adequate service to and from the facility

- A rail/intermodal plan that addresses both long-term and geographic competitiveness of North Dakota transportation
- Strategic investment of public funds

## **Strategies to Achieve North Dakota Rail Plan Visions**

Action items, or strategies, were developed to achieve the rail plan visions. The strategies were further refined to ensure that the proposed actions were within the scope of the rail plan. The strategies are presented below.

### **1. A safe and secure railroad system, without fatalities or trespassers, that is integrated with a comprehensive homeland security vision and is achieved without excessive administrative burdens.**

- Broaden Operation Lifesaver target groups to achieve a public that is better educated about grade crossings
- Include rail safety issues in farmer safety seminars, ATV, Snowmobile and gun safety courses and in schools
- Support mandated grade crossing material in driver education
- Develop a best practices manual for implementation of safety measures by working with the appropriate AASHTO committees
- Identify safety and security issues and develop a prioritization method for reaching the desired performance level
- Update the grade crossing inventory so that it is reliable and consistent – and implement a user friendly update process
- Survey local communities to identify safety and security problems
- Add upgrade of existing automated signals as appropriate to new installation of automated signals
- Integrated rail and local planning – to potentially include plat review, city & county, MPO technical reviews, city & county planning commissions, city & county commissions
- Integrate rail planning into other planning processes to align goals – increase communication of parties involved
- Continue to work with railroads and local governments to provide incentives to reduce at-grade crossings – require local subdivisions to address the issue of grade crossings before zoning would be approved
- Link funding issues with implementation of safety measures
- Review law regarding railroad trespassers; consider advocating change if indicated
- Support enforcement of grade crossing violations
- Modify statement regarding border crossing to include shipments as well as trespassers – also add the impact of trespassers on public safety in general

### **2. An integrated railroad network**

- Evaluate open access
- Identify what is needed to accomplish the goal of an integrated railroad network
- Develop an accessibility rating to identify areas which need improvements

- Expand yard tracks at connections or put in additional sidings at yards, providing quicker turn times and reduction in delays
- Target specific areas or projects that would benefit from increased access
- Survey railroads to identify problems with transitions between Class I railroads and Short Line railroads including documentation, physical problems such as mixed destination shipments, capacity, and managerial issues.
- Target specific areas or projects that would benefit from increased access

### **3. An adequately maintained railroad infrastructure that is capable of meeting current and future service demands**

- Continue to provide public notice on major improvements of tracks – so there will be an opportunity to provide input to the process
- Develop procedures and rationale for investment decisions for state rail fund programs – include a timely response requirement for both the state and applicants.
- Consider the effect of the infrastructure on the overall transportation network of the state
- Use survey and/or other means to determine where problems are – and to develop strategies to address the most critical situations first
- Coordinate plans of entities involved (NDDOT, Class I, Short Line) to include highway planning
- Identification of demand side – also, determine whether railroads would be willing to share improvement plans and improvement strategies
- Encourage development of a formal mechanism to determine adequate service between Short Lines and Class I, i.e., more supply chain information processing (more information = less risk of lack of service)
- Continue/initiate annual meetings between railroads and customers to discuss car availability and infrastructure improvement needs
- Support federal tax incentives to short lines for implementation of improvements (i.e., fencing mandate) to provide relief for short lines and branch lines

### **4. Railroad operations and infrastructure that enhance community mobility and quality of life**

- Support adequate advance notice of blocked crossings due to construction or loading/unloading/siding/switching operations to accommodate emergency services and public highway travel
- Quiet zones are local issue
- Assess tradeoff between reduced through-town train speeds and the length of time crossings are blocked
- Minimize intermodal conflicts – grade separations, alternate highway routes
- Facilitate Smart Growth of communities by integrating rail planning with urban planning. Include railroads and rail safety issues in land use planning (public vs. private crossings, siting of residential developments)
- Explore potential for rail relocation projects



5. **Measurable level of railroad service that reflects service frequencies, times, and equipment availability (separate passenger and freight); develop separate level of service for freight transportation – capacity to move desired volumes)**
  - Identify key level of service attributes and combine them to provide a measurable level of service indicator or indicators
  
6. **Improve service by eliminating choke points and by consolidation that benefits both railroads and shippers**
  - Identify bottlenecks, pinch-points, or system defects on the rail system
  - Emphasize network improvements as a criteria for state rail assistance funds
  - Facilitate communication between shippers and transportation providers to show benefits of consolidation points
  - Assess the desirability of legislation to promote development of consolidation centers
  
7. **A viable railroad system with adequate service and capacity to promote efficiency and growth and allow existing and potential businesses to develop and expand into world and national markets**
  - Identify industries served by rail to identify the key rail network within the state, and also to identify areas for improvement which would increase benefits to shippers both on these segments and elsewhere
  - Promote an economically viable railroad system with railroad profitability that supports reinvestment in rail equipment and infrastructure
  
8. **A favorable business and regulatory climate for shippers and railroads that reflects a heightened focus on investment and business development**
  - Prioritization of rail assistance funds through competitive submission process
  
9. **Public-private partnerships that improve communication and coordination among shippers, governments, and railroad companies and promote business development, economic growth, and grade crossing safety**
  - Continue “visioning” type sessions with stakeholders to allow expectations of all parties to be communicated not only to the NDDOT, but among parties to enhance understanding and provide opportunities for collaboration
  - Develop a multifaceted approach to the rail project screening process:
    - state’s rail network Benefit/Cost Analysis
    - Assess the project’s importance to the economy (local, regional, state)
    - Consider the project’s strategic impact on the and local, regional and statewide transportation system
  - Increase communication with private industry to assess rail needs and opportunities to invest with the state’s best interests in mind
  - Identify opportunities for private industry to contribute to grade crossing safety issues
  - Identify opportunities with legislation aimed at economic development which may involve rail policies and infrastructure
  - Assess opportunities for abandoned rail rights-of-way

**10. A viable and coordinated inter/multimodal facilities network that maximizes benefits to the state, allows agricultural and manufacturing businesses to grow and diversify, and improves access for communities**

- Conduct research, formal or informal, regarding the characteristics of successful intermodal facilities and how to accurately assess potential shipment volume
- Assess the desirability of smaller distributed facilities in addition to larger centralized facilities
- Assess the desirability of the use of rail funds to enhance connectivity of proposed facilities to maximize benefit to the local area and region
- Facilitate discussion between local government and facility ownership to ensure connectivity and the success of proposed facilities

**11. Coordinated public-private multimodal planning efforts that consider all modes of transportation in order to make the best investments of public and private funds**

- Rail Planning to serve as a facilitation/liason between highway planning and private parties involved to provide adequate service to future facilities
- Develop a strategic plan for intermodal development. Serve as an information source regarding rail access for proposed facilities, and assess possible publicly funded rail access
- Continue visioning type sessions outside of the rail plan update to increase communication between stakeholders. This allows for further understanding of each party's concerns and opportunities
- Develop prioritization techniques for the allocation of state rail assistance funds to projects which have:
  - The best overall Benefit/Cost Ratio
  - Strategic benefits, such as rail network enhancement
  - Intermodal and multimodal connectivity benefits above and beyond direct local impacts
  - Economic enhancement benefits, state, regional, and local

## **Joint Minnesota-North Dakota Rail Planning Conference: Regional Rail Planning Issues**

September 27, 2005, a joint Minnesota – North Dakota rail conference was held in Fargo. Participants included the North Dakota Rail Advisory Group, planning representatives from the Minnesota (MNDOT) and North Dakota (NDDOT) Departments of Transportation and district engineers from border districts in both states.

The purpose of the conference was to: (1) involve stakeholders with interests in both Minnesota and North Dakota rail programs in a dialogue with MNDOT and NDDOT rail planners, (2) discuss common and cross-border rail and intermodal issues, and (3) identify areas of future coordination and collaboration between Minnesota and North Dakota to help meet the needs of both states.

A summary of the substance of the meeting is presented below. Detailed notes follow, under a separate heading.

**Access to Facilities and Transfer Points.** Access to and from facilities across state lines is essential for economic growth and trade. Access to shuttle elevators, plants, warehouses, and intermodal transfer facilities is especially important. Much of eastern North Dakota's grain crop moves to Minnesota ports. Continued access to these ports is vital. However, differences in truck size and weight regulations among states may affect truck access and the desirability of locations for industry.

**Improved communication** from shippers regarding new rail or intermodal facilities would provide benefit railroads, state DOT, and metropolitan and county governments. Advance notice of new facilities should be made available at the time of initial facility planning. This time frame would allow state and local transportation agencies time to react. This process would allow DOT to be proactive rather than reactive. Potential locations in proximity to access highways should be encouraged.

**Coordinated planning** could maximize available resources and simplify planning procedures. Several layers of planning exist within the region. However, all levels of government do not have access to the information they need. Metropolitan Planning Organizations and Councils of Government would like to develop better sources of cross-border traffic data, as well as better freight data for short- and long-term planning. The lack of freight data causes a reactive rather than a proactive approach. MPOs must respond to individual complaints and proposals without a comprehensive picture of overall freight flows and facility needs.

Moreover, current planning is automobile-oriented because of the lack of freight data and freight planning programs. Freight access and mobility should be fully considered in long-range planning, along with related safety considerations. However, railroads rarely participate in this process. Within state transportation departments, much of the planning occurs at central levels. Nevertheless, there is considerable opportunity for on-going communication between railroads and district engineers.

Integration of railroad objectives and infrastructure needs into state and local planning processes could improve community planning and avoid many potential conflicts and issues. For example, highway bridge construction planning should include criteria to accommodate doublestack trains and other high/wide loads moving over rail lines. Railroads need to participate in local government planning processes. However, there are multiple units of government to deal with, making it difficult for railroads actively participate in all the areas they would like. A streamlining of contacts among railroads, MPOs, and DOT districts could help improve communication and planning. The states could facilitate this communication and host annual meetings. Moreover, the railroads could plan annual meetings with each MPO to provide input into the long-range planning process.

## **Joint Minnesota-North Dakota Rail Planning Conference**

### **Notes**

#### **Overview of State Rail Programs**

**Tim Spencer**— Director of the Rail and Program Development Section of the Minnesota Department of Transportation (MNDOT) — provided an overview of MNDOT programs, including the Minnesota Rail Service Improvement Program (MRSI) and the Minnesota Railroad-Highway Grade Crossing Safety Improvement Program.

The MSRI program provides loans or grants to rail users and carriers to rehabilitate lines, improve rail shipping opportunities, and preserve and maintain abandoned rail corridors for future transportation use. These funds can be used for rail siding improvements and related facilities along a siding to improve loading efficiency. The MRSI Program has received both General Fund and Bond appropriations. However, the program has essentially funded itself for the last 25 years.

The Minnesota Railroad-Highway Grade Crossing Safety Improvement Program provides funds that are used to: (1) close and consolidate crossings, (2) install active signals and signal upgrades, (3) install passive signs, (4) improve sight distances, (5) improve crossing alignments and grades, (6) improve lighting, and (7) contribute to grade separation, up to the cost of signal installation. The USDOT Accident Prediction Formula is used to identify high hazard locations. MNDOT has developed several grade-crossing performance measures including: reducing crashes by 2 percent per year and programming 40 grade-crossing safety improvements per year. Moreover, MNDOT has created a condition formula to assess grade-crossing safety. During the TEA-21 period, 10 percent of Minnesota's Surface Transportation Program (STP) improvement funds were used for the grade crossing-program.

The recently passed SAFETEA-LU legislation includes authorization for Rail Relocation Funds. If funds are later appropriated by Congress, strict standards will likely be imposed. The most likely use of these funds will be for large urban areas.

**Robert Johnston** of the North Dakota Department of Transportation (NDDOT) provided an overview of NDDOT rail programs and the state rail plan. The rail plan—which has three parts—was published in 1998. Currently, the plan is being updated and prepared for web access. The update will align the rail plan with TransAction, North Dakota’s statewide strategic transportation plan. However, rates, car service, and other regulatory issues will be removed from the rail plan, as these issues are not within the purview of the NDDOT.

NDDOT has two revolving loan funds for rail assistance – Local Rail Freight Assistance (LRFA) and Freight Rail Improvement Program (FRIP). LRFA uses funds originally provided by the Federal Railroad Administration (FRA). The money retains its federal identity and LRFA projects require FRA approval. FRIP uses state money derived from interest on repaid loans. FRIP generally mirrors LRFA in intent and application, but projects do not require FRA approval.

The Grade Crossing Safety Program includes the following components: support for Operation Lifesaver, signalization and signal upgrades, resurfacing of crossings, and crossing closures. In limited use, some of the funds may contribute to grade separations.

## **Perspectives of Metropolitan Planning Organizations**

**Robert Bright**—Executive Director of FM MetroCog, discussed relationships between the MPOs and state agencies, quiet zones, and access to intermodal facilities. Fargo-Moorhead is planning a quiet zone that would encompass 20 crossings and greatly reduce train horn noise in the metropolitan area. Access to intermodal facilities is a key to regional growth and is very important for the Fargo–Moorhead area MPOs. Fifty percent of trade in the region consists of exports. Shippers have expressed concerns about intermodal access and difficulty in getting and shipping containers – “how can we get the trains to stop?” Improved access, in part, depends upon the return-empty policies of steamship companies. Because of their desires for fast container cycle times, steamship companies are often reluctant to have their empty containers stopped for reloading at an interior point. However, identity preservation is very important to buyers and sellers in international trade. In particular, genetically modified and organic crops need containers for identity preservation. The empty-return policy isn’t the only obstacle to improved access. Steamship capacity is also an issue—e.g., how to secure space for additional containers on-board already-full steamships.

**Earl Haugen**—Executive Director of the Grand Forks-East Grand Forks MPO—discussed grade-crossing issues, including the movement of highway traffic through crossings, and the long-range planning requirements of MPOs. MPOs must engage in long-range planning, with at least a 20-year time frame. In comparison, the time line for most transportation projects is much shorter than that; the TIP, for example, extends only a few years into the future. Nevertheless, there are many opportunities for multimodal collaboration and integrating both long range and short term planning.

Many aspects of rail-highway interaction are important to MPOs. Blocked-crossing time is an issue at some crossings. However, grade separations are very expensive and are only

practical on the most heavily traveled highways. The GF – EGF MPO is working hard to identify potential safety issues and educate the public on grade crossings. In evaluating quiet zones, there is often a tradeoff between the infrastructure upgrades to implement quiet zones and other needed transportation improvements.

A 1996 study was performed of a potential intermodal facility in the Grand Forks area. However, interest has waned since the Grand Forks area experienced the 1997 flood. Some of the champions have moved on. The study concluded that more throughput would be needed to make the facility successful.

## **Perspectives of District Engineers**

**Robert Walton**— District Engineer, Fargo District, NDDOT—stressed the need to examine highway interactions with railroads. Cooperation between railroads and district engineers has been very successful with respect to highway construction projects and crossing issues. The CPR line at Enderlin is a case in point. A blocked-crossing warning sign was placed at an intersection near the crossing to keep queues from forming on local streets.

Other issues and opportunities relate to truck versus railroad movements. In many cases, it is better for highways if certain traffic moves over rail lines, especially heavy freight and very high/wide loads. Wind towers are an example. Vertical and lateral clearance is an issue. If the railroads cannot transport products such as wind towers, they must move via highways. Because of Interstate highway clearance restrictions, some of these shipments may shift to state highways. Similarly, heavy trucks may use state highways to avoid Interstate weight limits or special permits.

A key area of interaction is the updating and negotiation of maintenance agreements between railroads and NDDOT. An example is 10<sup>th</sup> Street in Fargo, which has been moved onto the state highway system. Agreements with railroads regarding crossings and bridges are out of date. There is uncertainty about who has maintenance responsibilities. Similar maintenance responsibility issues should be resolved with respect to crossing deterioration and rail bridge painting.

Bungalow slopes are another issue. Some are potentially in violation of clear zone rules. In some cases, the slopes are too steep—e.g., 8:1 instead of 2:1. In these cases, who is liable if a car leaves the road? (The railroads have indicated they are willing to work with NDDOT to construct the slopes to the desired ratio).

**Les Noehre**—District Engineer, Grand Forks District, NDDOT—emphasized the need for safety at grade crossings. Moreover, there is a need for increased communication between stakeholders regarding changes to the railroad system that impact highways—for example, the location of bean crushing plants. Another example is the construction of a large coal transload facility at Ardoch by American Crystal Sugar Company. More advance notice is helpful so that state and local agencies can plan highway adjustments. Communication between district engineers, railroads, and private companies is

imperative. The main problem has been lack of communication by private companies, which have not communicated with NDDOT regarding potential expansions

**Jody Martinson**—representing the Detroit Lakes District of MNDOT—stressed safety and improved communication among all levels of government and railroads. In the Detroit Lakes District, \$500,000 per year is spent on improving safety at rail-highway grade crossings. This is a major emphasis in the district. BNSF Railway and the Detroit Lakes District are cooperating on the realignment of Highway 10, which will result in BNSF moving its tracks north. In general, there is a need for increased communication among agencies, railroads, and industry.

**Lynn Eaton**—District Engineer, Bemidji District, MNDOT—discussed the potential benefits that could arise from keeping heavy freight traffic on rail lines, including a reduction in the financial and maintenance burdens of county and state highways and improved safety. Planning for freight movements is an important part of the local area transportation planning partnerships between MNDOT and county and local governments. The relationship between transportation and economic development is very important in local and district planning. Providing year-round highway access to industries and rail transfer facilities is a key objective. However, the freight modes need to be better integrated to increase flexibility and options.

Much of the truck traffic in the Red River Valley moves back and forth across state borders. Differences in truck configurations between states may be a problem for the trucking industry and businesses. However, federal action may be necessary to correct this situation. The potential exists for “freight ports” to be located at state borders to facilitate cross-border movements.

## **Perspectives of Regional Railroads**

**Dan Zink**— Director of Administration, Red River Valley & Western Railroad—emphasized capital availability as one of the key issues facing the North Dakota rail system. Will the capital be available to upgrade lines to sustain movements of 286,000-lb cars over the long run? Both North Dakota and Minnesota loan programs are very good. In fact, the state programs are more useful than the national RRIF program, which is targeted towards very large loans. The NDDOT revolving loan program is essential to North Dakota. Because it is a loan program, it provides discipline in investment. Preserving the integrity of the program is essential to the availability of capital in the future.

Grade crossings and related safety issues are a priority for the railroads. Crossing closures should be examined as a potential option. (Jack Olson of the NDDOT described the existence of a rail crossing closure incentive program.) The future of the railroad system is not completely clear. Some shrinkage in the current railroad network should be expected. The viability of intermodal facilities and shipment options is a key issue.

**Larry Jamieson**— Northern Plains Railroad —stressed the importance of working with both North Dakota and Minnesota, regional railroads, Class I railroads, and the FRA to

upgrade tracks and bridges to accommodate the 286,000-lb cars that are in high demand due to expansions and increased business. Service can be improved by expanding yard tracks at connection points, or putting in additional sidings to facilitate quicker turn times and avoid congestion and delay between the Class Is and short lines. Increased public education is needed concerning crossing safety procedures and the consequences of trespassing on railroad property. These educational efforts should include farmers and hunters, and integrate training with public meetings.

## **Perspectives of Class I Railroads**

**Brian Sweeney**— Legislative Counsel of BNSF Railway—noted that BNSF has made substantial investments to increase railroad capacity and service in the nation and region. Over the last three years, BNSF has invested \$430 million in Minnesota and \$261 million in North Dakota, and has made substantial investments in grain railcars. Technological improvements have also enhanced railroad capacity and efficiency. For example, remotely-controlled switching operations offer potential savings. However, they also pose labor-related issues which must be resolved.

It is important to include railroad infrastructure considerations and freight access in metropolitan and local land-use plans. Improved local planning can help reduce potential conflicts. For example, zoning that allows land development (especially residential) adjacent to tracks may lead to future noise issues in the community. Crossing closures can help safety and noise problems. However, they can be politically controversial. Restrictions on operating speeds by states or localities may actually worsen problems such as blocked-crossing time. Highway access to intermodal facilities is very important. Although rumors have surfaced about the future of the Dilworth facility, BNSF Railway has not announced plans to close, relocate, or demote the facility.

Railroads need assistance from stakeholder groups on legislative efforts to improve safety and benefit the economy. Railroad trespasser laws are one area of potential collaboration.

**Ed Dahlby**— Area Manager for Business Development of the Canadian Pacific Railway-identified the following issues and potential actions:

1. Continued maintenance and upgrades of Farm-to-Market roads to facilitate movements to rail heads.
2. Crossing safety.
  - A. Enforcement of existing laws
  - B. Additions of signals where possible
  - C. Major highways to have grade separations
  - D. New technological developments for grade crossing safety (GPS warning system, solar powered advanced warning devices, North Star Communication warning system, etc.)
  - E. Don't pass laws that add burdens to railroads' operations or costs



3. Short line issues.
  - A. Need to upgrade to 286,000-lb. capacity
  - B. Upgrade with heavier rail
  - C. Bridge work needed
  - D. Crossing upgrades
  
4. Transload facilities needed.
  - A. Agricultural Products (identity preservation)
  - B. Niche market opportunities
  - C. Facilities at Ports for transfer of goods from railcar to ocean container
  - D. Export and Import marketing strategy
  - E. Free Trade (duty free) Zones for warehousing products until delivery
  
5. Tax incentives, grants or low interest loans for companies to install rail as their major mode of freight transportation.
  
6. No conversions of farm crossings to crossings into developments without authority from the State or Railroad (Smart Growth).



**APPENDIX E**  
**BENEFIT COST ANALYSIS**

---



## **Benefit Cost Analysis Criteria**

---

### **Introduction**

In benefit-cost analysis of rail rehabilitation projects, the state compares criteria under two scenarios: a base case, or null alternative, in which the state takes no action, and a project case in which the state makes investments or takes other actions to affect the outcome of a light-density line. The base case usually describes one of two future states – continued operation of a rail line (usually with diminishing service) or abandonment.

Benefits are estimated by comparing future conditions in the base case (without an investment) to future conditions in the project case (with an investment). The base case is also referred to as the null alternative, indicating that no capital investment occurs.

Under Base Case 1, the primary efficiency benefits are cost savings to rail operators and safety benefits from improved track conditions. If the investment decision impacts the distribution of traffic between railroads and trucks, highway costs are also considered—e.g., pavement resurfacing and maintenance cost savings as a result of keeping heavy freight traffic on rail lines. Under Base Case 2, the primary efficiency benefits are: (1) shipper cost savings, (2) railroad income gains, (3) shipper profit on new output produced as a result of the investment, and (4) highway cost savings.

Shipper and railroad benefits are referred to as primary efficiency benefits, because they result directly from an investment. However, transportation efficiency benefits also include highway costs savings as a result of traffic shifts among modes.

### **Base vs. Incremental Traffic**

In benefit-cost analysis, base traffic is the number of carloads, containers, and tons that would be shipped under the null and project alternatives, by any mode. Incremental traffic is the amount of traffic that would be shipped under the project alternative (with the investment), but would not be shipped under the null alternative (without the investment).

Incremental traffic is the result of new or increased production. However, it does not include shifts in traffic among modes, or transfers within the local economy. Incremental production may result from various business decisions. For example, a new industry may open that would not have located in the state without the rail improvement. A more typical case is one in which a business increases its output because the rail improvement has reduced the cost of transportation or improved the level of transportation services.

Incremental traffic may consist of traffic retained on the rail line by preventing an abandonment that would reduce shipper output or result in business closures. The latter result is an extreme case. More typically, businesses may reduce output and quantity shipped by truck after abandonment because of higher truck rates and reduced shipping capacity.

In many cases, incremental traffic will be zero, even if shipper output levels change in the base or project cases. The change in a shipper's output or volume may be the result of local transfers because the business has become less competitive locally. Such transfers often occur among grain elevators. Increased crop production in a region rarely results from isolated railroad investments. An increase or decrease in the volume handled by one grain shipper may be offset by corresponding changes in the volume handled by nearby elevators. However, if a railroad investment stimulates increased crop production in the area, then this new production should be considered as incremental traffic.

### **Base Case of Continued Operation**

Under continued operation, railroad cost savings are primarily the result of faster speed, increased car payload, and reduced track maintenance cost. Faster speeds reduce crew, car, locomotive, and other time-related train costs for all classes of traffic: origin, destination, and through. If heavier rail cars are used after an investment, then fewer car-miles, train-miles, and locomotive-miles will be needed to move the same net tons over the line. However, heavier cars may result in higher track maintenance costs, which must be reflected in the net calculation.

Normal track maintenance cost may drop after rehabilitation because of the elimination of deferred maintenance. Deferred maintenance is an economic cost that must be considered, even though the railroad is not expending funds for this maintenance. Deferred maintenance is a cost that eventually must be covered if a line is to remain in service. Track rehabilitation projects that eliminate deferred maintenance usually result in lower spot maintenance and inspection costs.

### **Abandonment Base Case**

#### **Shipper Cost Savings**

Changes in post-abandonment shipping costs reflect: (1) trucking costs from stations on the abandoned branch line to a nearby rail line (e.g., a mainline), and (2) transfer or transloading costs at the mainline facility. If the rail rate from the mainline station to common destinations is less than the rail rate from branch-line stations, these savings may partly or wholly offset the increased shipping cost.

#### **Railroad Income Gains**

Net railroad income is a transportation efficiency gain attributable to the reduced operating and maintenance cost of a line after an investment is made. When the base case is abandonment, the net income derived from a line will be lost without public investment. The retained income may help preserve railroad jobs in North Dakota and generate economic benefits. In the long run, public investment provides economic incentives and cash flows that may induce railroads to reinvest in branch lines, perform long-run maintenance, or increase service levels. If trucker profits will be lost because of

a railroad investment, these losses must be considered as offsets. However, offsets are not applicable to private trucking or custom hauling in farmer-owned vehicles.

### **Shipper Profit on New Production**

In some cases, shipper gains or profits from incremental production may be the primary benefits of rehabilitation. Profits are usually proprietary information. Businesses may be reluctant to provide this information, even though it can be treated as confidential by the NDDOT.

### **Impacts on Through Traffic**

The segment being analyzed may be part of a through route between two terminals or gateways. If the segment is abandoned, the through traffic must move over a longer, circuitous route. In this case, the primary impacts of abandonment are the incremental car, locomotive, and train costs incurred by the through traffic, which must circumvent the abandoned segment. A similar situation can result from line bifurcation—in which the middle segment of a local line is abandoned.

### **Highway Impacts**

If an investment will change the distribution of traffic between railroads and trucks, then highway impacts are analyzed. The highway impact procedure is based on functions developed by the American Association of State Highway and Transportation Officials (AASHTO). The highway model includes many of the same equations and parameters used in pavement design. However, the model is used to estimate the incremental resurfacing costs of pavements, rather than the actual construction costs. Additional truck revenues received by highway agencies are used to offset projected cost increases.

### **Highway Impact Procedure**

A highway impact analysis is required when the null alternative is abandonment. Two of the initial steps in a highway impact analysis are identification of post-abandonment truck routes from branch-line stations to railroad main lines and truck configurations used to transport diverted traffic.


The preferred truck type will depend on the commodity, local highway designs and conditions, and the economics of different truck types. In some cases, more than one truck configuration may be used.

The highway impact procedure is based on an analytical function developed by the American Association of State Highway and Transportation Officials (AASHTO), which was later modified by FHWA for use in the Highway Performance Monitoring System (HPMS). FHWA and many states use HPMS to estimate highway rehabilitation and restoration needs.

The highway model includes many of the same equations and parameters used in pavement design. However, the application is reversed. In pavement design, the question is: given a projected truck traffic level, what structural design is needed to ensure pavement performance for the desired period (e.g., 15 years). In pavement deterioration analysis, the question is: given an existing highway with a known structural rating, how will additional truck traffic – beyond the level expected in the design stage – affect the performance period, and thus affect the annualized resurfacing and reconstruction costs?

The effects of different truck axle configurations on pavements are estimated by converting all axle loads to equivalent single-axle loads or ESALs. An ESAL represents the equivalent pavement damage that would be caused by the passage of an 18,000-pound single axle over a pavement section. For example, an axle with an ESAL factor of 1.2 inflicts 1.2 times the damage of a single 18,000-pound axle. The ESAL factor of an axle group will depend on the type of axle (single, tandem, or tridem), the load on the axle in thousands of pounds (kilo-pounds or kips), the type of pavement section (flexible or rigid), and the terminal serviceability rating of the pavement ( $p_t$ ).<sup>61</sup>

Figure E.1 illustrates the impacts of single axle loads on a medium strength flexible pavement with a terminal serviceability of 2.5, which is typical of a rural principal arterial highway. The chart illustrates several relationships. First, a 16,000-pound single-axle load followed by a 20,000-pound single-axle load generates a total of 2.115 ESALs as compared to two ESALs for the passage of two 18,000-pound single axles. In essence, load distribution among axles is important in pavement impact analysis. Second, an increase in a single-axle load from 18,000 to 22,000 pounds more than doubles the pavement impact. In general, the ESAL factor for a given type of axle increases with the fourth power of the axle load. Consequently, even modest overloads (e.g., 22,000 pound on a single axle) can significantly increase pavement damage.<sup>62</sup>



**Figure E.1.** Relative Pavement Impacts of Single-Axle Loads on a Flexible Pavement – Source: Computed from AASHTO Axle Load Equivalency Formulas [Values Reflect Terminal Serviceability of 2.5]


<sup>61</sup> The terminal serviceability rating is the value at which a pavement is expected to be resurfaced or reconstructed ( $p_o$ ).

<sup>62</sup> Transportation Research Board (TRB), Truck Weight Limits, Special Report 225, 1990.



Figure E.2 illustrates the impacts of a tandem axle set on the same type of pavement. As the chart shows, 34,000 pounds on a tandem axle generates only 1.11 times the impact of 18,000 pounds on a single axle.

AASHTO's ESAL factors are conservative estimates of pavement damage. The factors are based on road test data from the 1960s, which reflect the use of dual, bias (ply) tires with pressures of 75 to 80 psi. Today, most commercial trucks use radial tires inflated to 100 psi or greater. In some cases, "super single" tires are used instead of dual tires. Research suggests that increasing the tire pressure from 75 to 100 psi increases the pavement impact of an 18,000 pound single-axle load by approximately 16 percent.<sup>63</sup> Research also suggests that using single tires instead of dual tires can increase the pavement impact of an 18,000-pound single axle load by 31 to 132 percent.<sup>64</sup> In short, the use of super-single tires and high inflation pressures result in much greater reductions in pavement life than AASHTO ESAL factors suggest.<sup>65</sup>



**Figure E.2.** Relative Pavement Impacts of Tandem-Axle Loads on a Flexible Pavement – Source: Computed from AASHTO Axle Load Equivalency Formulas [Values Reflect Terminal Serviceability of 2.5]

The highway impact model and computational process are described in a technical appendix to Chapter 5 of Part 1. Two intermediate outputs are especially important to an impact analysis:

1. the unit costs per ESAL-mile of travel
2. the incremental ESAL-miles of travel over impacted highway sections. In the final step of the process, the annual avoidable cost of each impacted highway section is computed by multiplying the incremental ESAL-miles by the appropriate unit cost.

<sup>63</sup> Transportation Research Board (TRB), *Truck Weight Limits*, Special Report 225, 1990.

<sup>64</sup> *Ibid.* The range of impacts depends on the "wander" or lateral movement of truck tires. Wander has a positive effect on pavement life for a given axle load and tire because the load is not concentrated on a linear path or area of pavement. The 31 percent increase corresponds to a wander standard deviation of 8 inches, while the 132 percent increase corresponds to zero wander.

<sup>65</sup> The effects of modern tire pressures on pavement lives are taken into account during a rail line analysis through use of an adjustment factor. However, the effects of single tires are not considered.



**APPENDIX F**  
**LOCAL RAIL FREIGHT ASSISTANCE GUIDELINES**



# **North Dakota Department of Transportation (NDDOT) Local Rail Freight Assistance (LRFA) Program**

## **APPLICATION INSTRUCTIONS**

### **SECTION 1.0 – INTRODUCTION**

NDDOT has administration and oversight responsibility for the North Dakota (ND) LRFA Program.

LRFA projects require Federal Railroad Administration (FRA) approval before NDDOT may make a formal offer of assistance. The FRA approval process may take up to several months.

This document describes the LRFA application process. It also describes the methods used by NDDOT to evaluate and select LRFA projects to be submitted to FRA for approval. There is also a description of several obligations incurred by applicants when assistance is accepted.

It is recommended that potential applicants review this document prior to initiating the application process.

### **SECTION 2.0 – ELIGIBLE APPLICANTS**

Eligible applicants include counties, cities, railroads, and current or potential users of freight railroad service.

### **SECTION 3.0 – ELIGIBLE PROJECTS**

The LRFA program has limited resources. It is intended to be used primarily to upgrade and enhance infrastructure to improve rail service in ND through aid to short line railroads and, in some cases, shippers. Federal Regulations restrict the use of LRFA funds to 1) improving and rehabilitating rail property on a rail line and, 2) building rail or rail related facilities to improve the quality and efficiency of rail freight transportation. Projects that are considered to be primarily for economic development, particularly those of a speculative nature, while important to the state, must receive secondary consideration in allocating LRFA funds. The ranking process reflects this. Rail assistance programs are essentially the only source of public funds to assist in upgrading and enhancing rail service in ND. Economic development projects may be funded in many different ways.

Projects can be considered for LRFA assistance only when the rail carrier certifies that **the line related to the project has carried less than 5 million gross ton-miles of freight per mile in the year previous to the year of application.** LRFA projects must, at minimum, accomplish any of the following: rehabilitate a segment of rail line, improve transportation efficiency, promote safety, promote the viability of the statewide system of freight rail service, assist intermodal freight movement, provide industry access to the national railroad system or result in economic development (see paragraph above).

## SECTION 4.0 – APPLICATION CONTENT AND PROCESS

### 4.1 Project Proposal Filing

Project requests must be received by NDDOT as follows:

- **Annual Submission – December 1:** Annual submission is for rail projects that are planned and developed in the normal course of business. They include infrastructure projects, such as rail relay or tie and ballast, and economic development type projects, such as loading spurs.
- **Reserve Consideration – June 1:** Reserve consideration is for projects that support economic competitiveness and that have been identified subsequent to the annual submission date. Reserve consideration is for projects that are unforeseen in the normal course of business. It is not an alternative date for annual submission projects.
  - Economic Competitiveness projects identified after June 1, but before December 1, will be included at the next annual submission.

The initial step in applying for LRFA assistance is to submit a written project proposal to NDDOT, addressed as follows:

Director  
ATTN: Rail Planner  
North Dakota Department of Transportation  
608 East Boulevard Avenue  
Bismarck, ND 58505-0700

The proposal may be in hard copy or electronic format. It should contain the information listed in 4.1.1 through 4.1.6 below. Send electronic submissions to: [rjohnsto@nd.gov](mailto:rjohnsto@nd.gov)

#### 4.1.1 Identification of Parties and Projects

The written proposal shall include the following items:

1. Name and principal address of applicant including name, title, phone number and email address for person to contact during working hours.
2. Name of the railroad associated with the project (if different from [1] above), and contact information as indicated above.
3. Name of the shipper (if any) associated with the project (if different from [1] above) and contact information as indicated above.
4. A narrative explanation of purpose and need for the project and public benefits estimated to accrue from it. Some of the things to consider include: capacity, safety, system linkage, system

deficiencies, modal interrelationships and economic impact. This section should also describe and justify any potential negative aspects that might be associated with the project.

5. A narrative explanation/description of the proposed project including but not limited to:
  - Physical measurements. (Length, width, area, etc.)
  - Physical location. (Address, mileposts, highway reference, etc.)
  - Major material specifications. (Weight of rail, type of ballast, grade of ties, etc.)
  - Map/sketch of project design and location.
  - Number of shippers served and/or affected, and general makeup of commodities handled.
  - Any other information deemed useful by the applicant for supporting and explaining the project concept and purpose.
6. An explanation/description of consequences if assistance is not awarded (postponed, abandoned, reduced service, lost revenue or cost savings, etc.) and alternatives to be pursued. Include dollar amounts, dates, quantities, etc.

#### 4.1.2 Estimate of Project Cost and Performance Method

1. Provide a line item breakout of estimated direct project costs at least to the level of:
  - Materials
  - Labor
  - Force account work and contract work by principal task.
  - Total project cost.
2. Provide a description of the method or methods proposed for accomplishing major project work tasks and a brief rationale for their use (e.g., tie replacement by force account, surfacing by contractor).
3. Indirect costs, such as profit on force account work and administration and overhead, are not eligible for assistance.

#### 4.1.3 Proposed Project Financing

1. State the dollar amount of assistance requested. Section 8 explains how the amount and form of assistance is determined.
2. Identify the source of all non-state assistance related to the project.<sup>1</sup>

#### 4.1.4 Intended Benefit and Cost Items

Provide a list or description of the type or category of benefits and costs assumed by the applicant to be associated with this project. It is not necessary to provide quantity or dollar amounts for these benefits and costs at this time. That will be determined during application review. Section 4.2.1(1) provides an example of some measures to include.

#### 4.1.5 Intended Environmental and Economic Enhancement Items

Provide a list or description of any environmental or economic enhancement the applicant estimates will result from the project if these categories are to be used as criteria in the project evaluation. Quantified measures will be determined during application review.

#### 4.1.6 Public Involvement Process

NDDOT shall solicit public input for each project that is accepted. Solicitation of public input will consist of providing opportunity to request a public hearing and submit written comments.

Notification of said opportunity shall consist of placing legal notice in the official newspaper of the county or counties in which the proposed project is to be done, giving notice of opportunity to request public hearing and/or submit written comments. The ad shall state the reason for solicitation of hearing request and written comments (i.e. Rail rehabilitation project etc.). The ad is also to contain a description of the type and location of the project, provide a contact point for hearing request and submission of written comments, and specify deadline dates. Ads shall be published at least 21 days before the date of any hearing. Ten days must be allowed for written comments following a hearing or publication of request for written comments.

In the event of a public hearing, all comments are recorded verbatim and shall be included in the application. All comments will be considered in the final decision.

### **4.2 Application Review/Conference**

NDDOT staff will review the application and determine if the requirements have been met. There may be a need for conference with the applicant and any other significant entities. If conference is required, it may generally be done by phone.

#### 4.2.1 Data for Transportation Efficiency Analysis

1. The primary criterion in determining project qualification and rank is the ratio of transportation efficiency benefit to project cost – the



Benefit-Cost (B/C) ratio. The application review and/or conference will establish the appropriate data to be submitted to NDDOT for calculation of this ratio. NDDOT may employ the services of others in analyzing and calculating the B/C ratio.

2. The following list is representative, but not exhaustive, of the type of data that may be required. The purpose is to determine the amount of quantifiable change in these areas, expressed in dollars, that is estimated to be attributable to the project.
  - Maintenance of Way (MOW) costs
  - Car hire and/or car investments costs
  - Locomotive costs
  - Fuel consumption costs
  - Maintenance of Equipment (MOE) costs
  - Freight rate/unit
  - Train crew costs
  - Number of carloads
  - Product/lading shrinkage
  - Lading handling costs
  - Derailment costs
3. Other information pertinent to this analysis:
  - Project impact on market penetration (intermodal, customer territory, service frequency).
  - Average car capacity in same units used in freight rates above.
  - Net liquidation value of in-place track assets.

### **4.3 Qualification and Ranking Data**

- 4.3.1 The data required for project qualification and ranking by NDDOT shall be filed by applicant.
- 4.3.2 All project proposals will be reviewed. Qualified proposals will be ranked for funding priority. Section 6.2 specifies qualification and ranking criteria and scoring procedures. Those project proposals ranking highest and which are fundable within the resources available will be designated as candidate projects and will continue with the application process. All applicants will be informed of their project proposal's status and ranking.

### **4.4 Additional Data Filing**

Applicants may be required to file additional data for project evaluation. Notice will be given to applicants by NDDOT if additional data is required. Projects submitted to FRA require additional information and certain certifications. Applicants will be notified of specific additional information requirements if their projects are selected for submission to FRA.

#### **4.5 Emergency Assistance**

The department may, at its sole discretion and upon application by an eligible applicant, provide LRFA assistance on a non-competitive basis for a project addressing damage caused by a (government declared) man made or natural disaster. Such assistance might be for bridges, track or other significant infrastructure. Insurance proceeds must first be dedicated to the project.

### **SECTION 5.0 – ASSISTANCE AWARD PROCESS**

#### **5.1 Applicant Acceptance**

Applicants shall accept or reject an offer of assistance within ten (10) working days of tender.

#### **5.2 Agreement Execution**

Unless otherwise agreed, an offer of assistance will be withdrawn if an agreement is not executed between the applicant and NDDOT within 90 days of acceptance of the offer by the applicant.

### **SECTION 6.0 – PROJECT SELECTION**

#### **6.1 Project Selection Policies**

LRFA projects must be approved by FRA before NDDOT may make a formal offer of assistance. NDDOT uses the policies and procedures outlined here to rank and select projects for potential submission to FRA for approval

Projects may be selected for submission to FRA outside of rank order. If a lower ranked project can be funded within resource limits and a higher ranked project would exceed those limits, the lower ranked project may be submitted for approval. Partial funding of projects is an option as well, with FRA approval, if applicants are able to proceed on that basis.

Assistance under LRFA is generally limited to short line railroads and shipping entities. The Director has final say on all projects and may select projects without regard to this policy based on a number of different contingencies.

If two or more projects attain an identical ranking score, final ranking will be determined by Benefit/Cost (B/C) ratio. If the B/C ratio does not resolve the deadlock, the Director's judgment shall prevail.

- 6.1.1 Purpose of Qualification and Ranking: Federal regulations state that LRFA projects should improve the quality and efficiency of rail freight transportation. NDDOT rail policy includes some additional measures of public benefit. Five criteria are used to evaluate projects, with each criterion having a point value.

- 6.1.2 Use of Qualification and Ranking: The minimum threshold for project qualification is a B/C ratio of more than 1.0 and an overall project score of no less than 35. Projects are ranked from highest to lowest based on total point value. The rankings are used to determine which projects will be submitted to FRA for approval. Project selection is made at the Director's discretion. The highest ranking projects are generally considered first and as many projects are submitted for approval as there are resources to support.
- 6.1.3 Relation of Rank to Funding: The ranking process has no influence on the type of assistance offered. Assistance is via low interest loan.
- 6.1.4 Director's Authority: Project selection is made at the Director's discretion. On a case by case basis the Director will have the authority to modify the project selection process, funding limits and repayment criteria.

**6.2 Project Selection Criteria**

6.2.1 Transportation Efficiency Benefit/Cost Ratio:

- 1. Purpose: The purpose of this criterion is to evaluate the efficiency of the project and provide an indicator of justification for public investment in the project.
- 2. Description: The B/C ratio is a measure of the net transportation efficiency benefits of a project. The calculation of this ratio will be performed or contracted by NDDOT using data supplied by the applicant in the application process. The methodology for the calculation of this ratio is available from NDDOT.
- 3. Scoring: Points are awarded on the basis of the project's raw B/C ratio as shown in the table below. Points awarded increase as the B/C ratio increases, to a maximum of 7.0. A B/C ratio >7.0 does not add additional points.

<i><b>BENEFIT/COST RATIO</b></i>	<i><b>POINTS</b></i>
<b>1.000 - 1.999</b>	<b>35</b>
<b>2.000 - 4.999</b>	<b>40</b>
<b>5.000 - 6.999</b>	<b>45</b>
<b>&gt; 7.000</b>	<b>50</b>

***MAXIMUM OF 50 POINTS***

6.2.2 Carloads per Mile:

- 1. Purpose: This criterion measures the direct usefulness of the project to industry and to recognizes the larger return ratio realized from investing public resources in more densely used facilities.

2. Description: The carload count is the total traffic for the last year or the average over the last three years. All carloads may be included even if transported by a railroad not party to the project proposal. Any bridge or overhead traffic included in the total shall be shown separately. If multi-platform articulated cars are used, they are treated as single or multiple cars according to how they are treated in the tariff or contract under which they move. Excluded from this carload count are carloads of coal or coke delivered to regulated electrical utility generating plants in blocks or unit trains of 25 cars or more. Also excluded are carloads that have been used in a prior project's count and are now rerouted over the proposed project unless the reroute can be demonstrated to be not related to the project. The carload data and evidence of its validity is provided by the applicant during the application process.
  
3. Scoring: Points are awarded on the basis of carloads per mile as shown in the table below. The points awarded increase as the carloads per mile increase to a maximum of 120. No additional points are awarded for traffic greater than 120 carloads/mile. Points are awarded in this manner to reflect the lesser impact on the economy by very light density lines.

<i>Carloads/Mile 3 Yr. Average</i>	<i>Points</i>
<b>&lt; 12</b>	<b>0</b>
<b>12 - 20</b>	<b>3</b>
<b>21 - 35</b>	<b>7</b>
<b>36 - 80</b>	<b>10</b>
<b>81 - 120</b>	<b>13</b>
<b>&gt; 120</b>	<b>15</b>

***MAXIMUM OF 15 POINTS***

6.2.3 System Connectivity:

1. Purpose: The purpose of this criterion is to afford a means to reflect the value a project may present in serving a distinct system function even though traffic may not increase at given origins or destinations.
  
2. Description: System connectivity is present when the project specifically provides for the entire sole connection of two distinct through route line segments of the applicant's system or the system's sole interchange connection with another railroad.

3. Scoring: System connectivity points are awarded as shown below.

<b>System Connectivity</b>	<b>Points</b>
<b>Project Does Not Provide Connectivity</b>	<b>0</b>
<b>Project Does Provide Connectivity</b>	<b>3</b>
<b><i>MAXIMUM OF 3 POINTS</i></b>	

6.2.4 Prior Beneficiary of Assistance:

1. Purpose: The purpose of this criterion is to help insure equitable distribution of rail assistance among potential recipients.
2. Description: This criterion considers prior receipt of assistance in the evaluation process. If the applicant has a current LRFA project or has completed one within 36 months of the proposed acceptance date of the new project, points under this criterion are not awarded. For purpose of this criterion, if the applicant is under common control or common management with another entity or the parent company of another entity (there are corporate officers common to both), a project with any of the commonly controlled or commonly managed entities is considered to be a project of this applicant. Grade crossing projects are not considered as prior assistance.
3. Scoring: Points for this criterion are awarded as shown below.

<b>Prior Assistance</b>	<b>Points</b>
<b>Yes</b>	<b>0</b>
<b>No</b>	<b>3</b>
<b><i>MAXIMUM OF 3 POINTS</i></b>	

6.2.5 Enhancing North Dakota's Economy:

1. Purpose: The purpose of this criterion is to afford a means of awarding points to projects that offer economic benefits that may not be considered in the B/C analysis.
2. Description: Points are awarded under this criterion if NDDOT finds the rail project will:
  - Address an unusual change in the employment situation within ND.
  - Contains an element of urgency/timeliness significant to its ability to deliver long-term benefits
  - Improve viability of businesses served by rail.
  - Improve the state's attractiveness for new business.
  - Serve a developed industrial park (streets and utilities in place).

3. Scoring: Enhancing ND economy points are awarded as follows:

***ECONOMIC ENHANCEMENT FACTORS PRESENT:  
0-4 POINTS  
MAXIMUM OF 4 POINTS***

## **SECTION 7.0 – ASSISTANCE FORM AND AMOUNT**

### **7.1 Policies Affecting Assistance Amount**

- 7.1.1 Assistance is via low **interest** loan **at the greater of ½ the Prime Rate at the Bank of North Dakota or 3%.**
- 7.1.2 Rehabilitation construction will be financed with 70% federal and 30% local funds. The local match must be in non – federal dollars. Local match funds are generally those of the applicant. New construction will be financed on a 50 – 50 basis. The same provisions regarding local fund sources apply.
- 7.1.3 The loan term is generally 10 years with payment deferred for the first two years. Interest accrues during the deferred period. Debt retirement is in eight annual principal and interest payments.
- 7.1.4 The amount of assistance for any single project may not generally exceed \$1 million (NDDOT share).

## **SECTION 8.0 – SELECTED TERMS & CONDITIONS**

### **8.1 List of Selected Terms & Conditions**

- 8.1.1 The applicant must, to the extent allowed under North Dakota state law, agree to indemnify, save, and hold harmless the State of North Dakota, NDDOT, its officers, agents, employees and members, from any and all claims, demands, actions, or cause of action arising out of the negligent acts, errors or omissions of the applicant or applicant's employees or agents, in the performance of all contracts or matters incidental thereto.
- 8.1.2 The railroad or other applicant must agree to maintain the line or project facility at or above FRA Class 2 Track Safety Standard service level for the duration of the assistance agreement. Termination of service will make the full assistance amount due and payable plus an amount equal to the interest rate in the agreement applied to the full assistance amount from the effective date of the assistance agreement to date of termination.
- 8.1.3 Interest charges begin upon first draw of assistance funds and are calculated on a fixed regular schedule.
- 8.1.4 Rehabilitation and construction material and performance specifications shall conform to American Railway Engineering Association standards and practices.

- 8.1.5 Project costs **may not be incurred** on any project before an agreement is fully executed between NDDOT and the applicant.
- 8.1.6 If Railroad force account is not used, a competitive sealed bidding process shall be used for all approved LRFA projects, including formal advertising and allowing a minimum of twenty-one days for the receipt of bids.
- 8.1.7 Progress billing will be permitted with 10% retainage by NDDOT. The project is subject to detailed audit after final billing. Final billing must include a statement of total actual costs and must be submitted to NDDOT within three months after project completion.
- 8.1.8 If work on the project has not begun within one year of the date the loan agreement was fully executed, the agreement becomes void and the offer of assistance is withdrawn. The applicant may re-apply for assistance. The application will be considered new and will be evaluated as such.
- 8.1.9 The applicant shall, upon any sale or disposition of all or any portion of the subject line or the filing of an application for abandonment of all or any portion of the subject line at any time during the term of agreement, repay to NDDOT the full amount of the NDDOT share of the improvements made to the subject line.

## FEDERAL REGULATIONS

### 49 UNITED STATES CODE, SUBTITLE V - RAIL PROGRAMS

#### PART B – ASSISTANCE

#### CHAPTER 221 - LOCAL RAIL FREIGHT ASSISTANCE

##### § 22101. Financial assistance for State projects

- (a) General. - The Secretary of Transportation shall provide financial assistance to a State, as provided under this chapter, for a rail freight assistance project of the State when a rail carrier subject to part A of subtitle IV of this title maintains a rail line in the State. The assistance is for the cost of:
- (1) acquiring, in any way the State considers appropriate, an interest in a rail line or rail property to maintain existing, or to provide future, rail freight transportation, but only if the Surface Transportation Board has authorized, or exempted from the requirements of that authorization, the abandonment of, or the discontinuance of rail transportation on, the rail line related to the project;
  - (2) improving and rehabilitating rail property on a rail line to the extent necessary to allow adequate and efficient rail freight transportation on the line, but only if the rail carrier certifies that the rail line related to the project carried not more than 5,000,000 gross ton-miles of freight a mile in the prior year; and
  - (3) building rail or rail-related facilities (including new connections between at least 2 existing rail lines, intermodal freight terminals, sidings, bridges, and relocation of existing lines) to improve the quality and efficiency of the rail freight transportation, but only if the rail carrier certifies that the rail line related to the project carried not more than 5,000,000 gross ton-miles of freight a mile in the prior year.
- (b) Calculating Cost-Benefit Ratio. The Secretary shall establish a methodology for calculating the ratio of benefits to costs of projects proposed under this chapter. In establishing the methodology, the Secretary shall consider the need for equitable treatment of different regions of the United States and different commodities transported by rail. The establishment of the methodology is committed to the discretion of the Secretary.
- (c) Conditions:
- (1) Assistance for a project shall be provided under this chapter only if -
    - (A) a rail carrier certifies that the rail line related to the project carried more than 20 carloads a mile during the most recent year during which transportation was provided by the carrier on the line; and
    - (B) the ratio of benefits to costs for the project, as calculated using the methodology established under subsection (b) of this section, is more than 1.0.
  - (2) If the rail carrier that provided the transportation on the rail line is no longer in existence, the applicant for the project shall provide the information required by the certification under paragraph (1)(A) of this subsection in the way the Secretary prescribes.



- (3) The Secretary may waive the requirement of paragraph (1)(A) or (2) of this subsection if the Secretary: (A) decides that the rail line has contractual guarantees of at least 40 carloads a mile for each of the first 2 years of operation of the proposed project; and (B) finds that there is a reasonable expectation that the contractual guarantees will be fulfilled.
- (d) Limitations on Amounts. A State may not receive more than 15 percent of the amounts provided in a fiscal year under this chapter. Not more than 20 percent of the amounts available under this chapter may be provided in a fiscal year for any one project.

### **§ 22102. Eligibility**

A State is eligible to receive financial assistance under this chapter only when the State complies with regulations the Secretary of Transportation prescribes under this chapter and the Secretary decides that:

- (1) the State has an adequate plan for rail transportation in the State and a suitable process for updating, revising, and modifying the plan;
- (2) the State plan is administered or coordinated by a designated State authority and provides for a fair distribution of resources;
- (3) the State authority:
  - (A) is authorized to develop, promote, supervise, and support safe, adequate, and efficient rail transportation;
  - (B) employs or will employ sufficient qualified and trained personnel;
  - (C) maintains or will maintain adequate programs of investigation, research, promotion, and development with opportunity for public participation; and
  - (D) is designated and directed to take all practicable steps (by itself or with other State authorities) to improve rail transportation safety and reduce energy use and pollution related to transportation; and
- (4) the State has ensured that it maintains or will maintain adequate procedures for financial control, accounting, and performance evaluation for the proper use of assistance provided by the United States Government.

### **§ 22103. Applications**

- (a) Filing. A State must file an application with the Secretary of Transportation for financial assistance for a project described under section 22101(a) of this title not later than January 1 of the fiscal year for which amounts have been appropriated. However, for a fiscal year for which the authorization of appropriations for assistance under this chapter has not been enacted by the first day of the fiscal year, the State must file the application not later than 90 days after the date of enactment of a law authorizing the appropriations for that fiscal year. The Secretary shall prescribe the form of the application.

- (b) Considerations. In considering an application under this subsection, the Secretary shall consider the following:
- (1) the percentage of rail lines that rail carriers have identified to the Surface Transportation Board for abandonment or potential abandonment in the State.
  - (2) the likelihood of future abandonments in the State.
  - (3) the ratio of benefits to costs for a proposed project calculated using the methodology established under section 22101(b) of this title.
  - (4) the likelihood that the rail line will continue operating with assistance.
  - (5) the impact of rail bankruptcies, rail restructuring, and rail mergers on the State.

#### **§ 22104. State rail plan financing**

- (a) Entitlement and Uses. - On the first day of each fiscal year, each State is entitled to \$36,000 of the amounts made available under section 22108 of this title during that fiscal year to be used:
- (1) to establish, update, revise, and modify the State plan required by section 2102 of this title; or
  - (2) to carry out projects described in section 22101(a)(1), (2), or (3) of this title, as designated by the State, if those projects meet the requirements of section 22101(c)(1)(B) of this title.
- (b) Applications. Each State must apply for amounts under this section not later than the first day of the fiscal year for which the amounts are available. However, for any fiscal year for which the authorization of appropriations for financial assistance under this chapter has not been enacted by the first day of the fiscal year, the State must apply for amounts under this section not later than 60 days after the date of enactment of a law authorizing the appropriations for that fiscal year. Not later than 60 days after receiving an application, the Secretary of Transportation shall consider the application and notify the State of the approval or disapproval of the application.
- (c) Availability of Amounts. Amounts provided under this section remain available to a State for obligation for the first 3 months after the end of the fiscal year for which the amounts were made available. Amounts not applied for under this section or that remain unobligated after the first 3 months after the end of the fiscal year for which the amounts were made available are available to the Secretary for projects meeting the requirements of this chapter.

#### **§ 22105. Sharing project costs**

- (a) General.
- (1) The United States Government's share of the costs of financial assistance for a project under this chapter is 50 percent, except that for assistance provided under section 22101(a)(2) of this title, the Government's share is 70 percent. The State may pay its share of the costs in cash or through the following benefits, to the extent that the benefits otherwise would not be provided:

- (A) forgiveness of taxes imposed on a rail carrier or its property.
- (B) real and tangible personal property (provided by the State or a person for the State) necessary for the safe and efficient operation of rail freight transportation.
- (C) track rights secured by the State for a rail carrier.
- (D) the cash equivalent of State salaries for State employees working on the State project, except overhead and general administrative costs.

(2) A State may pay more than its required percentage share of the costs of a project under this chapter. When a State, or a person acting for a State, pays more than the State share of the costs of its projects during a fiscal year, the excess amount shall be applied to the State share for the costs of the State projects for later fiscal years.

(b) **Agreements To Combine Amounts.** States may agree to combine any part of the amounts made available under this chapter to carry out a project that is eligible for assistance under this chapter when:

- (1) the project will benefit each State making the agreement; and
- (2) the agreement is not a violation of State law.

#### **§ 22106. Limitations on financial assistance**

(a) **Grants and Loans.** A State shall use financial assistance for projects under this chapter to make a grant or lend money to the owner of rail property, or a rail carrier providing rail transportation, related to a project being assisted. The State shall decide on the financial terms of the grant or loan, except that the time for making grant advances shall comply with regulations of the Secretary of the Treasury.

(b) **Holding and Use of Government's Share.** The State shall place the United States Government's share of money that is repaid in an interest-bearing account. However, the Secretary of Transportation may allow a borrower to place that money, for the benefit of the State, in a bank designated by the Secretary of the Treasury under section 10 of the Act of June 11, 1942 (12 U.S.C. 265). The State shall use the money and accumulated interest to make other grants and loans under this chapter.

(c) **Payment of Unused Money and Accumulated Interest.** The State may pay the Secretary of Transportation the Government's share of unused money and accumulated interest at any time. However, the State must pay the unused money and accumulated interest to the Secretary when the State ends its participation under this chapter.

(d) **Encourage Participation.** To the maximum extent possible, the State shall encourage participation of shippers, rail carriers, and local communities in paying the State share of assistance costs.

- (e) Retention of Contingent Interest. Each State shall retain a contingent interest (redeemable preference shares) for the Government's share of amounts in a rail line receiving assistance under this chapter. The State may collect its share of the amounts used for the rail line if:
- (1) an application for abandonment of the rail line is filed under chapter 109 of this title; or
  - (2) the rail line is sold or disposed of after it has received assistance under this chapter.

**APPENDIX G**

**NDDOT FREIGHT RAILROAD IMPROVEMENT  
PROGRAM (FRIP)**

**APPLICATION INSTRUCTIONS**

---



## **PART I**

### **SECTION 1.0 – INTRODUCTION**

The FRIP application instruction document is comprised of two parts. Part I describes the process and information required when applying for financial assistance under the program. Part II describes the process the Department uses to rate and rank proposed projects, and to determine the amount and terms for assistance. It also describes several obligations incurred by the applicant upon acceptance of assistance.

It is recommended that potential applicants review both Part I and Part II prior to initiating the application process.

### **SECTION 2.0 – ELIGIBLE APPLICANTS**

Eligible applicants include counties, cities, railroads, or current or potential users of freight railroad service.

### **SECTION 3.0 – ELIGIBLE PROJECTS**

An eligible project is generally one in which the line related to the project has carried less than 5 million gross ton miles of freight per mile in the year previous to the year of application and which accomplishes any of the following: rehabilitates a segment of rail line, results in economic development, improves transportation efficiency, promotes safety, promotes the viability of the statewide system of freight rail service, assists intermodal freight movement, or provides industry access to the national railroad system. If the Director determines that a significant public interest in the project exists, he may waive the 5 million gross ton miles requirement.

### **SECTION 4.0 – APPLICATION CONTENT AND PROCESS**

#### **4.1 PROJECT PROPOSAL FILING**

Project requests must be received by NDDOT no later than December 15 to be considered for the next calendar year. For example, requests for projects for CY 2008 must be received no later than December 15, 2007. Requests received after December 15 may be considered at NDDOT discretion.

The initial step in applying for assistance is to submit a written project proposal, in either hard copy or electronic format, to NDDOT. Address hard copy to:

Director  
NDDOT  
ATTN: Rail Planner  
608 East Boulevard Avenue  
Bismarck, ND 58505-0700

Send electronic submissions to: [rjohnsto@nd.gov](mailto:rjohnsto@nd.gov). Proposals should contain the information listed in 4.1.1 through 4.1.6.

#### 4.1.1 Identification of Parties and Projects

- (a) Name and address of applicant, working contact name, address and telephone number.
- (b) Name of the railroad party to the project and the address and telephone number of a railroad company contact person.
- (c) Name of the shipper (if any) party to the project and the address and telephone number of a contact person.
- (d) A narrative explanation of purpose, need and public benefits. Some of the elements which may assist in explaining a project's purpose and need may include: capacity, safety, system linkage, system deficiencies, modal interrelationships, social demands or economic development. The section should also describe and justify any negative impacts associated with the project.
- (e) A narrative explanation/description of the proposed project including but not limited to:
  - (1) Physical measurements. (Linear, area, etc.)
  - (2) Physical location. (Address, mileposts, street crossings, etc.)
  - (3) Major material specifications. (Weight of rail, type of ballast, grade of ties, etc.)
  - (4) Map/sketch of project design and location.
  - (5) Such other information as deemed useful by applicant for supporting and understanding the project concept and purpose.
  - (6) Number of shippers served and/or affected, and general makeup of commodities handled.
- (f) A narrative explanation/description of the alternative to be pursued should the assistance not be awarded and the consequences thereof (postpone, abandon, reduce service by x amount, forgo x amount of revenue or cost savings, etc.). Please include objective measures such as numbers, dates, quantities, etc.

#### 4.1.2 Estimate of Project Cost and Performance Method

- (a) A line item breakout of estimated direct project costs at least to the level of:
  - (1) Materials
  - (2) Labor
  - (3) A description of force account work
  - (4) A listing by principal task for contract work.
  - (5) Total project cost.



- (b) In order to improve the coverage of limited program resources indirect costs such as administration-and overhead and profit on force account work are not eligible for assistance.
- (c) A description of and brief rationale for the method or methods proposed for accomplishing major project work tasks. (e.g., tie replacement by force account, surfacing by contractor.)

4.1.3 Proposed Project Financing

- (a) Identify the dollar amount of assistance being requested. See Part II, Section 2.0 for an explanation of how the form of assistance is determined.
- (b) Identify the source of all non-state assistance related to the project.

4.1.4 Intended Benefit and Cost Items

Provide a list or description of the type or category of benefits and costs assumed by applicant to be associated with this project. It is not necessary to provide quantified measures of these benefits and costs at this time. Quantification matters will be determined during the application conference(s). Section 4.2.1(b) includes a partial list of possible measures.

4.1.5 Intended Environmental and Economic Enhancement Items

Provide a list or description of any environmental or economic enhancement outcomes projected by the applicant to result from the project if the project is to be evaluated on these two criteria. It is not necessary to provide quantified measures of these outcomes at this time. Quantification matters will be determined during the application conference(s).

4.1.6 Public Involvement Process

The applicant shall solicit public input for each project prior to submitting applications. Solicitation of public input may, at the applicant's discretion, include any of the following: holding a public hearing, providing opportunity for public hearing, or soliciting written comments.

Notification to the public of the request for input shall be accomplished by placing a corresponding legal notice in the official county newspaper in the county in which the improvement is proposed to be made. The ad shall contain a description of type and location of the improvement, reason for the hearing (i.e. Rail rehabilitation project etc...), a description to who or where comments should be sent (address and telephone number), and comment or public hearing request deadline dates. Advertisements shall be published at least 21 days before the date of a hearing. Ten days must be allowed for written comments following a hearing or publication of

request for written comments. The applicant shall notify NDDOT of the time and place of any public hearings that are to be held 10 days prior to the hearing.

If a project qualifies, NDDOT will hold or at least provide an opportunity for public hearing. At a minimum the NDDOT shall place a corresponding legal notice in the official county newspaper in the county in which the improvement is proposed to be made. The ad shall contain a description of type and location of the improvement, reason for the hearing, a description to whom or where comments should be sent, and comment or public hearing request deadline dates.

In the event of a public hearing, all comments are recorded verbatim and shall be included in the application. All comments will be considered in the final decision.

#### **4.2 APPLICATION REVIEW/CONFERENCE**

Following the submittal deadline (December 15), NDDOT staff will review the application and determine if the requirements have been met. There may be a need for conference with the applicant and any other significant entities. If conference is required, it may generally be done by phone.

##### **4.2.1 Data for Transportation Efficiency Analysis**

- (a) The most influential criterion in determining project qualification and rank is the ratio of transportation efficiency benefit to project cost. The application conference will establish the appropriate data to be submitted for NDDOT to calculate this ratio. NDDOT may employ the services of others in analyzing and calculating the Benefit - Cost ratio.
  
- (b) The following list is representative but not exhaustive of the type of data that may be required:
  - (1) The general question is what amount of quantifiable change expressed in dollars will result in these areas from accomplishing the project.
    - Maintenance of Way (MOW) costs
    - Locomotive costs
    - Fuel costs
    - Freight rate/unit
    - Number of carloads
    - Lading handling costs
    - Car hire and/or car investment costs
    - Maintenance of Equipment (MOE) costs
    - Train crew costs
    - Product/lading shrinkage
    - Derailment Costs

- (2) Other statistical information pertinent to this analysis.
  - Project impact on market penetration (intermodal, customer territory, service frequency).
  - Average car capacity in same units used in freight rates used above
  - Net liquidation value of in-place track assets.

#### 4.2.2 Data for Establishing Project's Net Operating Revenue

A fundamental factor for determining the assistance amount to be allowed is the net revenue accruing to the railroad or, if applicable, to the industry, or both, after the completion of the project. Data necessary to support the figure provided by the applicant will be required (See Part II for detail).

### **4.3 QUALIFICATION AND RANKING DATA FILING**

4.3.1 The data required for project qualification and ranking determined through the application conference or conferences shall be filed by applicant with NDDOT.

4.3.2 All project proposals will be reviewed for qualification and qualified proposals will be ranked for funding priority. (See Part II, Section 1.2 for qualification and ranking criteria and scoring procedures.) All applicants will be informed of their project proposal's ranking. Those project proposals ranking highest and which are fundable within the resources available are designated as candidate projects and will continue with the application process.

### **4.4 ASSISTANCE FORMATTING DATA FILING**

Applicants notified that their project proposal is a candidate project shall file the necessary financial data to determine the cost of capital and net annual operating revenue or for projects generating cost savings rather than operating revenue, the cost savings (See Part II for net revenue and cost of capital calculation detail).

### **4.5 EMERGENCY ASSISTANCE**

The department may, at its sole discretion upon application by an eligible applicant, provide assistance under FRIP on a non-competitive basis at any time for a project addressing a (Government) declared emergency situation. The project must meet eligibility qualifications. An emergency project shall deal with replacement of significant infrastructure essential to operation of rail freight service, such as bridge failure, major washout, destruction by fire, and the like. Insurance proceeds must first be dedicated to the project.

## **SECTION 5.0 – ASSISTANCE AWARD PROCESS**

### **5.1 APPLICANT ACCEPTANCE**

Within ten (10) working days of the offer of an assistance award, applicant shall in writing accept or reject the award.

### **5.2 AGREEMENT NEGOTIATION EXECUTION**

Upon applicant acceptance of the assistance award, negotiations between the responsible parties and NDDOT begin. Within 90 calendar days of the acceptance of the assistance award, an assistance agreement is executed among the parties and the assistance award is final. Unless otherwise agreed by NDDOT the offer of an assistance award expires and is withdrawn if an assistance agreement is not executed within 90 days of the award acceptance by the applicant.

## **SECTION 6.0 – ASSISTANCE FORM AND AMOUNT**

### **6.1 POLICIES AFFECTING ASSISTANCE AMOUNT**

- 6.1.1 The measure of public interest, for program purposes, is determined by the project's qualification and ranking on the criteria set forth under Part II, Section 1.0 herein. The measure of the applicant's legitimate economic concern is the applicant's net revenue from the project on its share of project cost equaling its cost of capital plus a reasonable return on the use of that capital.
- 6.1.2 Loan assistance is provided at an interest rate calculated at ½ of the Prime rate, but not less than 3%.
- 6.1.3 Rehabilitation projects will be financed on a 70% - 30% match, with the 30% match coming from non-state sources, in general the applicant. New construction projects will be financed on a 50% - 50% basis (e.g., Elevator and Industrial sidings).
- 6.1.4 The loan term is generally 10 years, with payment deferred the first two years. Interest accrues during the deferral period. The loan is repaid in eight annual installments, beginning the third year of the loan. The interest accrued during the deferral period is due with the first loan payment.

## **SECTION 7.0 – KEY ASSISTANCE AGREEMENT TERMS**

### **7.1 LIST**

- 7.1.1 The applicant must, to the extent allowed under North Dakota state law, agree to indemnify, save, and hold harmless the State of North Dakota, NDDOT, it's officers, agents, employees, and members, from any and all claims, demands, actions, or cause of action arising out of the negligent acts, errors, or omissions of the Contractor, or contractor's

employees or agents, in the performance of all contracts, or matters incidental thereto.

- 7.1.2 The railroad or other applicant must agree to maintain the line or project facility for the duration of the assistance agreement at or above FRA Class 2 Track Safety Standard service level. Termination of service will make the full assistance amount due and payable plus an amount equal to the interest rate in the agreement applied to the full assistance amount from the effective date of the assistance agreement to date of termination.
- 7.1.3 Interest charges begin upon first draw of assistance funds and are calculated on a fixed regular schedule.
- 7.1.4 Rehabilitation and construction material and performance specifications shall conform to American Railway Engineering Association standards and practices.
- 7.1.5 Project costs **may not be incurred** on any project before an agreement is fully executed between NDDOT and the applicant.
- 7.1.6 If work on the project has not begun within one year of the date the loan agreement was fully executed, the agreement becomes void and the offer of assistance is withdrawn. The applicant may re-apply for assistance. The application will be considered new and will be evaluated as such.
- 7.1.7 If Railroad force account is not used, the competitive sealed bidding process shall be used for all approved FRIP projects including formal advertising allowing a minimum of twenty-one days for the receipt of bids.
- 7.1.8 The progress billing method will be permitted with 10% retainage by the State. Final billings must include a statement of total actual costs and will be subject to a detailed audit. Final billings must be submitted to the State within three months after project completion.
- 7.1.9 The applicant shall, upon any sale or disposition of all or any portion of the subject line or the filing of an application for abandonment of all or any portion of the subject line at any time during the term of agreement repay to the State, the full amount of the State's share of the improvements made to the subject line.

## PART II

### SECTION 1.0 – PROJECT SELECTION

#### 1.1 PROJECT SELECTION POLICIES

- 1.1.1 Purpose of Qualification and Ranking: The department has determined that proposed projects must generate improvements in transportation efficiency and may also generate broad public benefit. In order to evaluate proposed projects, six criteria are used. Proposed projects are rated on each criterion. The rating system generates a point score for the purpose of establishing project qualification for funding and the rank of individual proposed projects from most to least points scored.
- 1.1.2 Use of Qualification and Ranking: Project applications will be assigned a score based upon the estimated impacts of the project on North Dakota's rail system. Detailed information on scoring procedures is given below. To qualify for funding, a project must meet the minimum criteria of a primary BCR of greater than 1.0. Qualified projects are then ranked by total point score. The rankings are subsequently used to determine which applicants receive offers of assistance. Offers are made, at the Directors discretion, to applicants in rank order until program resources are no longer able to cover estimated project costs.
- 1.1.3 Relation of Rank to Funding: The rank of a project determines two things: if project assistance is justified, and if qualified, what priority the project has. The ranking process has no influence on the format of the assistance award package offered. All assistance awards will generally be in the form of a low interest loan.

It is possible for a project to be funded outside of rank order. If a lower ranking project is able to be funded within remaining resource limits while a higher ranking project would exceed those limits, the lower ranked project may be funded if the applicant for the higher ranking project is unable to accept only the portion of its request able to be funded within resource limits.

If two or more qualified projects attain the identical ranking score, the benefit/cost ratio will be the factor determining final ranking.

- 1.1.4 Directors Authority: On a case by case basis the Director will have the authority to modify payback criteria and/or funding limits.

## 1.2 PROJECT SELECTION CRITERIA

### 1.2.1 Transportation Efficiency Benefit/Cost Ratio:

- (a) Purpose: The purpose of this criterion is to afford a measure of the economic soundness of a public investment in the project.
- (b) Description: The total B/C consists of three levels: (1) primary efficiency benefits, (2) transportation efficiency benefits including highway impacts, and (3) total economic benefits including secondary economic impacts quantified with the REMI model. In order for a project to qualify for further evaluation, it must have a primary efficiency B/C ratio of 1.0 or greater. This is the minimum economic efficiency threshold used by federal and state agencies. However, the total B/C ratio is used in comparing projects that have passed a minimum threshold test.
- (c) Scoring: The benefit-cost ratio is included as a numeric score. To remain consistent with a multi criteria scoring system, the B/C ratio cannot increase without bound. Thus, it is capped at 25. A B/C ratio above 25 is a rare occurrence. Therefore, this cap should have little, if any effect on scoring outcomes.

***MAXIMUM OF 25 POINTS***

### 1.2.2 Carloads per Mile:

- (a) Purpose: The purpose of this criterion is to represent the scale of the total project benefits. Traffic density is a proxy for the strategic significance of a line, and the likelihood of long-run survival of the line, and the continuation of benefits beyond the analysis period.
- (b) Description: Rail carloads are totaled over the last year or are averaged over three years. All carloads may be included even if transported by a railroad not party to the project proposal. Any bridge or overhead carloads included in the total shall also be shown separately. If multi-platform articulated cars are used, they are treated as single or multiple cars according to how they are treated in the tariff or contract under which they move. Excluded are carloads that have been used in a prior project's carload count of which are now rerouted over the proposed project unless the reroute can be demonstrated to be independent of project considerations. The carloads of the past three years and the projections for the next two years may be used. Absent valid projections, only the average of the past three years is used. The carload data and evidence of its validity is provided by the applicant during the application conference(s).

- (c) Scoring: Points are awarded on the basis of carloads per mile as shown in the table below. The points awarded increase as the carloads per mile approach 120. The points are awarded in this manner to reflect the lesser impact on the economy on very light density lines.

<i>Carloads/Mile 3 Yr. Average</i>	<i>Points</i>
< 12	0
12 - 20	1
21 - 35	2
36 - 80	3
81 - 120	4
> 120	5

**MAXIMUM OF 5 POINTS**

### 1.2.3 System Connectivity:

- (a) Purpose: The purpose of this criterion is to afford a means to reflect the value a project may present in serving a distinct system function even though traffic origin or destination functions may be minimal or absent.
- (b) Description: System connectivity is present when the project specifically provides for the entire sole connection of two distinct through route line segments of the applicant's system, or the system's sole interchange connection with another railroad.
- (c) Scoring: System connectivity points are awarded as follows.

<b>Description</b>	<b>Score or Range</b>
High Connectivity	3
Moderate Connectivity	2
Low Connectivity	1
Nonexistent	0

**MAXIMUM OF 3 POINTS**

<b>Score</b>	<b>Example of Qualifying Project</b>
<b>3</b>	Line improvement that rehabilitates a segment that connects two high volume branch lines and prevents circuitous routing
<b>2</b>	Line improvement to ensure that a segment of track remains continuous
<b>1</b>	Low usage gateway between branch lines
<b>0</b>	Stub Line or Siding



**1.2.4 Enhancing North Dakota's Economy:**

- (a) Purpose: The purpose of this criterion is to afford a means to reflect in the awarding of rail assistance funds aspects of the project that offer economic benefits that may not be captured under the benefit/cost and REMI analysis. A qualifying scenario includes an exogenous economic impact, that is, non-measurable in the context of the benefit-cost criteria.
  
- (b) Description: Points are awarded under this criterion on the basis of the department's finding the project:
  - (1) Will address an unusual North Dakota job gain or loss situation.
  - (2) Contains an element of urgency/timeliness significant to its ability to deliver long-term benefits.
  - (3) Improves viability of businesses served by the operator.
  - (4) Improves the attractiveness of North Dakota for new business.
  - (5) Serves a developed industrial park (streets, sewer, and water in place).
  
- (c) Scoring: Enhancing North Dakota's economy points are awarded as follows:

Description	Score or Range
High Exogenous Impact	3
Moderate Exogenous Impact	2
Low Exogenous Impact	1
Nonexistent	0

**MAXIMUM OF 3 POINTS**

Score	Example of Qualifying Project
3	Project that provides rail access to an industrial park, which raises attractiveness for firms to locate there
2	Project that provides rail access to an industrial park, which may induce existing firms to expand
1	Project that maintains infrastructure which may lead to firm retention
0	Project that does not have exogenous potential economic impact

**1.2.5 Safety and Security:**

- (a) Purpose: The purpose of this criterion is to provide a means to reflect in the awarding of rail assistance funds aspects of the project that offer unique benefits to railroad safety or enhance the state's security. A qualifying scenario would include a safety or security impact that is not quantifiable, and therefore not included in the Benefit-Cost analysis.

- (b) **Description:** Points are awarded under this criterion on the basis of the department's finding the project will result in:
- (1) Reduction in potential derailments.
  - (2) Reduction of hazards to railroad personnel and contractors.
  - (3) Shift of shipments of hazardous materials from the highway system to the railroad network that would reduce accident exposure.
  - (4) Grade crossing safety enhancements.
  - (5) Increasing the security of yards, containers, tank cars, and other equipment and facilities.
  - (6) Security enhancements to border crossings, inspection locations, bridges and potential choke points.

(c) **Scoring:** Safety and Security points are awarded as follows:

<b>Description</b>	<b>Score or Range</b>
High Safety and Security Impact	3
Moderate Safety and Security Impact	2
Low Safety and Security Impact	1
Nonexistent	0

**MAXIMUM OF 3 POINTS**

<b>Score</b>	<b>Example of Qualifying Project</b>
<b>3</b>	Project that reduces hazmat transportation risks by shifting traffic from high-risk highway routes, reduces the risks of hazmat accidents at grade crossings, or reduces the risks of train derailments involving hazmat cargo
<b>2</b>	Project that generally reduces highway accident risks by shifting freight traffic from highway routes to rail lines, or, that reduces the risk of train derailments
<b>1</b>	Project that improves the safety and security of railroad lines or yards by eliminating hazards to railroad workers or the public, including reductions in trespassing
<b>0</b>	Project that does not positively impact safety or security

**1.2.6 Environmental and Community Effects:**

- (a) **Purpose:** The purpose of this criterion is to provide a means to reflect in the awarding of rail assistance funds aspects of the project that offer unique benefits related to environmental and community impacts. A qualifying scenario would include an environmental or community impact that is not quantifiable, and therefore not included in the benefit-cost analysis.
- (b) **Description:** Points are awarded under this criterion on the basis of the department's finding the project:
- (1) Will reduce negative community impacts of rail

transportation such as noise, traffic interference, or blocked crossings.

(2) Will reduce environmental impacts aside from efficiency gains due to modal shift.

(c) Scoring: Environmental and Community Effects points are awarded as follows:

Description	Score or Range
High Benefit Level	3
Moderate Benefit Level	2
Low Benefit Level	1
Nonexistent	0

**MAXIMUM OF 3 POINTS**

Score	Example of Qualifying Project
3	Rail relocation project which eliminates noise, traffic interference or the need for a quiet zone
2	Rail line construction that provides rail access to an industrial park, thereby shifting traffic to rail
1	Rail rehabilitation through wetlands which corrects prior environmental impacts
0	Rail project which does not generate environmental or community benefits

### 1.2.7 Scoring and Weighting Method:

(a) Purpose: The purpose of weighting the criteria is to appropriately assess the importance of each criterion to determine the total overall impact of the project.

(b) Description: The weights assigned were determined by a committee of stakeholders in North Dakota's rail industry. Each criterion is assigned with a weight which reflects the importance of the criterion to the committee.

(c) Weighting: The scoring and weighting method is implemented as follows:

Criterion	Minimum Score	Maximum Score	Weight	Total
Total B/C ratio	0	25	1.12	28
Carloads per mile	0	5	3.6	18
System connectivity	0	3	6	18
Economic development	0	3	4.6	14
Safety/Security	0	3	4	12
Environmental/Community	0	3	3.3	10
<b>Weighted</b>				<b>100</b>



**APPENDIX H**  
**RAIL REHABILITATION PROJECTS**

---



## NORTH DAKOTA LRSA/LRFA

### REVOLVING LOAN ACCOUNT ACTIVITY

YEAR	RR	PROJECT	MILES	FEDERAL	MATCHING	TOTAL
1982	BN	New Rockford to Maddock, rail rehab	36.6	\$1,450,236.53	\$765,079.29	\$2,215,315.82
1982	BN	Larimore to Mayville, rail rehab	36.3	\$1,106,740.47	\$628,302.00	\$1,735,042.47
1983	BN	Edgeley to Lisbon, rail replacement	53.4	\$861,556.62	\$1,604,908.25	\$2,466,464.87
1983	CPR	Fordville to Poland, rail rehab, 3 phase project	35.7			
1983	CPR	Phase I, Fordville to Conway		\$216,293.00	\$92,697.00	\$308,990.00
1984	CPR	Phase II, Conway to Forest River		\$425,659.00	\$212,822.28	\$638,481.28
1985	CPR	Phase III, Forest River to Poland		\$222,855.00	\$386,882.79	\$609,737.79
1986	CPR	Tolley to Russell, rail rehab, phase 1 of a 2 phase project; Loma to Lankin (done in 1989) is Phase II	45.0	\$1,688,855.00	\$1,515,742.74	\$3,204,597.74
1986	CPR	Egeland to Loma, rail rehab	19.0	\$905,100.00	\$837,436.68	\$1,742,536.68
1988	RRVW	Mooreton to Wahpeton, replace rail	5.0	\$347,400.00	\$157,800.20	\$505,200.20
1988	RRVW	Independence to Oakes, ties & ballast	15.0	\$195,600.00	\$126,916.02	\$322,516.02
1988	RRVW	New Rockford to Carrington, rail rehab	15.0	\$256,940.00	\$198,703.35	\$455,643.35
1989	CPR	Loma to Lankin, rail rehab	30.0	\$1,887,686.62	\$809,008.55	\$2,696,695.17
1989	RRVW	Mooreton to Wahpeton, rail rehab	40.0	\$527,761.25	\$226,183.39	\$753,944.64
1990	RRVW	Wyndmere to Barney, rail relay	4.2	\$283,256.30	\$121,395.56	\$404,651.86

1991	RRVW	Barney to Mooreton, rail replacement	5.0	\$464,670.00	\$164,720.10	\$629,390.10
1992	RRVW	Mooreton to Oakes Jct., replace rail	6.5	\$505,217.59	\$220,807.54	\$726,025.13
1993	RRVW	Chaffee Junction to Chaffee, rail relay	11.6	\$338,594.28	\$146,540.40	\$485,134.68
1993	DMVW	Kulm to Merricourt, rail relay	10.0	\$506,101.00	\$216,901.00	\$723,002.00
1996	RRVW	Davenport to Lisbon, tie & ballast upgrade, resurface rail	37.0	\$583,877.00	\$250,233.00	\$834,110.00
1996	CPR	Calio to Bisbee, ties & ballast, resurface rail	19.5	\$1,082,813.20	\$464,062.80	\$1,546,876.00
1996	CPR	Conway to Ardoch, rail relay	2.0	\$266,000.00	\$114,000.00	\$380,000.00
1996	DMVW	Crosby to Fortuna, tie & ballast upgrade, resurface rail	24.0	\$706,490.40	\$302,781.60	\$1,009,272.00
1997	RRVW	Carrington to New Rockford, tie and ballast upgrade, resurface rail	16.0	\$223,166.58	\$95,642.82	\$318,809.40
1999	RRVW	Berlin Elevator, siding, new const.		\$80,982.00	\$80,982.00	\$161,964.00
1998	NPR	Ardoch to Conway, ties & ballast upgrade, 2 phases	16.0			
2000	NPR	Ardoch to Conway, phase I		\$505,396.27	\$216,597.40	\$721,993.67
2002	NPR	Ardoch to Conway, phase II		\$1,505,205.00	\$1,045,989.91	\$2,551,194.91
2002	RRVW	Oakes to Independence, replace rail, tie & ballast upgrade	16.0	\$2,420,000.00	\$1,037,142.86	\$3,457,142.86
2005	NPR	Ardoch to Red River Bridge, rail replacement with tie & ballast upgrade	9.6	\$1,511,170.00	\$647,644.29	\$2,158,814.29
		<b>TOTALS</b>	<b>471.8</b>	<b>\$19,625,386.58</b>	<b>\$11,922,844.53</b>	<b>\$31,548,231.11</b>



**NORTH DAKOTA FRIP**  
**REVOLVING LOAN ACCOUNT ACTIVITY**

<b>YEAR</b>	<b>RR</b>	<b>PROJECT</b>	<b>STATE</b>	<b>MATCHING</b>	<b>TOTAL</b>
1997	DMVW	Crosby to Ambrose, rail relay	\$ 657,994.00	\$ 281,998.00	\$ 939,992.00
2001	RRVW	Oakes to Independence line, rail replacement, tie and ballast upgrade	\$ 920,939.00	\$ 276,282.00	\$ 1,197,221.00
2001	RRVW	Oakes Junction to Oakes, rail replacement, tie and ballast upgrade	\$ 813,247.00	\$ 346,372.00	\$ 1,154,574.00
2005	CRETE GRAIN	Bernard Siding; Oakes junction to Oakes, new construction, including switch and track scale; rehab construction including tie and ballast upgrade	\$ 639,326.00	\$ 549,761.00	\$ 1,243,087.00
2005	RRVW	Oakes, rail replacement and tie & ballast upgrade to support Crete Grain project	\$ 212,657.00	\$ 91,139.00	\$ 303,796.00
<b>TOTALS</b>			<b>\$ 3,244,163.00</b>	<b>\$ 1,545,552.00</b>	<b>\$ 4,838,670.00</b>

## NORTH DAKOTA LRSA/LRFA

### GRANT ACTIVITY

YEAR	RR	PROJECT	FEDERAL	MATCHING	TOTAL
1979	BN	GRANT Jamestown – Upgrade spur line into the State Hospital to allow coal car access.	\$594,536.28	\$139,612.15	\$734,148.43
1980	CPR	GRANT Monango – Siding to provide CPR rail service to a new consolidated grain terminal after Milwaukee Road abandonment.	\$207,627.06	\$51,906.77	\$259,533.83
1980	CPR	GRANT Fairmount – provide CPR rail service to Cenex bulk fertilizer plant after Milwaukee Road abandonment.	\$13,977.28	\$3,494.32	\$17,471.60
1981	Coop	GRANT Gladstone – Siding to provide BN rail service to new grain subterminal constructed after Milwaukee Road abandonment.	\$335,972.00	\$89,873.03	\$425,845.03
1993	DMVVW	GRANT System-wide Flood	\$80,541.39	\$14,213.19	\$94,754.58
1993	RRVW	GRANT System-wide Flood	\$133,550.30	\$23,556.70	\$157,107.00
1993	CPR	GRANT System-wide Flood	\$340,000.00	\$88,221.38	\$428,221.38
1996	PRO GOLD	GRANT Richland County – Rail spur and intermodal facilities to support a \$267 million corn processing plant. The project is served by the RRVW 1st subdivision north of Wahpeton ND and will have significant impacts on both the railroad and the local economy. Inbound corn will be via RRVW and trucks. Outbound product will be via RRVW, then BNSF for nationwide distribution.	\$1,200,000.00	\$3,400,000.00	\$4,600,000.00
<b>TOTALS</b>			<b>\$2,906,204.31</b>	<b>\$3,810,877.54</b>	<b>\$6,717,081.85</b>

## **APPENDIX I**

### **RAIL PLAN UPDATE PUBLIC HEARING COMMENTS**



## **Summary of Comments**

### **I. Introduction**

The State Rail Plan update public hearing was held September 21, 2006. The meeting was held simultaneously at sites in Bismarck and Fargo via interactive video. Invitations were sent to agencies, businesses and individuals prior to the meeting.

The meeting was publicized in all North Dakota daily newspapers 21 days prior to the meeting. A follow up public service announcement was sent to the same newspapers approximately 10 days before the hearing. Written comments could be submitted through the October 5, 2006. No written comments were received. Verbal comments were received at the hearing.

The draft rail plan was posted on the NDDOT web site about three weeks before the public hearing. The draft was available for download. Hard copy was available on request. The public was granted the opportunity to submit comments electronically or in hard copy. No comments were received. Hard copy of the draft rail plan was also available at the meeting sites.

The hearing was open house format. An overview of the updated plan was presented. The meeting was then opened for comments.

### **II. Purpose of Hearing**

The meeting was held to receive comments on the draft State Rail Plan and to inform the public about current rail related issues.

### **III. Verbal Comments (paraphrased)**

**DAN ZINK, RED RIVER VALLEY & WESTERN RAILROAD:** One of the most important things within the State Rail Plan is the loan programs. The North Dakota rail loan programs are absolutely critical to the success of the short line railroads in the state, and RRVW has been a frequent user of them. They are the best source of financing for track rehabilitation projects, short of outright grants. The short lines are grateful for being able to use the loan programs.

It is critical to the future of the short lines to be able to obtain financing for track projects. Financing for larger track projects is one of the greatest challenges that short lines face nationwide, and is probably the biggest single obstacle in the way of further short line development in the country. Nearly all of the legislative initiatives that the short lines have pursued at the state and national levels during the last several years have been related to financing track projects.

Short lines have been good for North Dakota and the nation. Short lines now operate just over a third of the track miles in North Dakota and represent the first-mile last-mile in many areas that would not otherwise have rail service. From the RRVW perspective, the loan programs, how they're treated, how they're funded, to what level they're funded, and the criteria for eligibility, are very important.

**BOB JOHNSTON, NDDOT:** The latest edition of *Railway Age* talks about how critically important railroads were in the development of the western part of the United States and how the economy of the nation couldn't have coalesced and specialized the

way it did without the railroad network being in place. I think this adds a little emphasis to what we're talking about today.

**STEVE STREGE, NORTH DAKOTA GRAIN DEALERS ASSOCIATION:** I agree that the railroads are important to North Dakota. My industry is saying that crop production is still the number one generator of rail use in the state. Most grain moves by rail at some point. This is a focal point for a large segment of the North Dakota economy. Pages 24 and 25 of the draft rail plan deal with shuttle loader facilities. These facilities exert great influence on the movement of grain, and producers and shippers must take this into account for their economic survival. With the coming of ethanol and other biofuel plants, change will again come for producers, shippers and the transportation network. We need to keep on top of this, to monitor and track it.

**MR. JOHNSTON:** The system has changed since 1998. With the opportunities and market for ethanol processing, and some of the other activities that we're likely to see within the next three to five years, we're likely to see a much different and/or expanded set of facilities and a different facilities map than we do today. The railroads are ready to serve that market, but there are also some implications for our local highway planning, looking at access into some of these facilities.

**MR. ZINK:** Overall, these facilities bring about movement of larger volumes through fewer points. The rail system, the highway system, the grain elevator system, and producers are all impacted. This is an indication of the level of planning this document is

a part of, whether it be for or around the rail system. The planning process has to continue, and it should probably be more frequent and intense because of the impact this consolidation of operations has. There will be benefits, but there will also be substantial cost in terms of public and/or private infrastructure development. Short and long term investment plans may be impacted by this

**MR. STREGE:** Earlier in this month, agricultural economist Keith Kahl testified before the US Senate regarding biofuel in the United States, and how the growth of that industry has been a lot faster than what USDA projected just two or three or four years ago; he was talking about perhaps 20 percent of CRP acres coming out and going into some crop production. ND is among the top three areas of the county for acres in CRP. The central part of the state – Pierce, Sheridan, Stutsman and Wells counties, for example – has a lot of acres in CRP. I don't know if corn can be successfully grown on those acres because of water problems, but there are many acres there.

**MR. ZINK:** I think Steve raised another interesting point that is talked a little bit about in the plan; potential changes, with corn shifting to big shuttle facilities or ethanol plants, and possibly oilseeds going to biofuel plants. Other crops might be involved as well. I also think it's important to be aware of how growers are moving product, whether it is through the elevator system plants or trucking it directly to the plants. I think there are major implications for highway planning in all this, since there is potential for shifting truck traffic patterns, which would affect highways and planning in the NDDOT districts. I think it's something we should monitor and keep track of.



**MR. STREGE:** Well, to move into the plants might not make sense to the railroads because I've been told that they're going to be brining corn from Minnesota into North Dakota plants, while North Dakota corn is going to go to the PNW. I don't know if that's true or not. Maybe Dan can shed some light on that. The railroads can do a lot of things through rates and service. They're pretty free to do that, and so we may think we've got it figured out, but we may not have it figured out.

**MR. ZINK:** Well, I don't disagree with that at all, Steve. I think a lot is still up in the air. One of the best examples right now is the two ethanol plants under construction in the western part of the state. They're not in or near what traditionally has been corn country. The plants will have some corn inbound by truck, but the facilities are built to be served by rail. Most of them are building enough track to receive shuttle trains or unit trains, but where the source of the corn is I think is very much up in the air. We have within the last few days been involved in preliminary discussion about the process of bringing service into one of those plants. One of the big questions is about the source of corn. This is a very new thing and there is no experience to fall back on. It changes the dynamic of our westbound corn movement completely. How do you satisfy demand far away and up close at the same time; what are the right rates to make that happen, to get the product where it belongs and to do it with enough margin to stay in business for the long term.

**JACK OLSON, NDDOT:** I appreciate Dan and Steve's comments. I also want to say that we appreciate Dan's comments about the loan programs, about their importance to

the state as a whole, and that they should be used for track projects as much as possible. We have heard that again and again at different times and places. Most of our money has gone for track projects in the past and we would like to continue to use the loan funds primarily for that purpose.

On the issue of corn moving to ethanol plants: I think the two presently being constructed in the western part of the state anticipated more corn from local sources than will be available locally. They are going to have to bring corn in from other areas, and they realize that. They did talk about new varieties of corn that are more drought resistant and mature more quickly. That may extend the corn area to some degree. We've seen some expansion of corn production in North Dakota already, from south to north, to places like Grand Forks County and other areas.

In addition to corn, we're going to see the impacts of moving coal to these plants, either from within the state or from out of state. The movement of ethanol and by-product out of the plants will also impact the transportation system. The points that both Dan and Steve have touched on are extremely important. We're watching them, and we need to continue to watch them as industry grows and changes.

**MR. ZINK:** Steve, what are the prospects of that 20, 25 percent that's in the CRP becoming active, productive land?

**MR. STREGE:** There are a lot of contracts coming due next year and the year after. The USDA could, by changing its environmental benefits, indexed EDI, payments, or capping the number of acres in each county, impact how many contracts will be renewed.

I mentioned a problem with water. They can't raise corn without water, and even if there are more drought tolerant or shorter season varieties, they may not have the yield of the more conventional varieties. Usually you sacrifice something to gain something.

**MR. ZINK:** We heard that the ethanol facility at Williston is looking at designing that plant to run on 15 to 20 percent on non-corn. It could be barley, peas, lentils or other crops that haven't been traditionally used for ethanol production.

**MR. STREGE:** There is another issue emerging in coal. With new technology that handles coal very quickly, we have the potential of a few large coal transload facilities being built, where the coal is railed in and trucked to final destination, rather than being delivered to final destination by rail. If this comes about, the transload facilities may not be in or near a place where a particular company wants to be. This is most likely to occur in areas where coal users cannot receive more than a few rail cars at a time. Probably the broader policy issue is whether the public interest is better served by having coal trucked from a consolidated facility, or delivered to the user directly by rail. As with many issues, economics plays a large part. The railroads want to move coal quickly, with minimum down time for loading and unloading, while those receiving the coal want it delivered as cheaply as possible and are probably less concerned about turn around time. The public is concerned about increased truck traffic on the highways, and noise and congestion. It is sometimes difficult to balance these competing interests.

**MR. ZINK:** Excellent point. Coal transloading has already happened with the sugar beet industry in North Dakota. While coal used to be delivered on site by rail to the sugar beet plants, it is now railed to a transload facility at Ardoch, ND. From there it is trucked to the beet plants in the valley. There are presently about 150 trucks a day in and out of the Ardoch facility. Those trucks were not on the highway network before the coal transload facility was built.

**MR. STREGE:** Are any of the ethanol plants anticipating using lignite or is it all bituminous?

**MR. JOHNSTON:** The only one I'm aware of is Richardton. I believe they are going to use lignite.

**MR OLSON:** Yes, the Richardton plant is planning to get coal from the mine at Center, North Dakota. The Yellowstone ethanol plant at Williston will either get coal from the Savage Mine, which is between Glendive and Sidney, Montana, or it will be trucked from Center.

**VOICE:** Can't coal from the Center Mine be railed into Richardton?

**MR. JOHNSTON:** It could be railed if the track between the mine and the BNSF mainline is good, but right now, they're looking at trucking it all.

**MR. STREGE:** If I remember the rail system out there, it's probably a much shorter truck haul than it is a rail haul given the location of the tracks and the need to access the BNSF mainline.

**VOICE:** Yes, it is.

**MR. STREGE:** The big issue there that they've identified is the length of the agreement that they have with the coal company. They can get a 35-year agreement on their coal there. I asked them why they weren't looking at, say, coal from Montana. They said it had to do with the length of agreement on the term for the purchase of the coal. I think they got what they thought was a better deal by using North Dakota lignite. They were also going to try to employ some new pollution-control equipment to make the North Dakota coal more viable that way.

**VOICE:** Well, how would a facility around Jamestown get its coal?

#### **DENVER TOLLIVER, UPPER GREAT PLAINS TRANSPORTATION**

**INSTITUTE:** It would more than likely be brought in from Montana or Wyoming on the BNSF main line. That's my opinion.

**VOICE:** So you're suggesting there could be a distribution center established somewhere in eastern or south central North Dakota if there are several ethanol plants. The coal might come to one centralized facility and then be trucked to various sites.

**MR. TOLLIVER:** I think that's a very real possibility.

**VOICE:** The location of that site would have a huge impact on highway planning in Jamestown, Valley City and Fargo districts.

**MR. STREGE:** There may be a trend developing toward consolidated distribution sites, where coal is transloaded from train to truck, for final delivery, rather than train delivery to individual facilities. If it's not a trend, it may be something we need to be aware of and monitor to see what develops. We have one such facility now at Ardoch, and it has changed truck traffic patterns and significantly impacted the highway system in the service area. If other such facilities are developed, the impact is likely to be similar, assuming a similar size operation.

**MR. OLSON:** Are there other comments about the rail plan document? Are there things we missed, overlooked, should have included, or need to get rid of? We intend to expand the directory section, adding more information about economic development contacts at the railroads for communities or businesses that are considering projects that would require rail infrastructure and rail service. We also want to work with groups like the North Dakota Economic Development Association and others to get them to understand what the rail system can and can't provide in certain communities, so that if a community is out looking for a particular type of development, they'll know what their options are.

**MR. TOLLIVER:** We worked to provide more relevant information in Appendix C, compiling a brief but detailed description of line segments for each of the seven railroads that operate in ND, including maximum speed, gross car weight limit, traffic-density range in gross ton miles per mile, and a brief narrative.

**MR. OLSON:** We want to eventually have a document that can be electronically altered to be kept current during the life of the plan. We'd like to include information like contact information for railroad safety and operational issues such as crossing signal malfunctions, missing warning signs, missing or damaged crossbucks and so on. We want to provide the public with contact information so they will be able inform the railroad if they see a problem, or if there is an emergency, like a derailment or crash. We hope this will promote public awareness of the rail system and how it should function.

**MR. STREGE:** I understand why the rate and service section was removed, but rail rates and service are still the most important factors in determining commodity movements and market access. Maybe something like that could be said in the rail plan if it isn't there already.

**MR. ZINK:** I think you have a very good point there, Steve. A comment could be made about that. I think Bob was trying to indicate that since the states no longer have a regulatory function regarding rail rates and service, we weren't going to spend a lot of time on it and possibly create an adversarial relationship with the railroads. The STB has

regulatory oversight in these areas now, and that's where issues will be sorted out, but I think your comment is valid.

**MR. OLSON:** Are there any more comments on the plan?

**MR. STREGE:** I'd like to thank the railroads for participating. I thought we had much better participation this time from the railroad companies. We had very constructive input from Red River Valley and Western, Northern Plains Railroad, CP Railway and BNSF Railway. That input was critical to shaping this document and coming up with some of those strategies, which I think are going to be very useful in guiding us in the future. Thanks.

**MR. OLSON:** Also, Denver, we want to note that the railroads acted in good faith and were never critical, nor were the others who served on the advisory group in the development of the Rail Plan update. We also appreciate very much having the opportunity to meet with Minnesota and talk about common issues. We want to extend that dialogue to include Montana and South Dakota and the Canadian provinces into the future, since our rail system connects with theirs.

We are going to look at developing an annual work plan, identifying underneath the goals and strategies in the Rail Plan which elements we're going to work on in any given year and what we're going to try to achieve. That would then become part of the rail plan. It would be updated at least annually, and would be a resource available to the public to enable them to see where we have and will put our resources and efforts.



**MR. OLSON:** Denver, could we have a short discussion about the rail loan application process and selection criteria? Have they changed significantly and are we looking at different kinds of projects or not? I think we need to talk about that.

**MR. TOLLIVER:** We started with the original FRIP guidelines from the previous Rail Plan. We changed the selection criteria some to accommodate different types of projects and to make the evaluation process more valid. We also tried modify criteria where needed to make it easier to quantify them so the process would be less subjective. We realize that there are times we don't have all the data we would like to have. We wanted to make the process as objective as we could and as uniform as we could, so projects would be evaluated on merit, in a fair and consistent manner. The following is a brief overview.

We still consider the basic benefit/cost (B/C) ratio as foundational, but it is part of a multi criteria scoring system. We use the actual B/C ratio as a point value. It is capped at 25, but a ratio of greater than 25:1 would be very unusual.

In addition, we assign points based on carloads per mile generated from the rail line. This is reflected to some extent in the B/C ratio, but there is justification in saying that traffic density is a proxy for the likelihood of the survival of the rail line. For this reason, we assign a maximum of five additional points for lines with higher traffic density.

We have a system connectivity criterion, which we think is extremely important. If there is a line segment in the middle of the network that not only originates local traffic but links other strategic segments, it exhibits connectivity and is an extremely important

part of the railroad's system. Projects on such line segments are assigned up to three additional points.

We also look at the potential effect a project has on the North Dakota economy and use that in the B/C computation. That is a significant change, since that data was not used in the B/C ratio computation before. The B/C ratio used to be computed based on direct benefits to shippers and railroads through cost savings and improved efficiency. We still do that computation, but we now also use a sophisticated regional economic model called the REMI model for additional analysis. The REMI model takes direct benefits and translates them into not only spending effects in the economy, but also the impact on jobs and other potential economic activity generated by the project. This gives us a much more sophisticated benefit cost methodology than have had up to now.

There is a safety and security criteria which we didn't have before. Typically, in the direct benefit cost ratio, we don't quantify the changes in derailment risk or things of that nature. This criterion allows us to assign some points to a project if we think that it potentially improves the safety on a line by lessening the chance of derailment or other mishap due to track defect, condition of the line, or some other factor the project might mitigate.

Finally, we also have a criterion for environmental and community affects. Here we can assign points to a project that would, for example, reduce noise or interference with highway traffic in the community by reducing the length of time crossings are blocked by trains. We might also be able to consider potential fuel savings and/or lessening of emissions when moving freight by rail compared to other modes of transportation.

These modifications give us a more flexible project evaluation framework than before, with more sophisticated and inclusive B/C methodology than we had before.

**MR. ZINK:** I agree that it's important to include these criteria that we didn't include in the past. I think it brings the rail plan more in line with our overall state transportation plan.

**MR. TOLLIVER:** We're interested in the response from all stakeholders. This is a new process for the rail plan, with on line access and potential for running modifications. It's a test, of sorts, and we'll revisit it a couple of years down the road to see how it's working. We can always go back to a more traditional methodology if that is indicated.

**MR. ZINK:** Attention to security in the railroad industry has become extremely high in the last half dozen years or so. It's important to recognize that in planning and operations. We have a long way to go in terms of providing some assurance of security in the industry. There's a real vulnerability there, but much attention is being focused on it.

I was also very interested in the system connectivity portion of the project evaluation process. Jack mentioned the Independence line project. We were we were reminded of the importance of system connectivity there because in the whole process of developing that project and trying to get buy-in from a number of parties on things related to it, we were reminded daily that without it, and the connectivity it would provide, the entire west end of our system was in jeopardy.

This project was problematic for us because, while business was there and it was essential for us to do the project for the long term good of our system, the short term economic reality made it difficult. The rail loan program helped us out there, and the importance of connectivity was a factor in that.

**MR. ZINK:** Also, related to connectivity, the RRVW, in the 20 years since it started, has gone from about 675 system miles to the about 500 miles it has today. The size reduction was for economic reasons. The lines we no longer operate were not economically viable. The process of rationalization will likely continue for our railroad and others. However, someday we're going to get to a core system of interconnected short lines and Class I carriers that we can say with a fair amount of confidence is solid for the future. I think this will be true both nationwide and within each state that has a rail network. If we can keep focus on system connectivity here, North Dakota will have a better core system in the future.

**MR. TOLLIVER:** Absolutely. I agree. Connectivity is a very important criterion.

**MR. ZINK:** One more comment. Hazardous materials is a big issue that has developed nationally amongst not only the short lines, but all railroads. There is a security aspect to it, but, in addition to that, is the whole issue of liability. Risk management has grown exponentially in the last few years, driven by the need to mitigate the risk attendant with carrying hazardous materials, and especially, can you insure for it? Due to the common carrier obligation, railroads cannot easily refuse to carry a very hazardous product like

anhydrous ammonia. On our small railroad, we question whether or not it really makes economic sense to haul the very small number of hazardous materials that we do, because one serious incident like the Minot incident could break our small company. We carry what we feel to be adequate insurance, but an incident like that could put us under.

I believe the insurance industry is very quickly coming to the point where they will someday refuse to insure for those kinds of incidents. Right now, the insurance costs contemplated by some of the bigger carriers are astronomical. There are presently 500 small railroad companies and only four companies nationally that will provide liability insurance for small railroads. Insurance companies have become more and more reluctant to provide coverage for hazmat incidents and the number that do will probably decrease within a few years.

**MR. OLSON:** We certainly appreciate the input the railroads and the other members of the committee gave us. I think we have a better document this time around. We appreciate Upper Great Plains' efforts on this, both Alan and Denver and the other people that worked on it. We're going to try to make this document an electronic document, so it may change monthly or quarterly or whenever things occur that make it necessary to change what's there. If that happens, the hard copies, obviously, will be outdated, but we don't want to wait eight years again before we update the rail plan.

ATTENDEES

Bismarck: NDDOT: Brad Darr, Ben Ehreth, Bob Fode, Bob Johnston,  
Jack Olson, Jim Styron, Francis Ziegler  
Other: Kevin Gribble, Nick Steffens (media representatives)

Fargo: NDDOT: Bob Walton  
UGPTI: Alan Dybing, Denver Tolliver  
Other: Steve Strege, ND Grain Dealers; Dan Zink, Red River  
Valley & Western Railroad; media representatives, names  
unknown

**APPENDIX J**  
**DIRECTORY**

---





## RAILROAD BUSINESS CONTACTS

### **BNSF**

Patrick Thompson, Director, BNSF Economic Development  
2650 Lou Menk Dr.  
MOB-2  
Ft. Worth, TX 76171-2830  
Phone: 817.867.6547  
Web: <http://www.bnsf.com/tools/econdev>

Steve Dodd, BNSF ND Region  
4515 Kansas Ave.  
Kansas City, KS 66106-1199  
Phone: 913.554.4168  
Web: <http://www.bnsf.com/prospective/contacts>

### **CPR**

Louise Zinkevcz, Area Manager, Business Development  
501 Marquette Avenue  
Suite 1510  
Minneapolis, MN 55402  
Phone: 612.904.5920  
[louise\\_zinkevcz@cpr.ca](mailto:louise_zinkevcz@cpr.ca)

### **DMVW**

Dennis Ming  
DMVW Railroad  
3501 E. Rosser Ave.  
Bismarck, ND 58501  
Phone: 701.223.9282  
[dming@dmvwrr.com](mailto:dming@dmvwrr.com)

### **DNRR**

George LaPray  
Box 705  
Crookston, MN 56716  
Phone: 218.281.1753  
[mnn@rrv.net](mailto:mnn@rrv.net)

### **NPR**

Jesse Chalich, Marketing & Sales Manager  
100 Railroad Avenue  
Box 38  
Fordville, ND 58231  
Phone: 701.229.3330  
[nprserv@polarcomm.com](mailto:nprserv@polarcomm.com)

**RRVW**

Andy Thompson, Senior VP/General Manager  
Box 608  
Wahpeton, ND 58074  
Phone: 701.642.8257  
[andy.thompson@rrvw.net](mailto:andy.thompson@rrvw.net)

**YSVR**

Steve Sheldon, Marketing Manager  
Marketing Manager  
1900 North Main St, Suite 14  
Helena, MT 59601  
Phone: 406.459.4265  
[ssheldon@watcocompanies.com](mailto:ssheldon@watcocompanies.com)

**RAILROAD OPERATIONS/SAFETY CONTACTS**

To report emergencies, grade crossing signal and gate malfunctions, other safety issues, or anonymous crime tips

**BNSF**

Phone: 800.832.5452  
Web: <http://www.bnsf.com/tools/resourceprotection/protection.html>

**CPR**

Phone: 800.716.9132  
Web: <http://www.cpr.ca>

**DMVW**

Dominic Goetz  
3501 E. Rosser Ave.  
Bismarck, ND 58501  
Phone: 701.223.9282

**DNRR**

George LaPray  
Box 705  
Crookston, MN 56716  
Phone: 218.281.1753  
[mnn@rrv.net](mailto:mnn@rrv.net)

**NPR**

Larry Jamieson, VP Maintenance & Special Projects

100 Railroad Avenue

Box 38

Fordville, ND 58231

Phone: 701.229.3330

[nprserv@polarcomm.com](mailto:nprserv@polarcomm.com)

**RRVW**

Cal Gruebele, Manager Track & Structure

1011 Wisconsin Avenue

Breckenridge, MN 58520

Phone: 218.643.1532

[calgruebele@rrvw.com](mailto:calgruebele@rrvw.com)

**YSVR**

Mike Lyons, General Manager

909 E. Main Street

Sidney, MT 59270

Phone: 406.433.8561

[mlyons@watcocompanies.com](mailto:mlyons@watcocompanies.com)

## MPO CONTACTS

### Local government planning

#### **Bismarck/Mandan MPO**

Steve Saunders  
Bismarck – Mandan MPO  
221 N. 5<sup>th</sup> St.  
Box 5503  
Bismarck, ND 58506 – 5503  
Phone: 701.355.1840  
[ssaunder@nd.gov](mailto:ssaunder@nd.gov)  
Web: <http://www.bismarck.org>

#### **Fargo/Moorhead MetroCOG**

Bob Bright, Executive Director  
F-M MetroCog  
Case Plaza, Suite 232  
1 North 2<sup>nd</sup> St.  
Fargo, ND 58102  
Phone: 701.232.3242  
[bright@fmmetroco.org](mailto:bright@fmmetroco.org)  
Web: <http://www.fmmetroco.org>

#### **Grand Forks/East Grand Forks MPO**

Earl Haugen, Executive Director  
GF/EGF MPO  
Box 5200  
Grand Forks, ND 58206-5200  
Phone: 701.746.2660  
[ehaugen@grandforksgov.com](mailto:ehaugen@grandforksgov.com)  
Web: <http://www.theforksmpo.org/>

## NDDOT CONTACTS

**WEB:** <http://www.dot.nd.gov>

### PLANNING

**Jack Olson**

**Senior Planner**

608 E. Blvd. Ave.

Bismarck, ND 58505

701.328.1029

[jolson@nd.gov](mailto:jolson@nd.gov)

**Robert Johnston**

**Rail Planner** – State Rail Plan, Rail Loans (LRFA, FRIP), Operation Lifesaver

608 E. Blvd. Ave.

Bismarck, ND 58505

701.328.2675

[rjohnsto@nd.gov](mailto:rjohnsto@nd.gov)

**Jim Styron**

**Program Manager** – Rail Crossings

608 E. Blvd. Ave.

Bismarck, ND 58505

701.328.4409

[jstyron@nd.gov](mailto:jstyron@nd.gov)

### DISTRICT ENGINEERS

#### District 1

Kevin Levi

218 South Airport Road

Bismarck, ND 58504-6003

701 328-6950

[klevi@nd.gov](mailto:klevi@nd.gov)

#### District 2

John Thompson

1524 Eighth Avenue SW

Valley City, ND 58072-4200

701 845-8800

[jthomps@nd.gov](mailto:jthomps@nd.gov)

#### District 3

Wayde Swenson

316 Sixth Street South East

Devils Lake, ND 58301-3628

701 665-5100

[wswenson@nd.gov](mailto:wswenson@nd.gov)

**District 4**

Jim Redding  
1305 Highway 2 Bypass East  
Minot, ND 58701-7922  
701 837-7625  
[pregan@nd.gov](mailto:pregan@nd.gov)

**District 5**

Larry Gangl  
1700 Third Avenue West, Suite 101  
Dickinson, ND 58601-3009  
701 227-6500  
[lgangl@nd.gov](mailto:lgangl@nd.gov)

**District 6**

Les Noehre  
1951 North Washington  
P.O. Box 3077  
Grand Forks, ND 58208-3077  
701 787-6500  
[lnoehre@nd.gov](mailto:lnoehre@nd.gov)

**District 7**

Walt Peterson  
605 Dakota Parkway West  
P.O. Box 698  
Williston, ND 58802-0698  
701 774-2700  
[wpeterso@nd.gov](mailto:wpeterso@nd.gov)

**District 8**

Bob Walton  
503 38th Street South  
Fargo, ND 58103-1198  
701 239-8900  
[bwalton@nd.gov](mailto:bwalton@nd.gov)

## OTHER NORTH DAKOTA STATE GOVERNMENT CONTACTS

### **North Dakota Public Service Commission**

William Binek  
ND Public Service Commission  
608 E. Blvd. Ave  
Dept. 408  
Bismarck, ND 58505-0480  
[wbinek@nd.gov](mailto:wbinek@nd.gov)  
Web: <http://www.psc.state.nd.us/>

### **North Dakota Department of Agriculture**

Chuck Fleming  
ND Department of Agriculture  
600 E. Blvd. Ave.  
Dept. 602  
Bismarck, ND 58505-0020  
[cfleming@nd.gov](mailto:cfleming@nd.gov)  
Web: <http://www.agdepartment.com/>

### **North Dakota Department of Commerce**

Jim Boyd  
ND Department of Commerce  
1600 E. Century Ave.  
Box 2057  
Bismarck, ND 58503  
[jboyd@nd.gov](mailto:jboyd@nd.gov)  
Web: <http://www.ndcommerce.com>

## FEDERAL GOVERNMENT CONTACTS

### Federal Railroad Administration

D. B. Messmer, Railroad Safety Inspector  
FRA  
Federal Building, Room 343  
304 E. Broadway  
Bismarck, ND 58501-4082  
Web: <http://www.fra.dot.gov/>

### Federal Highway Administration

Mark Johnson  
FHWA  
1471 Interstate Loop  
Bismarck, ND 58503-0567  
Web: <http://www.fhwa.dot.gov/>

## OPERATION LIFESAVER CONTACT

Terry Weaver  
Program Coordinator  
North Dakota Safety Council  
111 N 6<sup>th</sup> St.  
Bismarck, ND 58501-4402  
Ph: 701-223-6372  
[terryw@ndsc.org](mailto:terryw@ndsc.org)  
Web: <http://www.ndsc.org>



## GLOSSARY

---

<b>AAR</b>	Association of American Railroads.
<b>AADT</b>	Average Annual Daily Traffic. Number of vehicles, on average, that travel a road each day.
<b>ASLRRRA</b>	American Short Line and Regional Railroad Association.
<b>At Grade Crossing</b>	Highway – rail crossing where both the railroad track and the highway are at ground level. Also known as grade crossing. Commonly referred to as crossing or rail crossing.
<b>Bill of Lading</b>	A document issued by a carrier to a shipper, listing and acknowledging receipt of goods and specifying terms of delivery.
<b>Biofuel</b>	A combustible liquid or gas, derived from various forms of vegetation, that can be used for fuel. Examples include ethanol from corn, biodiesel from canola or soybeans, and methane from cow manure.
<b>Branch line</b>	Secondary line, usually shorter and with less traffic density than the main line.
<b>Bridge Traffic</b>	Freight from one RR moved by a second RR for delivery to a third. For example, COFC received by RRVW, forwarded by BNSF, for delivery to Union Pacific. Also know as Overhead Traffic.
<b>Carloads per Mile</b>	Measure of traffic density on a rail line.
<b>Class I Railroad</b>	(STB definition) RR with annual operating revenue of at least \$250 million for three consecutive years.
<b>Class II Railroad</b>	(STB definition) RR with annual operating revenue of at least \$20 million but less than \$250 million. See Regional Railroad, Local Railroad and Short Line.
<b>Class III Railroad</b>	(STB definition) RR with annual operating revenue of less than \$20 million. See Local Railroad and Short Line.
<b>COFC</b>	Container On Flat Car. Intermodal traffic consisting of shipping containers loaded on rail cars. See Intermodal.
<b>Consignee</b>	Entity to which a shipment will be delivered.

<b>Conspicuous Locomotive</b>	Locomotive made more visible with reflective markings and ditch lights.
<b>Crossover</b>	Track connecting two adjacent tracks.
<b>Diamond</b>	Track configured in such a way that two railroad lines can cross at grade.
<b>Efficiency Train</b>	CPR term. A train composed usually of 100 cars that is loaded with a single commodity and runs between a loading and unloading facility. May or may not have dedicated power. May or may not have cars from more than one elevator (pooling). See Shuttle Train.
<b>Foul the Main line</b>	Block or obstruct the main line to the extent that traffic cannot pass.
<b>FRA</b>	Federal Railroad Administration
<b>FRIP</b>	Freight Rail Improvement Program. NDDOT rail assistance loan program that uses state funds.
<b>Grade Separation</b>	In this context, a rail crossing where the tracks run above the highway (rail over) or under the highway (rail under). Commonly referred to as overpass or underpass.
<b>Gross Tons per Mile</b>	Measure of freight carried on a rail line.
<b>Interchange Point</b>	A point at which two or more railroads join. Traffic may be passed from one railroad to another at interchange points.
<b>Intermodal</b>	In this context, rail cars carrying goods in a trailer or container that is moved by another mode of transport for part of its journey. See TOFC, COFC, Piggyback.
<b>ICC</b>	Interstate Commerce Commission. Federal agency that was assigned regulatory oversight of interstate commerce, including railroads. The agency was abolished in the ICC Termination Act of 1995. See STB.
<b>Local Railroad</b>	(AAR definition) A Class III railroad that falls below the AAR Regional Railroad threshold. May also be called a short line.
<b>LRFA</b>	Local Rail Freight Assistance. Rail assistance program created by federal legislation. Also, NDDOT rail assistance loan program that uses federal funds.

<b>Main Line</b>	Main track that runs through rail yards and from station to station; cannot be occupied without authorization or protection.
<b>Mile Post</b>	Indicates the distance from a specific location such as a major rail terminal or junction. May be expressed in tenths or hundredths, such as MP 10.1 or 10.12.
<b>Miles of Road</b>	Miles of railroad, excluding yards and sidings. May also be called route miles. A mile of road may include two or more parallel tracks. For example, 10 miles of main line is 10 miles of road regardless of whether it is single, double or triple track. Miles of road, less trackage rights, is a measure of the rail network.
<b>NDDOT</b>	North Dakota Department of Transportation
<b>Overhead Traffic</b>	See Bridge traffic.
<b>Piggyback</b>	Early term for intermodal traffic consisting of truck trailers loaded on flat cars for rail transport. See TOFC.
<b>Pre-Empted Signals</b>	Traffic signals that are overridden by rail crossing warning devices. Pre-empted signals turn red when RR crossing warning devices are activated and stay red until the train clears the crossing.
<b>Quiet Zone</b>	Designated area where train horns are not sounded. FRA approval is required before quiet zones may be established.
<b>Rail Weight</b>	Weight of rail per yard. For example, 120lb. rail weighs 120 lbs. per yard. Generally, heavier rail supports higher speeds and heavier loads than lighter rail, but rail profile and quality of steel are factors as well.
<b>Rail Yard</b>	A system of tracks, other than mainline, used for making up trains, parking or storing cars, fueling locomotives and other purposes.
<b>Regional Railroad</b>	(AAR definition) Railroad that operates at least 350 miles of track and/or earns \$40 million in annual revenues. May also be called a short line.
<b>Short Line</b>	Generic term for a railroad that does not meet STB Class I criteria. A short line is usually a Class II or III railroad by STB definition and/or a Regional or Local railroad by AAR definition.
<b>Shuttle Loader</b>	Facility that can load shuttle trains or efficiency trains in compliance with railroad requirements.

<b>Shuttle Train</b>	BNSF term. A train composed usually of 110 cars loaded with a single commodity that runs directly to and from a loading and unloading facility. Usually has dedicated power. See Efficiency Train.
<b>Siding</b>	Track for meeting or passing trains. Railroad timetables indicate siding locations. May also be called side track or passing track.
<b>Slow Order</b>	Temporary speed reduction, usually on a specific section of a main or branch line.
<b>Smart Growth</b>	Well planned, orderly development which strives to balance land use among competing interests. In the context of the rail plan, this would include inviting railroad input to the planning and zoning process.
<b>STB</b>	Surface Transportation Board, created by the ICC Termination Act of 1995. The STB oversees rail abandonments and performs other functions that were once under the purview of the ICC. See ICC.
<b>Staggers Rail Act</b>	Federal legislation that began deregulation of railroads. Some provisions: <ul style="list-style-type: none"> <li>• Limited rate regulation authority of the ICC (now STB) to service areas where competition is ineffective or insufficient to protect shippers.</li> <li>• Legalized contracts between railroads and shippers.</li> <li>• Allowed railroads to restructure their systems, including abandonment of redundant and light density lines.</li> </ul>
<b>STCC</b>	Standard Transportation Commodity Code. A seven-digit numeric code representing 38 commodity groups. Code assignment is related to descriptions in freight classifications of rail and motor carriers. The STCC is maintained and published by AAR and is used in railroad waybill data.
<b>System Diagram Map</b>	Map of railroad system color coded to show five categories of line as follows: <ol style="list-style-type: none"> <li>1. Red – anticipate filing abandonment within three years</li> <li>2. Green – under study for potential future abandonment</li> <li>3. Yellow – abandonment filed and pending before STB</li> <li>4. Brown – lines being operated with financial assistance</li> <li>5. Black or dark blue – all other lines owned and operated</li> </ol> Used for non-exempt (full) abandonment only.
<b>Tare Weight</b>	Empty weight.

**Timetable** Authority for movement of regular trains subject to specified rules. Contains operating instructions and may list special conditions and rules.

**TOFC** Trailer On Flat Car. Intermodal traffic where truck trailers are loaded on rail cars. See Piggyback.

**Track Classification** Track classification is set by FRA based on prescribed requirements. FRA establishes maximum allowable operating speeds for freight and passenger trains by track class. Present track classes and speeds are shown below.

TRACK CLASS	MAX SPEED – FREIGHT	MAX SPEED – PASS
Excepted	10 MPH	NA
Class 1	10 MPH	15 MPH
Class 2	25 MPH	30 MPH
Class 3	40 MPH	60 MPH
Class 4	60 MPH	80 MPH
Class 5	80 MPH	90 MPH

**Transload** The use of more than one mode of transportation to ship goods or commodities from an origin to a destination. In a rail/truck transload, the shipment is initially loaded on a rail car and taken to a transload facility or depot, where it is unloaded from the rail car and loaded onto a truck for transport to final destination.

Transload shipments differ from intermodal shipments in that the cargo, not the container, is transported by more than one mode.

**Unit Train** Train loaded with one commodity, such as coal or grain, with a single destination, such as a power plant or port terminal.

**USDOT (DOT)** US Department of Transportation.

**Waybill** Legal document, based on bill of lading, that gives details and instructions relating to a shipment of goods and specifies a legal weight for billing purposes.